№6457.1

1956-58



GIVEN BY

Mass. Secretary of the Commonwealth

Public Document No. 1.

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1958

PREPARED AND DISTRIBUTED BY

JOSEPH D. WARD

Secretary of the Commonwealth

PUBLICATION OF THIS DOCUMENT APPROVED BY BERNARD SOLOMON, STATE PURCHASING AGENT

600-6-59-925767

Estimated cost per copy: $5.77

Public Document No. 1.

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

For the Year Ending December 31, 1958

Prepared and Distributed by

JOSEPH D. WARD

Secretary of the Commonwealth

EDITED BY

RALPH R. CURRIER

State Registrar of Vital Statistics



CONTENTS

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1958.

Mortality Statistics.

PAGE

Introduction 3–12

General Mortality 3–6
Death registration 3
Purpose 3
Importance of death records 4
Mortality statistics 4
Source of data 4
Death rates and their comparability 4
Allocation 4, 5
Number of deaths and death rates 5
Sex 5
Age 5
Sex and age 5
Marital condition 5, 6
Seasonal distribution of deaths 6

Infant mortality 6, 7

Causes of death 7–11
Sources of error in mortality statistics 7
Principal causes of death 7–11

Deaths investigated by medical examiners 11, 12
Source of data 11
Number of deaths investigated 11
Autopsies 11, 12
Cause of death 12

Statistical Tables 13–141
General mortality 13–139
Table 1.—Registered and allocated deaths in cities and towns, by sex, population, and death rates in each county, city and town 13–17
Table 2.—Deaths allocated by sex and age, in each county; and in municipalities having over 10,000 inhabitants 18–23
Table 3.—Mortality of males and females 24
Table 4.—Deaths at specified ages: census years 24
Table 5.—Male deaths per 1,000 female deaths at specified ages 25
Table 6.—Allocated deaths by sex, age, and marital condition 25
Table 7.—Deaths of males and females at specified ages 26
Table 8.—Allocated deaths, in counties and municipalities having over 50,000 inhabitants, by months 27
Table 9.—Deaths, live births, deaths under 1 year, deaths under 1 month and rates per 1,000 population and per 1,000 live births 27
Table 10.—Allocated deaths (exclusive of stillbirths) from each cause and class of causes, according to the Detailed International List, by sex 28–51
Table 11.—Allocated deaths (exclusive of stillbirths) from 256 selected causes, by months 52–59
Table 12.—Allocated deaths (exclusive of stillbirths) from 256 selected causes, by age and sex 60–85
Table 13.—Deaths from important causes by place of occurrence and by place of residence 86
Table 14.—Deaths from important causes allocated to each county 88–113
Table 15.—Registered deaths from important violent causes by place of occurrence 114–119
Table 16.—Accidental deaths, according to type of accident, by months and sex . 120, 121
Table 17.—Accidental deaths, according to type of accident, by age and sex . . 122, 123
Table 18.—Deaths produced by external causes 124
Table 19.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year 124
Table 20.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abbreviated List 126–127
Table 21.—Deaths and death rates per 100,000 population from important causes . 128–129

Infant mortality 130–137
Table 22.—Deaths allocated under 4 weeks of age; also under 1 year of age, by sex, in the State and each municipality 130–132
Table 23.—Infant and maternal deaths and death rates, for the State and counties . 132
Table 24.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1955 133
Table 25.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship, in municipalities having over 15,000 inhabitants in 1955 134
Table 26.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston 135
Table 27.—Survivors at end of first year of life per 1,000 population and per 1,000 live births 135

STATISTICAL TABLES—*Concluded.*

Infant mortality—*concluded.* PAGE

TABLE 28.—Infant deaths per 1,000 live births, by causes 135
TABLE 29.—Deaths from important causes for certain subdivisions of the first year of life, for the State 136
TABLE 30.—Deaths from important causes for certain subdivisions of the first year of life, for Boston 137

Maternal mortality 138, 139
TABLE 31.—Deaths and death rates per 100,000 population from diseases caused by pregnancy and confinement 138
TABLE 32.—Death rates per 10,000 confinements and per 10,000 births from diseases caused by pregnancy and confinements 139

Deaths investigated by medical examiners 140, 141
TABLE 33.—Deaths (inclusive of stillbirths) investigated by medical examiners, by cause of death, in each county 140, 141
TABLE 34.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county 140, 141

BIRTH STATISTICS.

INTRODUCTION 142–145
Birth registration 142
Importance of birth records 142, 143
Adoptions 143
Records impounded 144
Treatment of infants' eyes after birth 144
Allocation 144
Live births 144
Birth rate 144
Changes in birth rate 144
Stillbirths 144
Birth rates, highest 144, 145
Sex proportion at birth 145
Plural births 145
Natural increase 145

STATISTICAL TABLES 146–155
TABLE 35.—Registered live births; allocated live births and stillbirths, in cities and towns, by sex, and birth rates per 1,000 population, in each county, city, and town 146–150
TABLE 36.—Allocated live births, by month of birth, in counties and in municipalities having over 50,000 inhabitants 151
TABLE 37.—Cases of allocated plural births in counties and municipalities having over 15,000 inhabitants 152
TABLE 38.—Allocated live births and allocated stillbirths by age of mother, birth weight, color, plurality and place of delivery 153
TABLE 39.—Live births and birth rates for the state and cities having over 100,000 inhabitants in 1955 154
TABLE 40.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population; and by sex and sex proportions 154
TABLE 41.—Plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births 155

MARRIAGE STATISTICS.

INTRODUCTION 156, 157
Marriage registration 156
Source of data 156
Number of marriages 156
Solemnization 156, 157
Accuracy 157
Purpose 157

STATISTICAL TABLES 158–168
TABLE 42.—Marriages classified by residence of bride and groom, in each county and municipality 158–162
TABLE 43.—Marriages, by sex, age, and marital condition 163
TABLE 44.—Marriages, by month in counties and in municipalities having over 50,000 inhabitants 163
TABLE 45.—Marriages in each county by sex and age 164, 165
TABLE 46.—Marriages, by sex and age 166
TABLE 47.—First marriages, by sex and age 166
TABLE 48.—First marriages of grooms and remarriages of brides, by age 166
TABLE 49.—Remarriages of grooms and first marriages of brides, by age 167
TABLE 50.—Remarriages of both parties, by age 167
TABLE 51.—First marriages and remarriages 167
TABLE 52.—Marriages and marriage rates in the state and in cities having over 100,000 inhabitants in 1955 168

Divorce Statistics.

	PAGE
Introduction	169, 170
Causes for divorce	169
Source of data	169
Applications for divorce	169
Contested cases	169
Number of divorces	169
Divorce rates	169, 170
Party to which granted	170
Divorces classified by causes	170
Annulled cases	170
Duration of marriages	170
Statistical Tables	171–175
Table 53.—Libels for divorces granted, refused, dismissed, contested, and not contested, by statutory causes and sex of libellant; also annulments	171
Table 54.—Divorces granted	171
Table 55.—Divorces granted, increase over preceding period	172
Table 56.—Comparison of increase in divorce with increase in population	172
Table 57.—Divorce rates based on total population and on married population: census years, 1930 to 1955	172
Table 58.—Divorces granted for specified causes for 25 years	172
Table 59.—Statutory causes of divorce	173
Table 60.—Applications for divorce	173
Table 61.—Divorces granted classified by statutory cause and party to which granted	174
Table 62.—Libels for divorces granted and not granted, contested and not contested, classified by party to which granted	174
Table 63.—Divorces and annulments granted, by party to which granted and by duration of marriage	174
Table 64.—Divorces and annulments granted by county in which granted	175

Population Statistics.

Introduction	176
Estimated population	176
Statistical tables	177, 178
Statistical Tables	177,178
Table 65.—Census population of municipalities having over 15,000 inhabitants in 1955	177
Table 66.—Estimated population by age and sex: July 1, 1958	178

LETTER OF SUBMITTAL

The Commonwealth of Massachusetts,

Office of the Secretary,

Division of Vital Statistics.

Boston, February 19, 1960.

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, Section 21, and Chapter 208, Section 47, of the General Laws, the one hundredth and seventeenth annual report on statistics of births, marriages, divorces and deaths in Massachusetts for the calendar year 1958. Deaths are reported monthly while births, marriages, and statistics of divorce are not required to be reported until March, April and May of the year following that in which the events occur.

The editorial review and the method of presentation of the statistical data were prepared by Ralph R. Currier, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of M. Louise Joyce, statistician of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

Joseph D. Ward,

Secretary of the Commonwealth.

Editorial Review of the Vital Statistics of Massachusetts, 1958

BY RALPH R. CURRIER, STATE REGISTRAR OF VITAL STATISTICS.

MORTALITY STATISTICS

	PAGE
Introduction	3–12
General mortality	3–6
Death registration	3
Purpose	3
Importance of death records	4
Mortality statistics	4
Source of data	4
Death rates and their comparability	4
Allocation	4, 5
Number of deaths and death rates	5
Sex	5
Age	5
Sex and age	5
Marital condition	5, 6
Seasonal distribution of deaths	6
Infant mortality	6, 7
Causes of death	7–11
Sources of error in mortality statistics	7
Principal causes of death	7–11
Deaths investigated by medical examiners	11, 12
Source of data	11
Number of deaths investigated	11
Autopsies	11, 12
Cause of death	12
Statistical tables	13–141

INTRODUCTION

History.

Death Registration. — Massachusetts was one of the first colonies to recognize the importance of the registration of vital statistics, and as early as 1639 required registration of births, marriages and deaths; in 1842 statutes required copies to be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in nonregistration States.

During the period 1841 to 1958 inclusive, 4,813,514 copies of deaths have been received, filed, and tabulated in the Division of Vital Statistics. The original records are on file in the cities, towns and States in which the events occurred and copies in the city and town given as the residence of the deceased at the time of death. Chapter 439, Acts of 1945, provides that in cases of burial of war veterans in a city or town other than the place of death or residence, a copy of the death certificate shall also be filed with the Clerk of the place of burial.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipiency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for all purposes.

Importance of Death Records. — Where proof concerning death is needed:

1. To prove the fact of death: For life-insurance claims; for liquidation of estates.
2. To prove facts about the deceased: For tracing ancestry; for names of husband or wife, and parents; for information on circumstances and cause of death; for age, sex, and race; for recording date and place of interment.
3. To prove date of death: For settlement of pensions; for insurance adjustments; for general legal use.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths; the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a standard death certificate with the local Board of Health.

The responsibility for seeing that a certificate is properly made out and filed rests with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove or bury a body. The local boards of health are required to transmit the death certificates to the city or town clerks who in turn record the deaths and are required to transmit certified copies to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the deaths occurred. Hospitals and other institutions are required to obtain, when persons are received, the facts which are required for record in the event of the deaths of such persons. Chapter 604, Acts of 1949, relates to the burial or other disposition of the bodies of veterans.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) migration; and (5) the birth rate.

Allocation. — Deaths are charged to the place of event and also are allocated to the place of residence of the deceased. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. The usual place of residence has been used as a basis for all deaths occurring outside the State as well as for those in the State. For purposes of allocation former residents of Massachusetts who have died in other States, after an absence from Massachusetts of more than one year, are considered nonresidents. Residents of other States who have resided in Massachusetts for more than one year are

considered as residents except in the case of institutions and jails. Such persons are regarded as temporary residents of these places since they did not voluntarily enter with the intention of remaining and without doubt would have returned, if discharged, to their usual residence. Accidental deaths have been treated in the same manner as those caused by sickness. Also, those deaths due to violence have been allocated to the place of occurrence (see Table 15). The foregoing outline does not by any means cover all cases that may and will arise but will serve as an explanation of the method used in preparation of allocated tables.

Number of Deaths and Death Rates. — There was an increase of 361 in the number of deaths occurring in the State during the calendar year 1958, the total number being 55,575 as compared with 55,254 deaths in 1957. Based on the estimated population of July 1, 1958, of 4,946,055 these deaths correspond to a rate of 11.2 per 1,000 population. The rate for 1957 was the same. Deaths of residents of Massachusetts numbered 54,792, resulting in a death rate of 11.1 per 1,000 inhabitants.

During the ten-year periods, from 1939 to 1948, inclusive, the average death rate of the Commonwealth was 11.6, and from 1949 to 1958, inclusive, 10.9.

Sex. — Of the 54,792 resident deaths in 1958, 28,926, or 52.8 per cent, were males, the percentage in 1957 being 53.4. The proportion of males in the living population, as shown by the Decennial Census of 1955, was 48.3 per cent. Expressed as a ratio, there were 1,118 deaths of males per 1,000 deaths of females in 1958, as compared with 1,144 in 1957, 1,148 in 1956, 1,137 in 1955 and 1,139 in 1954.

Table 3 shows that the death rate of males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 54,792 deaths in 1958 of residents of the State, 2,536 or 4.6 per cent were of infants under 1 year of age. The rates for infant deaths in previous years were 4.8 per cent in 1957 and an average of 4.7 per cent for the five years from 1952 to 1956, 4.8 per cent for the five years from 1947 to 1951 and 5.2 per cent for the five years from 1942 to 1946. A more detailed discussion of infant mortality may be found under *Infant Mortality*.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, because of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 2,536 decedents under 1 year of age in 1958, 1,470, or 58 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 70 to 74 years. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males including the reputed centenarians, numbering 57 of whom 11 were males and 46 were females. The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1955–1958 are shown in Table 5.

Among the 28,926 male decedents in 1958, 1,470, or 5.1 per cent, were under 1 year of age; among the 25,866 female decedents, 1,066, or 4.1 per cent, were under 1 year of age; and among the decedents of both sexes, 4.6 per cent were under 1 year of age (see Table 7).

Marital Condition. — Not quite one-half (46.3 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1958 were married, 15.2 per cent were single, 36 per cent were widowed, 2.4 per cent were divorced and .1 per cent were unknown. Among the male decedents 59.5 per cent were married, 14.1 per cent were single, 23.4 per cent were widowed, 2.8 per cent were di-

vorced and .2 per cent were unknown. Among the female decedents 31.8 per cent were married, 16.4 per cent were single, 49.9 per cent were widowed, 1.8 per cent were divorced, and .1 per cent were unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 6 shows the number of deaths of males and females 15 years of age and over by marital condition.

Seasonal Distribution of Deaths. — The largest number of deaths during any month occurred in December (5,123) and the next largest number in March (5,096) and January (4,932). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1958 was 150. The months showing the highest average for the year were February (169), December (165), and January and March (164). Table 8 shows the number of deaths in each month of 1958, in counties, and in municipalities having over 50,000 inhabitants in 1955.

Infant Mortality.

Much credit is due to physicians, hospitals, public health officials and mothers for the gratifying results obtained in their campaign against infantile diseases. The present low rate of infant mortality, together with the steadily de lining rate over a long period of years, is largely due to the constantly improving methods of infant feeding and the continued developments in community and home sanitation.

The infant mortality for residents of the State in 1958 was 22.1 per 1,000 live births. With a few exceptions, this rate has been moving steadily downward being largely due to the reduction in deaths from gastro-intestinal, respiratory and communicable diseases. Reference to Table 26, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

In the ten years from 1949 to 1958, there has been an increase of 18,911 or 19.4 per cent in the number of live births registered in the State. During the same period there has been an increase of 4,553 or 22.6 per cent in the number of live births registered in Boston, while for the remainder of the State, the number of births registered increased 18.6 per cent. In 1958, deaths of Boston residents under 1 year of age numbered 414 or 25.6 per 1,000 live births. The rates for previous years were 24.6 in 1957, 27.6 in 1956, 26.2 in 1955 and 25.0 in 1954. The infant mortality rates for the State, exclusive of Boston, decreased from 32.2 per 1,000 live births in 1944 to 21.6 in 1958, as compared with a decrease in Boston from 36.8 in 1944 to 25.6 in 1958 (see Table 26).

Deaths under four weeks and also under one year of age in each municipality are shown in Table 22.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1955 are shown for the years 1951 to 1958 in Table 24.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1958, 1,724 deaths occurred in the first week, constituting 68 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (41.2 per cent) was higher than on any other day. In the first four weeks of life there were 1,914 deaths, or 75.5 per cent of all infant deaths.

In the first three months there were 2,164 deaths, or 85.3 per cent of all infant deaths. Ninety-three and one-tenth per cent of the infant deaths occurred in the first half of the year.

Over four-fifths, 83.2 per cent, of the 1,724 babies who died less than one week after birth, died of immaturity, postnatal asphyxia and atelectasis, malformations, or injuries received at birth. Of the 1,691 babies who died from these causes before reaching the age of 1 year, 54.2 per cent died in less than one day, 84.9 per cent died in less than one week, and 90.8 per cent died in less than four weeks.

Diseases of the digestive system, formerly important factors in causing infant deaths, claimed 53 or 2.1 per cent of the babies who died before reaching 1 year of age. Thirty-seven and seven-tenths per cent of these deaths were from diarrhea and enteritis which has shown a remarkable decrease since 1900.

The largest number of deaths of infants is due to developmental and wasting diseases, and the figures indicate a reduction in infant mortality due to these causes, — from 24.1 deaths per 1,000 live births in 1933 to 11.6 in 1958. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has fluctuated since 1954 when there were 46 infant deaths from this cause, 69 in 1955, 79 in 1956, 71 in 1957 and 99 in 1958. The principal causes of infant deaths for the years 1954 to 1958 are shown in Table 28.

Causes of Death.

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again, the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death. Beginning with 1949, the 1948 or sixth revision of the Manual of International List of Causes of Death was used in the assignment of causes of death.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 600 or more titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death received during 1958 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the Expert Committee of the World Health Organization, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of the underlying cause of death as stated by the certifying physician, except in instances where the order of entries on the medical certificate is obviously erroneous. The medical certificate, recently adopted, permits the certifying physician or surgeon to signify more clearly the order of events leading up to death. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases, when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes. — Slightly more than three-fourths of the 54,792 resident deaths reported in 1958 were caused by diseases of the heart, cancer, vascular lesions affecting the central nervous system, pneumonia and nephritis. These diseases, together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 85.2 per cent of the deaths for the year. Table 21 shows the number of residents of the State who died from these causes.

Heart Disease, as usual, was the leading cause of resident deaths in 1958, the total number being 23,187 corresponding to a rate of 468.8 per 100,000 population as compared with 23,037 deaths, or 468.7 per 100,000 in 1957.

Cancer and other Malignant Neoplasms. — Cancer ranked second in numerical importance among all the causes of death. The resident deaths from cancer were 9,526 the rate being 192.6 per 100,000 population, with cancers of the digestive organs and peritoneum claiming 38.3 per cent of these deaths, cancer of the genito-urinary organs 17.5 per cent; respiratory system 13.8 per cent; breast 10.3 per cent; hematopoietic and lymphatic tissues 8.2 per cent; buccal cavity and pharynx 2.9 per cent; and 9 per cent were of other or unspecified organs. The death rate from cancer has steadily risen from 89.6 in 1910 to 196.0 in 1957 an all-time high, with the first decreases during the last twenty-five years occurring in 1945, 1946, 1949, 1952, 1956 and 1958 respectively. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Among the male deaths the per cent distribution was as follows: digestive organs and peritoneum 38.9; genito-urinary organs 15.6; respiratory system 22.6; breast .3; hematopoietic and lymphatic tissues 9.1; buccal cavity and pharynx 4.5 and other unspecified organs 9. The per cent distribution of the female deaths was as follows: digestive organs and peritoneum 37.7; genito-urinary organs 19.5; respiratory system 4.4; breast 20.9; hematopoietic and lymphatic tissues 7.2; buccal cavity and pharynx 1.3 and other or unspecified organs 9.

Of cancer of the digestive organs and peritoneum, cancer of the intestines claimed the largest number of males, 15.9 per cent, and also claimed the largest number of females, 17.7 per cent. Among the deaths from cancer of the genito-urinary organs, 27.1 per cent were of the prostate gland and 26.6 per cent were of the uterus. More than four-fifths of the deaths from cancer of the lungs and bronchus were of males, 85.1 per cent, while 14.9 per cent were of females. In the buccal cavity group, cancer of the pharynx was responsible for 32.7 per cent of the male deaths and for 6.8 per cent of the female deaths. More than one-half, 57.1 per cent of the deaths from cancer of the skin were of males; while 42.9 per cent were females. Of the resident deaths from cancer, more than one-half, 51.4 per cent were of males.

Vascular Lesions, Affecting Central Nervous System were the causes of 6,063 deaths of residents, or 122.6 per 100,000 population. The death rate from these diseases has fluctuated somewhat, being 110.7 in 1954, 119.0 in 1955, 116.1 in 1956 and 120.3 in 1957.

Pneumonia (including bronchopneumonia) caused 2,123 resident deaths in 1958, or 42.9 per 100,000 population, as compared with 2,055 deaths, or 41.8 per 100,000 population in 1957.

Nephritis, all forms, was the cause of 359 deaths of Massachusetts residents in 1958 corresponding to a rate of 7.3 per 100,000 population, as compared with 8.7 in 1957, 9.5 in 1956, 10.0 in 1955, and 10.1 in 1954 and an average rate of 14.3 for the five years from 1949 to 1953. The great decrease in these deaths is accounted for by the fact that, under the new classification of causes of death, some forms of nephritis are now included with diseases of the circulatory system.

Tuberculosis in its various forms claimed 314 victims in 1958 of whom 305 died from tuberculosis of the respiratory system. Deaths due to the latter cause constituted .6 per cent of all resident deaths during the year, the rate being 6.2 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2. Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, this disease has fluctuated during recent years, there being an increase of .6 in 1940, .8 in 1941 and .5 in 1946 over the preceding years respectively.

Diabetes was the cause of 894 deaths of Massachusetts residents in 1958, an increase of 80 from those reported in 1957 and was responsible for a rate of 18.1 per 100,000 population. The rate from this disease has shown a steady increase from 20.0 in 1926, to 37.9 in 1943, but since the latter year, has fluctuated, as may be seen from the following rates: 1957, 16.6; 1956, 18.2; 1955, 21.6; 1954, 21.4; and an average rate of 22.4 for the five years from 1949 to 1953. Nearly two-thirds, 63.2 per cent, of the resident deaths from diabetes were of females, with the age period 65 to 74 years having the greatest number, 25.1 per cent; of the males 12.3 per cent were in the same age periods. This disease attacked persons 50 years of age and over most severely and these age groups claimed 90.8 per cent of diabetic deaths, 63.2 per cent being females and 36.8 per cent males.

Congenital Debility and Malformations, including immaturity, caused 1,225 resident deaths in 1958 corresponding to a rate of 24.8 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2) to 24.4 in 1951.

Alcoholism and Cirrhosis of the Liver (specified as alcoholic, etc.) were responsible for 796 resident deaths in 1958 corresponding to a rate of 16.1 per 100,000 population. Of these 85 were due to alcoholism which is an increase of 6 over those reported in 1957, corresponding to a rate of 1.7 per 100,000 population.

Maternal Mortality. — Deaths from puerperal causes of residents of the State in 1958 totalled 24 corresponding to a rate of 2.1 per 10,000 confinements. This rate was an increase from 1957, the rate being .9 and 2.0 for 1956.

Puerperal Septicemia was responsible for 3 resident deaths not including any due to abortion with septic conditions, the rate for this cause in 1958 being .3 per 10,000 confinements. In 1957 and in 1956 the rate was .4. Of the deaths from these causes 1 was from 15 to 19 years of age, 1 from 30 to 34 years of age and 1 from 35 to 39 years of age.

Diarrhea and Enteritis caused 53 deaths of residents in 1958, or 1.1 per 100,000 population. Thirty-two and one-tenth per cent of the total number of deaths charged to these causes in 1958 were of infants under 2 years of age. The rates from this cause for all ages were 1.3 in 1954, 1.5 in 1955, 1.4 in 1956 and 1.1 in 1957.

Principal Communicable Causes. — The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 25 deaths of Massachusetts residents, or .5 per 100,000 inhabitants, as compared with .3 in 1954, .6 in 1955, .3 in 1956 and 1.7 in 1957. In 1918 there were 13,783 deaths from this cause, corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated between .3 in 1954 and 27.9 in 1929.

Whooping Cough, one of the principal epidemic maladies of childhood, was responsible for 2 deaths in 1958, or less than one-tenth of one per 100,000 population. This was an increase of 1 death over those reported in 1957.

Measles, another childhood disease, caused 4 resident deaths in 1958, or one-tenth of one per 100,000 population. This rate was .1 in 1957, less than one-tenth of one in 1956, .4 in 1955 and .1 in 1954.

Scarlet Fever. — There was 1 death from scarlet fever in 1958. The rates have changed from year to year during the period 1933 to 1958, the highest being 2.5 in 1933 and less than one-tenth of one in 1946, 1948, 1949, 1952 and 1956 and no deaths in 1957.

Diphtheria and Croup — which are classed together in the statistics, but practically all of which are diphtheria had no deaths in 1958. There has been a decided decrease in this disease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants.

Epidemic Cerebrospinal Meningitis claimed 15 victims in 1958 and 1957, as compared with 6 in 1956, 8 in 1955 and 13 in 1954. The rate for this cause was .3 per 100,000 population.

Encephalitis Lethargica, commonly known as sleeping sickness, is a comparatively new disease and has varied little in the last five years, the number of deaths in 1958 being 6, 9 in 1957, 6 in 1956, 4 in 1955, and 6 in 1954.

Dysentery. — There were no deaths in 1958, 1 in 1957, 1 in 1956, 6 in 1955 and 13 in 1954.

Typhoid Fever has shown a steady decline since 1910, having dropped from 12.2 in that year to less than one-tenth of one per 100,000 in 1946. This decline is greater, relatively, than that shown for any other important cause of death. There were no deaths due to typhoid fever in 1958 and 1957, 1 in 1956 and 1955, and none in 1954.

Acute Poliomyelitis has shown a decrease for 1958, the number of deaths being 2 or less than .1 per 100,000 population, as compared with .1 in 1957 and 1956, 3.6 in 1955 and .4 in 1954.

There were no deaths from Smallpox in 1958.

Violent and Accidental Deaths. — Death rates from violence for residents of the State during the past five years per 100,000 population were 60.8 in 1954 and 1955, 61.0 in 1956, 58.3 in 1957 and 57.9 in 1958.

Resident deaths due to Railroad Accidents and Injuries totalled 29 and corresponded to a rate of .6 per 100,000 population. The rates for the previous years were .6 in 1954, .3 in 1955, .6 in 1956 and .4 in 1957.

Resident deaths resulting from Streetcar Accidents and Injuries numbered 2 or less than one-tenth of one per 100,000 population.

Motor-Vehicle Traffic Accidents caused 632 deaths of residents in 1958, including 7 deaths from motor vehicle and railroad collisions. There were no deaths from motor vehicle and streetcar collisions. The rate was 12.8 per 100,000 population, as compared with 11.0 in 1957, 12.2 in 1956, 12.7 in 1955 and 11.3 in 1954. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. — There were 3 deaths from this cause in 1958 and 1957. In 1956 there were 4 deaths; in 1955, 6; and in 1954, 2. The highest temperature recorded in 1958 was 93 degrees on July 2. The highest temperature recorded at the Weather Bureau of the United States Department of Commerce since 1900 was 104 degrees on July 4, 1911. The next highest temperature was 103 degrees on July 22, 1926.

Deaths of residents caused by Machinery Accidents in 1958 numbered 12 or .2 per 100,000 population. The corresponding figures for previous years were .3 in 1954, .4 in 1955 and 1956 and .2 in 1957.

The number of Suicides of Massachusetts residents in 1958 was 420 or 8.5 per 100,000 population. The rates since 1953 have been: 1954, 7.9; 1955, 8.6; 1956, 8.5; and in 1957, 8.1.

Resident deaths caused by firearms numbered 127 in 1958 corresponding to a rate of 2.6 per 100,000 population. Of these deaths 99 were suicides, 16 were homicides, and 12 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt).

Resident deaths from Homicide numbered 49 in 1958, or 1.0 per 100,000 population. The rates for homicide in recent years are .9 in 1954, 1.2 in 1955 and 1956 and 1.3 in 1957.

The causes of deaths for residents of the Commonwealth by sex for the complete International List of Diseases, Injuries and Causes of Death are shown in Table 10. Deaths from 256 Selected Causes occurring in each month are in Table 11 while those grouped in five-year age periods by sex are shown in Table 12. In Table 13 the deaths are shown for 58 causes and groups of causes for residents of other states dying in Massachusetts as well as residents of Massachusetts dying in other states; also these causes and groups of causes are shown in Table 14 for each county and municipality.

For the Commonwealth as a whole the deaths and death rates for the five years 1954 to 1958 are shown for the 50 causes and groups of causes in the Abbreviated International List in Table 20. In addition to the above presentations, Tables 15 to 19, 21, 23 and 28 to 32 show causes of death.

DEATHS INVESTIGATED BY MEDICAL EXAMINERS.

Source of Data. — The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associates to the Secretary of the Commonwealth of deaths supposedly due to violence, the cause and manner of which have been investigated during the year. Deaths supposedly due to violence include deaths caused by the action of chemical, thermal, or electrical agents, or following abortion, or from diseases resulting from injury or infection related to occupation, or suddenly when not disabled by recognizable disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.) but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1958 was 14,050, or 25.3 per cent of the total number of deaths which occurred during the year, as compared with 13,746 deaths in 1957 when the rate was 24.9 per cent. Of the deaths investigated by medical examiners, 2,787, or 19.8 per cent, were reported as due to violence, while among the deaths returned to the registrars, 2,861 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1958 was in Middlesex County, 2,956 as compared with 2,054 in Essex County. Of the deaths investigated in Middlesex County 553 or 18.7 per cent, were reported as due to violence.

Autopsies. — Autopsies were made in 1,566 or 11.1 per cent of the cases investigated by the medical examiners in 1958, as compared with 5.4 in 1957, 4.8 in 1956, 7.2 in 1955 and 5.7 in 1954.

The highest proportion of autopsies was in Suffolk County where 17.7 per cent of the views were autopsied, there being 17.6 per cent in 1957. Table 34 shows the number of views and the number of autopsies in each county in each year from 1949 to 1958, and the number and per cent of views autopsied for the ten-year period, 1949 to 1958.

Cause of Death. — Over two-thirds (68.6 per cent) of the deaths viewed by medical examiners in 1958 were from causes not due to violence, 19.8 per cent were due to violence, and .4 per cent were stillbirths. One thousand, five hundred and sixty-six, or 11.1 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 9,635, of which 9,460 were from natural causes and 72 were due to alcoholism.

Deaths due to violence numbered 2,787, of which 2,306 were due to accident and poisoning, 429 were suicides, and 52 were homicides.

Of the 2,429 deaths due to accident and poisoning, 1,007 were due to falls, 645 were due to automobile accidents, 115 resulted from drowning, 26 were due to railroad accidents, and 513 to other causes.

Suicides numbered 429, or 15.4 per cent of the deaths due to violence. Suicides committed by the use of illuminating and other gases, 67, and by hanging or strangulation, 137, constituted more than two-fifths (47.6 per cent), of the total number. The number of suicides by firearms was 97; by poisons, 49; by drowning, 32; and other methods, 47.

Homicides numbered 52, of which 17 were by firearms, 12 by cutting or piercing instruments, 21 by other means, one by poisoning and one by intervention of police.

Table 1 — Registered and Allocated Deaths,[2] in Cities and Towns by Sex, and Death Rates per 1,000 Population, in Each County, City and Town: 1958.

Counties and Municipalities[1]	Registered.			Allocated.				Population (Estimated July 1, 1958.)
	Total.	Sex.		Total.	Sex.		Rate.	
		Male.	Female.		Male.	Female.		
The State.	**55,575**	**29,309**	**26,266**	**54,792**	**28,926**	**25,866**	**11.1**	**4,946,055**
Barnstable County	790	435	355	787	413	374	14.2	55,438
Barnstable	289	149	140	149	79	70	11.8	12,658
Bourne	229	125	104	86	48	38	17.4	4,946
Brewster	13	10	3	27	17	10	21.8	1,237
Chatham	18	7	11	43	20	23	12.7	3,376
Dennis	22	13	9	54	26	28	14.9	3,626
Eastham	9	4	5	16	6	10	13.4	1,194
Falmouth	44	23	21	95	51	44	9.6	9,939
Harwich	28	19	9	84	47	37	23.0	3,649
Mashpee	3	3	–	13	6	7	22.9	567
Orleans	12	8	4	31	17	14	13.1	2,374
Provincetown	54	27	27	68	33	35	19.9	3,415
Sandwich	15	9	6	30	15	15	18.3	1,642
Truro	8	8	–	6	4	2	6.6	916
Wellfleet	11	8	3	18	6	12	12.7	1,418
Yarmouth	35	22	13	67	38	29	15.0	4,481
Berkshire County	1,555	835	720	1,603	874	729	11.4	140,504
Adams	132	86	46	143	91	52	10.9	13,101
Alford	3	1	2	4	1	3	14.9	269
Becket	6	3	3	11	3	8	14.0	784
Cheshire	13	9	4	23	10	13	10.2	2,260
Clarksburg	7	4	3	21	10	11	13.1	1,602
Dalton	30	9	21	63	35	28	10.7	5,910
Egremont	11	3	8	16	8	8	17.8	899
Florida	4	1	3	8	4	4	14.3	561
Great Barrington	127	77	50	83	47	36	11.8	7,025
Hancock	3	1	2	9	7	2	19.1	470
Hinsdale	6	3	3	21	9	12	14.5	1,451
Lanesborough	12	6	6	33	21	12	11.2	2,946
Lee	25	16	9	48	28	20	9.1	5,298
Lenox	45	23	22	48	28	20	13.4	3,592
Monterey	3	–	3	8	4	4	16.9	474
Mount Washington	3	1	2	1	–	1	22.7	44
New Ashford	–	–	–	–	–	–	–	169
New Marlborough	4	2	2	13	6	7	12.1	1,075
North Adams	301	158	143	260	147	113	12.1	21,493
Otis	3	1	2	12	5	7	22.3	539
Peru	1	–	1	2	1	1	10.9	184
Pittsfield	687	366	321	585	303	282	10.4	56,103
Richmond	6	6	–	6	6	–	6.8	885
Sandisfield	19	10	9	13	11	2	21.0	619
Savoy	3	2	1	6	4	2	18.8	319
Sheffield	17	10	7	31	21	10	14.7	2,110
Stockbridge	18	8	10	30	15	15	13.1	2,292
Tyringham	–	–	–	–	–	–	–	231
Washington	12	3	9	4	2	2	13.0	308
West Stockbridge	4	4	–	10	8	2	8.3	1,202
Williamstown	45	21	24	84	36	48	14.2	5,911
Windsor	5	1	4	7	3	4	18.5	378
Bristol County	4,221	2,167	2,054	4,390	2,296	2,094	11.2	393,226
Acushnet	66	36	30	47	26	21	9.2	4,995
Attleboro	343	172	171	291	140	151	11.6	25,087
Berkley	–	–	–	4	2	2	2.9	1,394
Dartmouth	77	29	48	111	47	64	8.2	13,465
Dighton	19	9	10	39	22	17	11.5	3,385
Easton	46	27	19	84	48	36	11.1	7,541
Fairhaven	104	47	57	140	68	72	10.4	13,501
Fall River	1,422	715	707	1,226	638	588	11.7	105,195
Freetown	15	4	11	29	15	14	10.9	2,665
Mansfield	21	12	9	93	53	40	11.9	7,811
New Bedford	1,225	625	600	1,339	679	660	12.7	105,488
North Attleborough	51	30	21	157	100	57	11.8	13,253
Norton	35	21	14	54	34	20	10.2	5,307
Raynham	21	15	6	30	19	11	8.6	3,477
Rehoboth	10	7	3	36	17	19	8.3	4,314
Seekonk	34	17	17	74	40	34	9.8	7,530
Somerset	31	16	15	90	44	46	8.1	11,055
Swansea	42	24	18	81	48	33	8.4	9,626
Taunton	632	345	287	413	226	187	9.9	41,521
Westport	27	16	11	52	30	22	7.9	6,616

[1] Counties and cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1 — Registered and Allocated Deaths,[2] in Cities and Towns by Sex, and Death Rates per 1,000 Population, in Each County, City and Town: 1958.

Counties and Municipalities[1]	Registered. Total.	Registered. Sex. Male.	Registered. Sex. Female.	Allocated. Total.	Allocated. Sex. Male.	Allocated. Sex. Female.	Allocated. Rate.	Population (Estimated July 1, 1958.)
Dukes County	82	35	47	82	34	48	13.0	6,286
Chilmark	2	–	2	4	–	4	14.7	272
Edgartown	9	5	4	18	9	9	11.8	1,521
Gay Head	–	–	–	2	1	1	14.0	143
Gosnold	–	–	–	–	–	–	–	121
Oak Bluffs	43	16	27	29	7	22	18.3	1,585
Tisbury	26	13	13	25	17	8	10.9	2,284
West Tisbury	2	1	1	4	–	4	11.1	360
Essex County	6,123	3,125	2,998	6,440	3,343	3,097	11.6	553,391
Amesbury	149	66	83	147	68	79	13.0	11,298
Andover	60	26	34	146	79	67	9.6	15,226
Beverly	315	168	147	307	162	145	9.5	32,280
Boxford	8	5	3	12	9	3	9.6	1,256
Danvers	475	209	266	171	83	88	9.0	18,994
Essex	9	7	2	23	14	9	10.9	2,110
Georgetown	14	8	6	35	21	14	11.9	2,949
Gloucester	374	188	186	357	182	175	13.6	26,232
Groveland	11	7	4	32	19	13	11.7	2,732
Hamilton	12	6	6	21	14	7	4.6	4,570
Haverhill	630	311	319	610	302	308	13.4	45,436
Ipswich	89	44	45	85	41	44	10.4	8,157
Lawrence	895	502	393	941	518	423	12.4	76,094
Lynn	1,153	591	562	1,250	645	605	12.6	99,020
Lynnfield	23	10	13	57	29	28	9.1	6,249
Manchester	14	5	9	32	12	20	9.0	3,544
Marblehead	121	61	60	181	83	98	10.9	16,618
Merrimac	16	8	8	38	19	19	12.5	3,039
Methuen	303	153	150	251	128	123	9.3	27,078
Middleton	49	33	16	41	23	18	11.7	3,518
Nahant	58	25	33	36	23	13	10.5	3,418
Newbury	9	6	3	26	14	12	11.0	2,370
Newburyport	228	115	113	194	94	100	13.2	14,697
North Andover	59	27	32	117	69	48	12.1	9,648
Peabody	211	122	89	306	174	132	10.9	28,015
Rockport	30	16	14	76	38	38	16.0	4,761
Rowley	22	11	11	20	12	8	9.6	2,086
Salem	545	280	265	518	275	243	12.9	40,117
Salisbury	10	4	6	26	14	12	9.1	2,846
Saugus	149	71	78	173	79	94	9.1	18,923
Swampscott	47	23	24	147	68	79	10.8	13,553
Topsfield	14	5	9	22	11	11	8.9	2,474
Wenham	11	6	5	19	11	8	7.7	2,452
West Newbury	10	6	4	23	10	13	14.1	1,631
Franklin County	563	299	264	626	331	295	11.0	56,874
Ashfield	16	8	8	14	8	6	12.5	1,124
Bernardston	11	6	5	15	8	7	11.1	1,355
Buckland	10	6	4	21	11	10	12.4	1,695
Charlemont	3	2	1	9	6	3	10.5	857
Colrain	4	1	3	15	6	9	9.9	1,511
Conway	4	2	2	9	5	4	10.1	893
Deerfield	37	19	18	34	24	10	10.9	3,121
Erving	6	4	2	4	4	–	2.8	1,411
Gill	2	2	–	8	2	6	7.0	1,148
Greenfield	222	118	104	202	103	99	11.0	18,373
Hawley	1	1	–	3	2	1	10.1	297
Heath	1	1	–	3	1	2	9.0	335
Leverett	3	3	–	7	7	–	8.1	868
Leyden	2	1	1	4	2	2	11.5	348
Monroe	1	1	–	1	1	–	5.7	176
Montague	129	75	54	100	53	47	11.5	8,716
New Salem	1	–	1	4	2	2	8.7	460
Northfield	29	11	18	29	14	15	12.1	2,389
Orange	32	17	15	85	42	43	13.5	6,291
Rowe	–	–	–	2	2	–	9.5	210
Shelburne	22	9	13	23	6	17	13.1	1,752
Shutesbury	–	–	–	2	–	2	8.0	250
Sunderland	22	8	14	12	6	6	8.4	1,426
Warwick	1	1	–	5	5	–	10.1	497
Wendell	1	1	–	7	5	2	20.6	339
Whately	3	2	1	8	6	2	7.8	1,032
Hampden County	4,139	2,292	1,847	4,110	2,259	1,851	10.3	399,211
Agawam	45	19	26	104	49	55	7.2	14,494
Blandford	4	4	–	6	5	1	7.9	755
Brimfield	21	12	9	16	5	11	10.7	1,493

[1] Counties and cities are printed in small capitals.
[2] Exclusive of Stillbirths.

Table 1 — Registered and Allocated Deaths,[2] in Cities and Towns by Sex, and Death Rates per 1,000 Population, in Each County, City and Town: 1958.

Counties and Municipalities[1]	Registered. Total.	Registered. Sex. Male.	Registered. Sex. Female.	Allocated. Total.	Allocated. Sex. Male.	Allocated. Sex. Female.	Allocated. Rate.	Population (Estimated July 1, 1958.)
Hampden County —Continued								
Chester	5	4	1	11	9	2	8.3	1,333
Chicopee	263	155	108	421	235	186	8.6	49,071
East Longmeadow	14	9	5	57	28	29	6.2	9,144
Granville	2	2	–	4	2	2	4.7	844
Hampden	10	4	6	17	8	9	8.7	1,955
Holland	5	5	–	4	3	1	6.4	622
Holyoke	837	468	369	707	369	338	13.3	53,213
Longmeadow	19	9	10	76	36	40	8.1	9,350
Ludlow	83	56	27	96	58	38	8.5	11,348
Monson	80	35	45	47	27	20	6.9	6,838
Montgomery	16	8	8	1	1	–	3.4	296
Palmer	122	70	52	111	65	46	10.4	10,665
Russell	8	5	3	18	9	9	12.5	1,435
Southwick	21	8	13	38	18	20	7.3	5,177
Springfield	2,144	1,177	967	1,837	1,024	813	11.0	167,637
Tolland	–	–	–	–	–	–	–	101
Wales	1	1	–	10	5	5	14.5	689
West Springfield	79	35	44	211	117	94	8.8	23,938
Westfield	344	196	148	262	153	109	11.6	22,515
Wilbraham	16	10	6	56	33	23	8.9	6,298
Hampshire County	1,006	531	475	895	476	419	10.0	89,527
Amherst	45	17	28	84	37	47	10.2	8,204
Belchertown	30	19	11	29	12	17	5.6	5,137
Chesterfield	5	3	2	6	1	5	11.5	522
Cummington	4	3	1	9	5	4	15.3	588
Easthampton	54	25	29	115	64	51	9.4	12,194
Goshen	1	1	–	3	2	1	8.6	347
Granby	11	8	3	21	11	10	6.3	3,320
Hadley	22	14	8	43	30	13	14.3	3,003
Hatfield	10	3	7	27	12	15	11.9	2,265
Huntington	11	4	7	20	9	11	14.0	1,431
Middlefield	2	1	1	5	2	3	14.1	354
Northampton	585	316	269	291	152	139	11.1	26,271
Pelham	2	2	–	8	8	–	11.6	687
Plainfield	–	–	–	–	–	–	–	266
South Hadley	63	23	40	98	49	49	8.3	11,858
Southampton	11	9	2	14	9	5	7.0	1,987
Ware	131	72	59	91	51	40	11.9	7,658
Westhampton	4	2	2	3	2	1	5.3	564
Williamsburg	10	7	3	18	13	5	7.7	2,331
Worthington	5	2	3	10	7	3	18.5	540
Middlesex County	10,777	5,367	5,410	12,055	6,204	5,851	10.6	1,138,885
Acton	11	6	5	48	21	27	9.6	5,012
Arlington	415	189	226	506	251	255	10.6	47,904
Ashby	11	7	4	18	11	7	10.6	1,701
Ashland	30	10	20	44	20	24	6.8	6,466
Ayer	53	28	25	55	29	26	15.8	3,479
Bedford	64	56	8	59	29	30	6.1	9,745
Belmont	151	60	91	327	165	162	11.2	29,168
Billerica	65	23	42	138	69	69	9.0	15,301
Boxborough	–	–	–	5	2	3	9.4	641
Burlington	16	9	7	59	30	29	10.2	5,769
Cambridge	1,498	775	723	1,233	641	592	12.5	98,958
Carlisle	24	12	12	8	5	3	6.6	1,209
Chelmsford	57	26	31	128	73	55	10.3	12,387
Concord	162	67	95	80	39	41	7.0	11,503
Dracut	41	19	22	109	67	42	9.3	11,712
Dunstable	2	1	1	3	2	1	4.0	751
Everett	270	126	144	490	241	249	10.9	45,077
Framingham	482	233	249	357	178	179	11.0	32,534
Groton	36	22	14	36	20	16	9.8	3,662
Holliston	35	14	21	39	17	22	8.3	4,684
Hopkinton	15	7	8	51	28	23	11.0	4,643
Hudson	50	24	26	104	51	53	11.4	9,093
Lexington	242	127	115	186	101	85	7.9	23,581
Lincoln	10	3	7	21	10	11	6.8	3,091
Littleton	10	7	3	37	19	18	11.2	3,292
Lowell	1,286	679	607	1,246	668	578	13.3	93,876
Malden	699	350	349	690	361	329	11.6	59,497
Marlborough	214	114	100	183	104	79	10.6	17,199
Maynard	39	18	21	91	37	54	12.4	7,324
Medford	459	236	223	672	351	321	10.3	65,393
Melrose	352	154	198	310	147	163	10.4	29,853

[1] Counties and cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1 — Registered and Allocated Deaths,[2] in Cities and Towns by Sex, and Death Rates per 1,000 Population, in Each County, City and Town: 1958.

Counties and Municipalities[1]	Registered. Total.	Registered. Sex. Male.	Registered. Sex. Female.	Allocated. Total.	Allocated. Sex. Male.	Allocated. Sex. Female.	Allocated. Rate.	Population (Estimated July 1, 1958.)
Middlesex County — Continued								
Natick	210	84	126	216	92	124	7.7	27,938
Newton	778	356	422	906	421	485	10.3	87,764
North Reading	14	5	9	53	31	22	8.1	6,532
Pepperell	48	23	25	48	23	25	14.0	3,437
Reading	102	42	60	147	78	69	8.6	17,102
Sherborn	5	2	3	11	3	8	7.4	1,486
Shirley	32	20	12	38	24	14	13.4	2,832
Somerville	756	372	384	1,080	567	513	11.1	97,032
Stoneham	242	120	122	176	97	79	10.7	16,502
Stow	12	6	6	24	11	13	10.3	2,337
Sudbury	18	8	10	35	21	14	8.9	3,930
Tewksbury	20	10	10	88	51	37	7.5	11,770
Tewksbury Hospital	347	227	120	–	–	–	–	–
Townsend	12	8	4	27	17	10	7.6	3,530
Tyngsborough	7	1	6	29	14	15	9.4	3,081
Wakefield	117	55	62	224	110	114	9.8	22,800
Waltham	549	268	281	535	268	267	10.5	50,895
Watertown	158	77	81	418	223	195	10.6	39,323
Wayland	52	23	29	70	31	39	8.6	8,163
Westford	24	11	13	37	24	13	7.2	5,112
Weston	24	12	12	49	35	14	7.4	6,588
Wilmington	43	26	17	93	55	38	9.2	10,070
Winchester	196	91	105	180	78	102	9.6	18,835
Woburn	212	118	94	238	143	95	8.7	27,321
Nantucket County	71	38	33	40	22	18	10.7	3,750
Norfolk County	4,006	1,921	2,085	4,698	2,421	2,277	9.9	474,163
Avon	9	5	4	30	14	16	9.5	3,150
Bellingham	16	8	8	48	24	24	8.0	6,019
Braintree	167	83	84	221	110	111	7.8	28,337
Brookline	649	226	423	829	383	446	14.6	56,876
Canton	34	17	17	97	43	54	8.5	11,351
Cohasset	46	24	22	70	43	27	13.5	5,197
Dedham	109	57	52	216	110	106	9.5	22,829
Dover	6	4	2	14	9	5	5.6	2,479
Foxborough	213	94	119	76	51	25	8.2	9,213
Franklin	34	19	15	75	40	35	8.6	8,674
Holbrook	52	30	22	76	41	35	10.4	7,327
Medfield	148	68	80	34	14	20	6.0	5,631
Medway	17	12	5	53	35	18	12.2	4,351
Millis	12	5	7	25	13	12	7.7	3,238
Milton	175	88	87	272	127	145	11.0	24,798
Needham	154	72	82	224	109	115	9.3	23,980
Norfolk	233	130	103	19	9	10	6.8	2,795
Norwood	343	180	163	212	117	95	9.2	23,081
Plainville	50	13	37	37	16	21	13.4	2,765
Quincy	725	386	339	910	497	413	10.7	84,807
Randolph	51	22	29	116	65	51	7.6	15,178
Sharon	24	12	12	61	28	33	6.6	9,193
Stoughton	84	43	41	143	76	67	9.5	14,977
Walpole	48	24	24	121	65	56	9.9	12,282
Wellesley	84	41	43	199	105	94	8.9	22,305
Westwood	24	17	7	64	41	23	6.6	9,703
Weymouth	417	198	219	399	204	195	8.4	47,381
Wrentham	82	43	39	57	32	25	9.1	6,246
Plymouth County	2,540	1,298	1,242	2,716	1,389	1,327	12.0	226,164
Abington	31	17	14	85	40	45	8.1	10,449
Bridgewater	116	72	44	90	46	44	9.9	9,059
Brockton	1,093	548	545	944	479	465	15.1	62,628
Carver	16	9	7	20	14	6	11.7	1,716
Duxbury	27	16	11	59	34	25	12.3	4,795
East Bridgewater	18	7	11	57	24	33	9.8	5,804
Halifax	10	3	7	14	5	9	8.8	1,588
Hanover	18	8	10	34	14	20	7.3	4,644
Hanson	42	33	9	50	31	19	12.5	3,997
Hingham	64	28	36	111	51	60	7.6	14,662
Hull	30	22	8	59	40	19	8.5	6,936
Kingston	13	7	6	39	21	18	8.9	4,370
Lakeville	23	13	10	29	15	14	11.4	2,534
Marion	15	8	7	41	20	21	13.6	3,010
Marshfield	49	27	22	67	36	31	11.7	5,743
Mattapoisett	25	12	13	35	20	15	12.3	2,848
Middleborough	174	83	91	138	68	70	11.9	11,564
Norwell	34	16	18	41	25	16	8.4	4,853

[1] Counties and cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 1 REGISTERED AND ALLOCATED DEATHS,[2] IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1958.

COUNTIES AND MUNICIPALITIES[1]	REGISTERED.			ALLOCATED.				Population (Estimated July 1, 1958.)
	Total.	SEX.		Total.	SEX.		Rate.	
		Male.	Female.		Male.	Female.		
PLYMOUTH COUNTY — Continued								
Pembroke	49	25	24	48	25	23	10.9	4,412
Plymouth	262	126	136	203	96	107	14.5	14,021
Plympton	8	5	3	15	8	7	19.2	783
Rochester	6	5	1	17	11	6	11.4	1,486
Rockland	104	42	62	140	69	71	12.5	11,218
Scituate	48	20	28	91	38	53	9.7	9,406
Wareham	162	87	75	120	66	54	13.2	9,080
West Bridgewater	25	17	8	61	36	25	12.7	4,792
Whitman	78	42	36	108	57	51	11.1	9,766
SUFFOLK COUNTY	13,360	7,591	5,769	10,333	5,623	4,710	12.6	821,098
BOSTON	12,441	7,021	5,420	9,310	5,024	4,286	12.8	724,702
CHELSEA	432	307	125	425	250	175	11.5	36,826
REVERE	304	163	141	380	226	154	9.3	40,866
Winthrop	183	100	83	218	123	95	11.7	18,704
WORCESTER COUNTY	6,342	3,374	2,968	6,017	3,241	2,776	10.2	587,538
Ashburnham	28	17	11	33	19	14	12.8	2,588
Athol	145	83	62	155	91	64	12.5	12,435
Auburn	41	18	23	92	46	46	6.6	13,893
Barre	27	11	16	55	29	26	15.0	3,657
Berlin	8	3	5	10	7	3	6.3	1,582
Blackstone	16	9	7	43	22	21	8.5	5,049
Bolton	4	3	1	8	6	2	6.9	1,167
Boylston	27	23	4	19	13	6	9.7	1,952
Brookfield	32	18	14	20	13	7	10.7	1,866
Charlton	26	13	13	20	9	11	5.5	3,610
Clinton	160	81	79	158	85	73	12.2	12,938
Douglas	14	9	5	30	17	13	11.2	2,679
Dudley	20	12	8	52	33	19	9.1	5,740
East Brookfield	5	4	1	13	6	7	8.9	1,457
FITCHBURG	530	273	257	530	283	247	12.3	43,017
GARDNER	362	194	168	223	115	108	11.0	20,305
Grafton	193	91	102	83	43	40	8.0	10,433
Hardwick	7	5	2	17	12	5	7.5	2,271
Harvard	8	2	6	18	6	12	11.3	1,597
Holden	108	50	58	69	35	34	7.1	9,671
Hopedale	25	12	13	39	26	13	10.0	3,891
Hubbardston	6	3	3	9	4	5	7.7	1,175
Lancaster	24	15	9	31	15	16	7.9	3,927
Leicester	34	15	19	72	32	40	9.2	7,802
LEOMINSTER	231	117	114	251	129	122	10.1	25,062
Lunenburg	16	12	4	38	29	9	6.5	5,833
Mendon	13	8	5	21	13	8	10.4	2,023
Milford	189	113	76	156	86	70	9.9	15,688
Millbury	56	30	26	99	47	52	10.3	9,649
Millville	8	5	3	17	12	5	10.7	1,583
New Braintree	1	1	–	3	1	2	6.4	471
North Brookfield	28	14	14	46	24	22	13.3	3,457
Northborough	30	14	16	48	28	20	8.5	5,678
Northbridge	75	40	35	96	53	43	9.0	10,692
Oakham	2	2	–	4	2	2	7.3	548
Oxford	20	9	11	59	30	29	6.9	8,564
Paxton	5	4	1	18	12	6	10.2	1,762
Petersham	8	5	3	11	7	4	11.2	981
Phillipston	2	2	–	6	3	3	7.5	800
Princeton	9	3	6	13	7	6	10.3	1,262
Royalston	4	3	1	6	4	2	7.1	850
Rutland	116	109	7	18	11	7	7.4	2,430
Shrewsbury	44	25	19	105	65	40	7.4	14,113
Southborough	3	1	2	28	11	17	8.4	3,330
Southbridge	154	86	68	158	83	75	9.1	17,271
Spencer	49	29	20	95	55	40	12.1	7,847
Sterling	12	8	4	27	15	12	9.1	2,960
Sturbridge	26	10	16	34	16	18	9.3	3,662
Sutton	21	13	8	38	25	13	10.7	3,567
Templeton	36	15	21	47	24	23	8.3	5,633
Upton	24	12	12	38	20	18	12.5	3,039
Uxbridge	47	30	17	72	43	29	9.2	7,832
Warren	25	15	10	56	31	25	15.7	3,561
Webster	112	65	47	155	87	68	10.9	14,236
West Boylston	13	4	9	33	19	14	6.9	4,786
West Brookfield	13	8	5	30	16	14	14.6	2,053
Westborough	214	108	106	58	35	23	6.9	8,432
Westminster	9	2	7	23	11	12	6.0	3,807
Winchendon	86	41	45	81	43	38	12.0	6,762
WORCESTER	2,791	1,447	1,344	2,230	1,177	1,053	11.0	202,612

[1] Counties and cities are printed in small capitals.
[2] Exclusive of stillbirths.

Table 2

Line No.	State, Counties, and Sex	Allocated Deaths,[1] by Sex and Age,[2] in Each County and											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	**The State**	54,792	2,905	2,536	132	87	92	58	230	132	207	239	281
2	Males	28,926	1,679	1,470	78	49	51	31	140	83	140	173	167
3	Females	25,866	1,226	1,066	54	38	41	27	90	49	67	66	114
4	**Barnstable**	787											
5	Males	413	28	25	2	1	–	–	3	3	3	2	3
6	Females	374	26	23	1	–	2	–	1	–	2	1	4
7	**Berkshire**	1,603											
8	Males	874	48	45	–	1	–	2	5	2	3	8	3
9	Females	729	25	22	–	–	2	1	8	1	3	1	3
10	**Bristol**	4,390											
11	Males	2,296	102	89	5	3	3	2	12	8	13	15	11
12	Females	2,094	98	80	4	7	4	3	5	4	10	5	10
13	**Dukes**	82											
14	Males	34	2	1	–	1	–	–	–	–	–	–	–
15	Females	48	1	–	1	–	–	–	–	–	–	–	–
16	**Essex**	6,440											
17	Males	3,343	176	149	7	8	6	6	16	8	12	17	17
18	Females	3,097	109	91	5	4	7	2	9	6	5	2	13
19	**Franklin**	626											
20	Males	331	18	18	–	–	–	–	2	1	2	2	4
21	Females	295	15	13	2	–	–	–	1	–	–	2	–
22	**Hampden**	4,110											
23	Males	2,259	160	144	6	7	2	1	16	9	10	16	15
24	Females	1,851	106	89	7	3	3	4	7	5	5	6	6
25	**Hampshire**	895											
26	Males	476	17	15	–	–	2	–	1	2	5	2	2
27	Females	419	12	11	–	1	–	–	1	1	–	2	1
28	**Middlesex**	12,055											
29	Males	6,204	411	353	23	11	14	10	30	20	21	38	38
30	Females	5,851	301	268	12	7	10	4	18	10	13	17	26
31	**Nantucket**	40											
32	Males	22	2	1	–	1	–	–	–	–	–	–	–
33	Females	18	1	1	–	–	–	–	1	–	–	–	–
34	**Norfolk**	4,698											
35	Males	2,421	152	131	7	4	7	3	17	13	16	16	15
36	Females	2,277	106	95	6	2	1	2	9	3	5	4	7
37	**Plymouth**	2,716											
38	Males	1,389	86	75	6	1	2	2	6	5	13	12	9
39	Females	1,327	65	51	7	3	2	2	5	3	5	5	3
40	**Suffolk**	10,333											
41	Males	5,623	289	260	13	4	9	3	18	8	24	27	29
42	Females	4,710	220	199	4	7	6	4	16	10	11	12	21
43	**Worcester**	6,017											
44	Males	3,241	189	164	9	7	6	3	14	4	18	18	21
45	Females	2,776	141	123	5	4	4	5	9	6	8	9	20
46	Municipalities[3]												
47	Abington	85	6	6	–	–	–	–	1	1	1	–	1
48	Adams	143	4	4	–	–	–	–	–	–	1	–	–
49	Agawam	104	10	10	–	–	–	–	2	2	–	1	1
50	Amesbury	147	9	7	1	1	–	–	–	–	2	–	2
51	Andover	146	6	4	1	–	1	–	3	–	–	–	1
52	Arlington	506	30	24	2	3	1	–	–	1	2	3	1
53	Athol	155	7	6	–	1	–	–	1	–	–	1	–
54	**Attleboro**	291	12	7	1	1	1	2	–	1	2	1	3
55	Auburn	92	6	6	–	–	–	–	1	–	3	1	2
56	Barnstable	149	5	5	–	–	–	–	2	–	–	–	3
57	Belmont	327	13	10	3	–	–	–	–	–	–	1	1
58	**Beverly**	307	12	10	–	–	–	2	1	1	1	–	3
59	Billerica	138	16	12	3	–	1	–	2	–	–	1	2
60	**Boston**	9,310	457	414	15	10	12	6	28	16	32	36	47
61	Braintree	221	10	8	2	–	–	–	1	–	3	3	2
62	**Brockton**	944	40	30	7	2	–	1	3	2	5	7	2
63	Brookline	829	20	17	–	–	1	2	2	–	5	1	3
64	**Cambridge**	1,233	74	67	3	1	3	–	5	1	–	5	8
65	Canton	97	10	10	–	–	–	–	–	–	1	1	–
66	Chelmsford	128	11	9	–	–	1	1	1	1	–	1	–

[1] Exclusive of stillbirths. [2] Age at last birthday. [3] Cities printed in boldface.

IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1958.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	407	673	1,088	1,802	2,534	3,569	5,237	6,706	7,520	7,564	6,738	4,532	1,916	454	57	1
2	240	388	638	1,117	1,597	2,285	3,209	3,917	4,150	3,608	2,825	1,796	657	106	11	–
3	167	285	450	685	937	1,284	2,028	2,789	3,370	3,956	3,913	2,736	1,259	348	46	1
4																
5	–	4	3	20	11	26	38	44	72	48	53	37	11	2	2	–
6	2	3	6	13	5	16	17	31	49	48	75	46	24	4	1	–
7																
8	6	7	18	37	48	65	89	128	129	119	83	51	20	6	–	–
9	4	10	12	17	25	42	50	65	93	122	127	84	27	10	–	–
10																
11	11	41	58	88	127	193	255	336	349	287	223	125	36	6	–	–
12	11	15	33	51	73	96	165	272	297	320	286	219	89	33	1	1
13																
14	–	–	–	1	2	2	5	4	7	5	2	3	1	–	–	–
15	–	–	1	1	1	1	2	3	10	9	7	9	3	–	–	–
16																
17	28	41	66	115	179	256	370	466	504	435	308	220	95	14	–	–
18	21	33	47	74	111	140	291	327	411	498	493	309	144	45	9	–
19																
20	2	6	3	12	15	20	28	36	51	42	34	32	16	3	2	–
21	1	4	3	8	5	18	12	23	34	45	51	44	23	4	2	1
22																
23	27	35	54	83	118	194	260	334	310	250	195	127	37	8	1	–
24	10	24	27	63	86	76	135	245	227	285	257	196	77	12	1	–
25																
26	5	8	19	18	27	43	45	69	80	48	41	31	13	–	–	–
27	2	5	8	15	12	18	29	39	53	66	73	46	30	6	–	–
28																
29	53	81	140	255	345	492	681	828	817	762	632	390	147	19	4	–
30	36	67	95	146	210	299	448	594	718	888	934	612	308	94	17	–
31																
32	1	–	–	4	2	1	4	–	1	3	2	2	–	–	–	–
33	1	–	–	1	–	–	2	1	–	4	2	2	3	1	–	–
34																
35	16	34	47	86	162	208	256	278	331	294	253	147	65	15	–	–
36	15	24	44	51	74	110	155	236	290	372	330	267	201	47	7	–
37																
38	11	13	21	50	69	86	124	157	199	196	169	121	35	7	–	–
39	9	15	19	38	44	45	100	142	154	189	228	163	70	24	1	–
40																
41	57	80	147	219	315	477	698	812	828	698	486	312	86	12	1	–
42	48	56	112	146	205	288	397	504	658	693	600	463	192	53	5	–
43																
44	23	38	62	129	177	222	356	425	472	421	344	198	95	14	1	–
45	8	29	43	61	86	135	225	307	376	417	455	276	133	30	2	–
46																
47	3	3	3	3	4	1	10	6	8	4	15	7	7	1	–	–
48	1	–	2	7	5	6	12	20	30	27	15	9	3	1	–	–
49	–	1	2	3	5	5	8	13	12	11	17	7	4	–	–	–
50	1	–	2	4	9	7	17	21	22	15	18	13	5	–	–	–
51	2	4	3	6	4	6	16	15	24	21	22	5	6	2	–	–
52	4	2	9	15	29	30	52	59	55	75	59	55	16	8	1	–
53	–	2	1	8	4	9	13	17	13	24	19	23	9	4	–	–
54	–	2	5	10	7	13	29	41	43	44	32	28	14	4	–	–
55	–	–	1	3	6	8	11	10	8	10	11	8	2	–	1	–
56	1	1	1	9	4	8	10	15	25	19	21	17	5	2	1	–
57	1	5	5	7	13	28	29	35	55	40	47	26	15	4	2	–
58	1	3	3	7	10	17	32	42	49	44	33	29	16	1	2	–
59	2	3	4	4	7	8	5	18	18	20	15	8	4	1	–	–
60	95	126	240	321	478	700	989	1,180	1,326	1,249	987	693	246	60	4	–
61	1	6	5	5	16	15	21	18	32	29	26	15	11	1	1	–
62	7	7	12	32	44	46	64	121	136	145	143	91	28	8	1	–
63	–	5	11	20	39	60	76	89	106	118	123	99	41	10	3	–
64	10	16	20	49	52	77	111	186	174	172	130	91	42	8	2	–
65	2	2	2	6	2	8	10	7	9	12	14	7	3	1	–	–
66	1	6	2	4	5	7	5	15	22	20	12	7	6	2	–	–

Table 2

ALLOCATED DEATHS,[1] BY SEX AND AGE,[2] IN EACH COUNTY AND

Line No.	MUNICIPALITIES.[3]	All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	**Chelsea**	425	25	21	1	–	2	1	2	1	–	–	–
2	**Chicopee**	421	31	26	2	–	3	–	2	1	2	3	2
3	Clinton	158	12	8	1	–	1	2	–	–	2	–	–
4	Concord	80	4	4	–	–	–	–	–	–	–	–	–
5	Danvers	171	10	9	1	–	–	–	–	–	1	–	–
6	Dartmouth	111	2	2	–	–	–	–	1	–	–	–	–
7	Dedham	216	13	13	–	–	–	–	2	–	1	2	1
8	Dracut	109	8	8	–	–	–	–	–	–	2	–	1
9	Easthampton	115	3	3	–	–	–	–	–	–	1	–	1
10	Everett	490	25	25	–	–	–	–	4	1	1	3	4
11	Fairhaven	140	8	7	–	1	–	–	–	–	2	–	2
12	**Fall River**	1,226	49	40	2	5	2	–	8	6	9	8	4
13	**Fitchburg**	530	29	25	1	1	1	1	1	–	2	3	6
14	Framingham	357	29	23	3	–	1	2	1	–	–	–	1
15	**Gardner**	223	6	4	–	–	2	–	1	–	1	–	3
16	**Gloucester**	357	17	6	1	–	–	–	1	–	3	2	3
17	Grafton	83	4	4	–	–	–	–	–	–	–	–	–
18	Greenfield	202	15	15	–	–	–	–	1	1	–	–	–
19	**Haverhill**	610	25	25	–	–	–	–	1	2	2	3	1
20	Hingham	111	10	8	–	–	2	–	2	–	–	–	–
21	**Holyoke**	707	36	34	2	–	–	–	2	–	4	3	3
22	**Lawrence**	941	34	28	1	1	3	1	5	1	3	3	2
23	**Leominster**	251	15	15	–	–	–	–	2	–	2	1	–
24	Lexington	186	21	18	–	2	1	–	1	–	1	1	2
25	**Lowell**	1,246	57	53	2	–	1	1	4	3	2	6	6
26	Ludlow	96	10	10	–	–	–	–	1	–	–	–	1
27	**Lynn**	1,250	52	42	2	3	4	1	1	4	1	5	6
28	**Malden**	690	31	26	3	1	1	–	–	4	2	1	4
29	Marblehead	181	6	6	–	–	–	–	2	1	–	–	–
30	**Marlborough**	183	11	9	–	–	2	–	1	–	–	1	–
31	**Medford**	672	32	30	1	–	–	1	–	3	4	6	–
32	**Melrose**	310	11	9	1	–	–	1	1	1	1	–	–
33	Methuen	251	11	10	–	–	–	1	5	1	1	–	3
34	Middleborough	138	7	7	–	–	–	–	–	–	–	1	–
35	Milford	156	4	3	–	1	–	–	1	–	1	1	2
36	Milton	272	5	4	1	–	–	–	2	2	1	–	1
37	Natick	216	22	22	–	–	–	–	1	–	–	1	–
38	Needham	224	12	9	–	1	1	1	–	1	–	–	2
39	**New Bedford**	1,339	50	44	1	3	–	2	9	1	3	2	4
40	**Newburyport**	194	10	8	–	1	1	–	–	1	–	–	1
41	**Newton**	906	26	20	1	–	1	4	2	1	3	2	4
42	**North Adams**	260	11	10	–	–	1	–	1	–	1	1	1
43	No. Attleborough	157	9	6	–	–	2	1	–	–	–	–	1
44	**Northampton**	291	7	7	–	–	–	–	–	–	1	2	1
45	Northbridge	96	1	–	–	1	–	–	–	–	–	–	–
46	Norwood	212	11	6	2	1	2	–	1	–	–	–	–
47	Palmer	111	12	11	–	1	–	–	1	–	1	–	–
48	Peabody	306	17	11	3	–	2	1	3	1	–	1	1
49	**Pittsfield**	585	32	30	–	–	–	2	11	2	2	4	1
50	Plymouth	203	3	2	–	–	1	–	–	–	2	1	–
51	**Quincy**	910	43	39	3	–	1	–	4	3	4	4	1
52	Randolph	116	11	9	1	–	1	–	1	1	–	2	4
53	Reading	147	9	9	–	–	–	–	–	1	–	–	–
54	**Revere**	380	20	19	–	1	–	–	2	1	1	2	2
55	Rockland	140	9	8	–	–	1	–	2	–	1	2	1
56	**Salem**	518	21	19	1	1	–	–	–	1	–	2	5
57	Saugus	173	9	6	1	1	–	1	–	–	–	–	–
58	Shrewsbury	105	5	3	–	–	2	–	–	–	1	1	–
59	Somerset	90	11	10	–	–	–	1	1	–	–	–	–
60	**Somerville**	1,080	63	56	2	2	3	–	4	5	4	6	6

[1] Exclusive of stillbirths. [2] Age at last birthday. [3] Cities printed in boldface.

IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1958.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	5	4	9	20	17	24	48	60	77	57	39	24	10	2	1	–
2	5	8	13	23	18	29	47	59	56	55	33	26	7	1	–	–
3	–	1	6	5	8	11	8	17	20	22	25	15	6	–	–	–
4	–	1	2	2	3	4	6	9	7	14	14	8	4	2	–	–
5	1	1	3	8	10	9	17	14	29	19	23	14	9	3	–	–
6	1	–	3	4	6	6	7	14	19	17	18	10	2	1	–	–
7	4	4	4	7	14	8	13	16	28	35	33	21	8	2	–	–
8	–	–	1	2	8	5	16	17	18	17	8	4	1	1	–	–
9	1	2	5	2	6	9	12	15	18	11	15	10	4	–	–	–
10	4	6	12	25	20	29	50	60	67	57	73	37	11	1	–	–
11	1	3	2	3	4	9	11	13	19	17	24	14	5	3	–	–
12	7	20	31	41	72	94	125	176	176	155	119	91	27	7	1	–
13	1	3	4	22	27	17	54	61	75	70	79	55	17	3	1	–
14	4	4	6	12	16	21	35	52	47	50	43	24	7	5	–	–
15	1	2	4	6	14	8	28	21	34	33	37	18	6	–	–	–
16	1	3	6	15	8	17	43	41	49	46	47	34	14	6	1	–
17	1	–	2	–	1	10	8	9	17	12	9	5	4	1	–	–
18	1	4	2	4	5	14	14	17	32	33	20	22	15	–	2	–
19	8	3	8	19	27	32	64	75	75	99	75	63	22	5	1	–
20	–	–	4	6	6	4	12	10	9	14	16	11	5	2	–	–
21	6	4	12	26	30	34	75	99	96	102	89	67	15	4	–	–
22	8	18	10	23	46	55	110	138	156	147	94	60	25	3	–	–
23	3	1	4	6	9	23	22	22	36	30	42	20	10	3	–	–
24	1	4	4	13	11	14	17	16	18	23	23	13	3	–	–	–
25	7	17	26	36	63	84	118	160	162	201	158	94	28	10	4	–
26	–	3	1	–	3	7	13	12	18	10	11	6	–	–	–	–
27	8	12	27	37	62	81	117	155	181	190	159	94	42	12	4	–
28	3	5	14	24	36	48	71	85	70	91	102	65	26	8	–	–
29	–	–	–	5	7	8	16	20	23	18	39	21	9	6	–	–
30	–	1	4	3	8	7	21	19	20	25	28	19	9	4	2	–
31	4	9	9	22	35	54	62	85	97	89	81	53	22	5	–	–
32	1	3	7	3	16	14	27	29	37	40	42	40	27	9	1	–
33	–	5	4	7	15	16	17	29	39	39	30	18	8	3	–	–
34	–	2	1	4	7	5	9	14	17	22	21	20	8	–	–	–
35	–	2	2	5	8	9	6	29	17	28	26	7	7	1	–	–
36	–	4	6	12	12	22	27	30	28	53	22	24	15	5	1	–
37	–	1	3	10	7	14	15	21	25	29	40	15	9	2	1	–
38	1	2	2	7	14	9	26	23	30	29	37	19	8	1	1	–
39	6	14	20	36	55	87	141	202	203	197	161	103	34	10	1	–
40	2	1	7	7	5	20	19	14	22	25	37	15	5	3	–	–
41	5	10	17	28	36	63	79	84	109	122	142	107	54	10	2	–
42	1	1	6	6	9	16	17	30	39	47	37	28	5	3	–	–
43	–	2	6	6	4	8	12	26	31	26	16	6	3	1	–	–
44	2	4	7	11	12	23	24	33	39	40	41	26	16	2	–	–
45	–	1	2	3	10	7	10	11	12	14	16	5	4	–	–	–
46	4	2	2	6	7	13	17	27	35	41	26	16	2	2	–	–
47	2	2	4	4	8	7	7	14	10	8	18	8	5	–	–	–
48	3	5	8	10	13	27	42	38	48	36	22	18	13	–	–	–
49	3	10	10	22	37	45	55	64	80	84	63	44	14	2	–	–
50	1	2	4	7	7	12	20	14	36	28	28	21	13	4	–	–
51	3	9	20	27	37	72	83	118	144	126	103	59	41	9	–	–
52	3	2	1	7	10	12	9	16	10	8	16	–	3	–	–	–
53	2	–	4	2	9	12	14	15	21	15	19	13	9	2	–	–
54	4	3	5	16	19	34	33	51	59	58	31	26	11	2	–	–
55	1	–	2	4	2	10	8	16	17	28	22	12	2	1	–	–
56	3	6	9	12	26	32	57	59	70	85	67	36	24	3	–	–
57	1	2	5	7	11	11	22	21	16	22	21	20	4	1	–	–
58	–	–	3	5	10	7	8	18	13	15	8	6	3	2	–	–
59	–	1	1	4	9	5	5	13	12	15	6	6	1	–	–	–
60	11	16	19	36	56	69	120	132	127	142	137	81	39	6	1	–

Line No.	Table 2 Municipalities.[3]	Allocated Deaths,[1] by Sex and Age,[2] in Each County and											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	South Hadley	98	3	2	–	1	–	–	1	–	–	–	–
2	Southbridge	158	7	7	–	–	–	–	–	–	–	–	1
3	**Springfield**	1,837	107	90	4	8	2	3	10	5	7	9	9
4	Stoneham	176	13	12	1	–	–	–	–	–	–	1	1
5	Stoughton	143	14	11	2	–	–	1	1	1	–	1	–
6	Swampscott	147	5	3	–	–	–	2	1	1	–	–	1
7	**Taunton**	413	22	21	1	–	–	–	3	2	3	3	2
8	Tewksbury	88	10	8	–	–	2	–	1	–	–	2	1
9	Wakefield	224	13	11	1	1	–	–	1	1	1	1	1
10	Walpole	121	9	8	1	–	–	–	2	–	–	1	2
11	**Waltham**	535	27	22	1	2	1	1	3	1	3	2	3
12	Watertown	418	23	23	–	–	–	–	1	–	–	–	4
13	Webster	155	3	3	–	–	–	–	1	–	1	1	–
14	Wellesley	199	8	7	–	1	–	–	3	3	–	1	1
15	West Springfield	211	13	13	–	–	–	–	1	–	–	2	2
16	**Westfield**	262	21	19	1	1	–	–	2	2	1	–	1
17	Weymouth	399	32	32	–	–	–	–	2	1	1	3	3
18	Wilmington	93	6	6	–	–	–	–	1	–	2	3	1
19	Winchester	180	8	7	–	–	1	–	–	1	–	–	3
20	Winthrop	218	7	5	1	–	1	–	2	–	2	1	1
21	**Woburn**	238	19	17	1	–	1	–	3	3	1	2	1
22	**Worcester**	2,230	126	111	7	1	3	4	8	6	6	9	12

[1] Exclusive of stillbirths. [2] Age at last birthday. [3] Cities printed in boldface.

IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1958.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	–	1	4	3	5	2	9	16	17	9	13	8	5	2	–	–
2	–	2	5	5	5	9	23	30	24	20	14	7	6	–	–	–
3	14	25	32	65	101	141	169	268	242	241	180	148	53	10	1	–
4	–	2	4	5	9	14	20	17	16	21	30	19	3	1	–	–
5	1	–	3	3	9	10	15	12	19	18	17	10	7	2	–	–
6	1	1	3	3	9	8	18	11	22	21	18	14	7	3	–	–
7	1	8	11	17	15	22	36	50	61	45	55	32	17	8	–	–
8	2	–	1	3	2	6	10	9	10	14	8	6	3	–	–	–
9	3	2	8	10	7	14	23	19	29	27	32	19	11	2	–	–
10	1	2	2	2	7	4	5	15	19	17	18	11	3	1	–	–
11	3	12	7	21	21	34	48	58	68	97	65	38	20	4	–	–
12	5	3	5	18	15	32	45	53	54	56	56	28	16	2	2	–
13	–	3	2	6	9	8	21	12	28	23	18	13	5	1	–	–
14	1	3	5	8	12	15	16	21	22	28	21	15	12	4	–	–
15	–	5	2	4	7	19	16	28	32	31	32	12	4	1	–	–
16	5	8	4	4	12	9	20	42	33	32	30	21	13	2	–	–
17	3	5	9	15	20	24	29	44	54	54	40	36	20	4	–	–
18	3	1	2	–	6	8	12	11	9	9	12	7	1	–	–	–
19	1	1	6	4	12	14	14	16	26	24	24	16	8	1	1	–
20	1	3	6	7	6	7	25	25	24	27	29	32	11	1	1	–
21	2	2	1	8	6	20	21	28	34	21	26	21	17	1	1	–
22	13	27	37	70	81	136	224	300	324	320	264	160	88	18	1	–

Table 3 — MORTALITY[1] OF MALES AND FEMALES: 1934 TO 1958.

YEARS.	DEATHS.[2]		Deaths of males to 1,000 deaths of females.	DEATH RATES[3] PER 1,000 POPULATION.		
	Males.	Females.		Males.	Females.	Excess of male rate.
1934	26,569	24,191	1,098	–	–	–
1935	*26,000*	*24,286*	*1,071*	–	–	–
1936	27,104	24,950	1,086	–	–	–
1937	27,395	24,892	1,101	–	–	–
1938	26,046	23,850	1,092	–	–	–
1939	26,340	24,567	1,072	–	–	–
1940	*26,572*	*24,708*	*1,075*	*12.6*	*11.2*	*1.4*
1941	26,803	24,238	1,106	–	–	–
1942	27,031	24,171	1,118	12.8	10.9	1.9
1943	28,386	26,025	1,091	13.4	11.7	1.7
1944	27,046	24,408	1,108	12.8	10.9	1.9
1945	*26,942*	*23,821*	*1,131*	–	–	–
1946	27,021	24,268	1,113	12.2	10.4	1.8
1947	27,472	24,111	1,139	12.3	10.2	2.1
1948	27,852	24,463	1,139	12.4	10.3	2.1
1949	26,880	23,562	1,141	11.8	9.9	1.9
1950	*26,870*	*23,489*	*1,144*	*11.8*	*9.7*	*2.1*
1951	28,189	24,751	1,139	12.3	10.1	2.2
1952	27,851	24,129	1,154	12.1	9.8	2.3
1953	27,947	23,949	1,167	12.0	9.6	2.4
1954	27,324	23,929	1,142	11.6	9.6	2.0
1955	*28,345*	*25,041*	*1,132*	*12.1*	*10.0*	*2.1*
1956	28,206	24,551	1,149	12.0	9.7	2.3
1957	29,163	25,495	1,144	12.3	10.0	2.3
1958	28,926	25,866	1,118	12.1	10.1	2.0

[1] Exclusive of stillbirths.
[2] Allocated since 1943.
[3] Rates are calculated on estimated population, except in census years. Male and female population not enumerated in State census of 1935 and 1945.

Table 4 — DEATHS[1] AT SPECIFIED AGES: CENSUS YEARS 1930 TO 1955.

AGE PERIODS.	1955.	1950.	1945.	1940.	1935.	1930.
All ages.	**53,386[2]**	**50,359[2]**	**50,763[2]**	**50,698[2]**	**49,634[2]**	**49,503**
Under 5 years	2,820	2,672	2,889	2,925	3,809	5,873
Under 1 year	2,438	2,277	2,433	2,450	3,014	4,440
5 to 9 years	244	153	233	245	513	742
10 to 14 years	132	106	200	281	461	479
15 to 19 years	191	198	333	444	616	705
20 to 29 years	579	713	990	1,151	1,627	1,956
30 to 39 years	1,168	1,332	1,633	1,774	2,405	2,959
40 to 49 years	2,773	3,008	3,696	3,994	4,488	4,278
50 to 59 years	6,153	6,782	7,500	7,092	7,001	6,989
60 to 69 years	11,776	11,503	11,250	11,571	11,083	9,881
70 years and over	27,550	23,892	20,039	21,221	17,631	15,640
Age unknown	–	–	–	–	–	1
	DEATH RATES PER 1,000 POPULATION[3] AT SPECIFIED AGES.					
All ages.	**11.0**	**10.7**	**11.3**	**11.7**	**11.4**	**11.6**
Under 5 years	5.9	6.0	–	10.4	–	16.8
Under 1 year	26.2	27.2	–	46.6	–	68.3
5 to 9 years	.6	.4	–	.8	–	1.9
10 to 14 years	.4	.4	–	.8	–	1.2
15 to 19 years	.7	.6	–	1.2	–	1.9
20 to 29 years	.9	1.1	–	1.6	–	2.9
30 to 39 years	1.6	1.9	–	2.8	–	–[4]
40 to 49 years	4.3	4.9	–	6.6	–	–[4]
50 to 59 years	11.1	12.4	–	14.7	–	–[4]
60 to 69 years	27.6	28.6	–	34.3	–	–[4]
70 years and over	92.1	–[4]	–	253.7	–	–[4]

[1] Exclusive of stillbirths.
[2] Allocated.
[3] Population by age groups not enumerated for 1935 and 1945.
[4] U. S. Census figures for 1930 and 1950 not available.

Table 5

Age Periods.	Male Deaths[1] per 1,000 Female Deaths[1] at Specified Ages.				Age Periods.	Male Deaths[1] per 1,000 Female Deaths[1] at Specified Ages.			
	1958.	1957.	1956.	1955.		1958.	1957.	1956.	1955.
All Ages.	**1,118**	**1,144**	**1,149**	**1,132**	40 to 44 years .	1,418	1,500	1,475	1,359
Under 1 year . .	1,379	1,374	1,428	1,478	45 to 49 years .	1,631	1,614	1,660	1,538
1 year . . .	1,444	1,723	1,389	1,304	50 to 54 years .	1,701	1,796	1,804	1,721
2 years . . .	1,289	1,140	851	1,366	55 to 59 years .	1,779	1,766	1,803	1,778
3 years . . .	1,243	1,792	1,783	1,680	60 to 64 years .	1,582	1,630	1,634	1,698
4 years . . .	1,148	1,133	1,333	1,458	65 to 69 years .	1,404	1,444	1,383	1,350
5 to 9 years . .	1,555	1,688	1,189	1,742	70 to 74 years .	1,231	1,215	1,145	1,139
10 to 14 years . .	1,694	2,151	1,463	2,143	75 to 79 years .	912	906	964	919
15 to 19 years . .	2,089	2,642	2,231	2,351	80 to 84 years .	722	751	790	783
20 to 24 years . .	2,621	2,403	2,163	2,218	85 to 89 years .	656	635	641	622
25 to 29 years . .	1,465	1,739	1,788	1,667	90 to 94 years .	522	549	526	493
30 to 34 years . .	1,437	1,398	1,492	1,582	95 to 99 years .	304	400	448	417
35 to 39 years . .	1,361	1,517	1,559	1,394	100 years and over	239	239	341	262

[1] Allocated.

Table 6

Age at Death.	Allocated Deaths by Sex, Age, and Marital Condition: 1958.												
		Males.						Females.					
	Both Sexes.	Total.	Single.	Married.	Widowed.	Divorced.	Unknown.	Total.	Single.	Married.	Widowed.	Divorced.	Unknown.
The State 15 Years and Over.	51,525[1]	27,024	3,819	16,067	6,326	768	44	24,501	4,019	7,802	12,221	447	12
15 to 19 years .	207	140	134	6	–	–	–	67	58	9	–	–	–
20 to 29 years .	520	340	212	121	1	4	2	180	64	107	3	6	–
30 to 39 years .	1,080	628	178	413	10	27	–	452	90	317	15	29	1
40 to 49 years .	2,890	1,755	356	1,252	38	107	2	1,135	177	815	77	66	–
50 to 59 years .	6,103	3,882	571	2,890	215	200	6	2,221	343	1,412	381	81	4
60 to 69 years .	11,943	7,126	893	5,000	991	226	16	4,817	645	234	1,721	101	3
70 to 79 years .	14,884	7,758	959	4,500	2,136	152	11	7,326	1,125	1,976	4,122	101	2
80 years and over .	13,698	5,395	516	1,885	2,935	52	7	8,302	1,517	819	5,901	63	2
Boston 15 Years and Over.	8,809	47,451	1,026	2,445	1,051	198	25	4,064	837	1,205	1,902	113	7
15 to 19 years .	32	23	23	–	–	–	–	9	8	1	–	–	–
20 to 29 years .	83	52	29	19	–	2	2	31	13	15	–	3	–
30 to 39 years .	221	124	50	62	4	8	–	97	18	60	8	10	1
40 to 49 years .	561	328	97	191	8	30	2	233	45	154	25	9	–
50 to 59 years .	1,178	727	171	437	62	54	3	451	101	228	93	27	2
60 to 69 years .	2,169	1,360	293	806	200	53	8	809	134	344	307	22	2
70 to 79 years .	2,575	1,348	265	666	369	41	7	1,227	235	293	671	27	1
80 years and over .	1,990	783	98	264	408	10	3	1,207	283	110	798	15	1

[1] Includes 1 widow — age unknown.

Table 7

DEATHS[1] OF MALES AND FEMALES AT SPECIFIED AGES: 1949 TO 1958.

AGE PERIODS AND YEARS.	BOTH SEXES.		MALES.		FEMALES.		Female deaths per 1,000 male deaths.
	Number.[2]	Per Cent distribution.	Number.[2]	Per Cent distribution.	Number.[2]	Per Cent distribution.	
ALL AGES.							
1949	50,442	100.0	26,880	100.0	23,562	100.0	877
1950	50,359	100.0	26,870	100.0	23,489	100.0	874
1951	52,940	100.0	28,189	100.0	24,751	100.0	878
1952	51,980	100.0	27,851	100.0	24,129	100.0	866
1953	51,896	100.0	27,947	100.0	23,949	100.0	857
1954	51,253	100.0	27,324	100.0	23,929	100.0	876
1955	53,386	100.0	28,345	100.0	25,041	100.0	883
1956	52,757	100.0	28,206	100.0	24,551	100.0	870
1957	54,658	100.0	29,163	100.0	25,495	100.0	874
1958	54,792	100.0	28,926	100.0	25,866	100.0	894
UNDER 1 YEAR.							
1949	2,341	4.6	1,353	5.0	988	4.2	730
1950	2,277	4.5	1,330	4.9	947	4.0	712
1951	2,184	4.1	1,257	4.5	927	3.7	737
1952	2,472	4.8	1,429	5.1	1,043	4.3	730
1953	2,345	4.5	1,345	4.8	1,000	4.2	743
1954	2,490	4.9	1,440	5.3	1,050	4.4	729
1955	2,438	4.6	1,454	5.1	984	3.9	679
1956	2,503	4.7	1,472	5.2	1,031	4.2	700
1957	2,649	4.8	1,533	5.3	1,116	4.4	728
1958	2,536	4.6	1,470	5.1	1,066	4.1	725
UNDER 5 YEARS.							
1949	2,764	5.5	1,587	5.9	1,177	5.0	742
1950	2,672	5.3	1,557	5.8	1,115	4.8	716
1951	2,564	4.8	1,472	5.2	1,092	4.4	742
1952	2,887	5.6	1,659	6.0	1,228	5.1	740
1953	2,740	5.3	1,566	5.6	1,174	4.9	750
1954	2,846	5.6	1,631	6.0	1,215	5.1	745
1955	2,820	5.3	1,677	5.9	1,143	4.6	681
1956	2,854	5.4	1,669	5.9	1,185	4.8	710
1957	3,000	5.5	1,740	6.0	1,260	4.9	724
1958	2,905	5.3	1,679	5.8	1,226	4.7	730
60 TO 69 YEARS.							
1949	11,528	22.9	6,682	24.9	4,846	20.6	725
1950	11,503	22.8	6,715	25.0	4,788	20.4	713
1951	11,811	22.3	6,993	24.8	4,818	19.5	689
1952	11,708	22.5	6,984	25.1	4,724	19.6	676
1953	11,844	22.8	7,112	25.4	4,732	19.8	665
1954	11,447	22.3	6,827	25.0	4,620	19.3	677
1955	11,776	22.0	7,051	24.9	4,725	18.9	670
1956	11,676	22.1	6,983	24.8	4,693	19.1	672
1957	12,328	22.6	7,440	25.5	4,888	19.2	657
1958	11,943	21.8	7,126	24.6	4,817	18.6	676
70 TO 79 YEARS.							
1949	13,682	27.1	6,912	25.7	6,770	28.7	979
1950	13,801	27.4	6,888	25.6	6,913	29.4	1,004
1951	14,558	27.5	7,333	26.0	7,225	29.2	985
1952	14,164	27.2	7,069	25.4	7,095	29.4	1,004
1953	14,142	27.2	7,266	26.0	6,876	28.7	946
1954	14,103	27.5	7,027	25.7	7,076	29.6	1,007
1955	14,723	27.6	7,442	26.3	7,281	29.1	978
1956	14,453	27.4	7,406	26.3	7,047	28.7	952
1957	14,785	27.0	7,576	26.0	7,209	28.3	952
1958	15,084	27.5	7,758	26.8	7,326	28.3	944
ALL OTHER AGES.							
1949	22,468	44.5	11,699	43.5	10,769	45.7	921
1950	22,383	44.5	11,710	43.6	10,673	45.4	911
1951	24,007	45.4	12,391	44.0	11,616	46.9	937
1952	23,221	44.7	12,139	43.5	11,082	45.9	913
1953	23,170	44.7	12,003	43.0	11,167	46.6	930
1954	22,857	44.6	11,839	43.3	11,108	46.0	938
1955	24,067	45.1	12,175	42.9	11,892	47.4	977
1956	23,774	45.1	12,148	43.1	11,626	47.4	957
1957	24,545	44.9	12,407	42.5	12,138	47.6	974
1958	24,860	45.4	12,363	42.7	12,497	48.3	1,011

[1] Exclusive of stillbirths.
[2] Allocated.

Table 8 — Allocated Deaths,[1] in Counties and in Municipalities Having over 50,000 Inhabitants, by Months: 1958.

Counties and Municipalities having over 50,000 Inhabitants in 1955. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	54,792	5,094	4,739	5,096	4,479	4,628	4,265	4,415	4,110	4,073	4,461	4,309	5,123
Average daily number of deaths.	150	164	169	164	149	149	142	142	133	136	144	144	165
Counties.													
Middlesex	12,055	1,067	1,011	1,125	1,010	963	984	985	931	889	1,050	934	1,106
Suffolk	10,333	982	942	980	823	832	790	811	776	747	838	849	963
Worcester	6,017	549	526	594	509	494	444	480	434	446	519	440	582
Essex	6,440	572	526	578	553	601	502	531	507	489	495	484	602
Norfolk	4,698	448	427	449	358	384	392	390	362	327	376	363	422
Hampden	4,110	411	316	387	333	394	336	320	310	322	292	321	368
Bristol	4,390	418	406	390	363	361	322	356	301	321	372	339	441
Plymouth	2,716	278	239	251	213	218	192	217	194	222	199	245	248
Berkshire	1,603	134	136	136	118	151	118	127	130	127	123	141	162
Hampshire	895	99	79	69	69	96	56	70	45	51	83	75	103
Franklin	626	59	56	51	53	58	48	57	46	54	42	45	57
Barnstable	787	60	67	75	72	65	69	59	63	74	60	65	58
Dukes	82	12	2	7	3	8	7	7	7	4	9	6	10
Nantucket	40	5	6	4	2	3	5	5	4	–	3	2	1
Cities over 100,000.													
Boston	9,310	888	853	899	727	758	717	732	699	669	735	768	865
Worcester	2,230	199	214	211	172	189	173	188	135	168	182	174	225
Springfield	1,837	164	142	156	144	167	158	161	144	137	123	161	180
New Bedford	1,339	148	120	123	97	115	102	107	90	95	108	101	133
Fall River	1,226	112	122	107	109	96	84	115	82	88	91	95	125
Municipalities 50,000 to 100,000.													
Lynn	1,250	118	99	114	112	117	98	109	93	91	89	97	113
Cambridge	1,233	102	105	129	93	114	92	102	93	86	101	113	103
Somerville	1,080	81	89	111	76	79	98	92	75	83	101	82	113
Lowell	1,246	119	101	145	101	111	78	101	102	81	120	93	94
Newton	906	86	89	66	76	70	67	74	56	66	85	75	96
Quincy	910	79	63	96	65	72	81	80	77	72	77	71	77
Lawrence	941	87	67	79	72	96	71	68	79	84	74	77	87
Medford	672	61	60	58	69	40	62	57	57	40	56	60	52
Brockton	944	99	84	82	76	81	65	84	59	71	69	89	85
Malden	690	51	68	66	54	52	59	61	42	61	67	50	59
Brookline	829	73	93	81	72	70	69	64	60	55	63	65	64
Pittsfield	585	49	43	52	52	53	43	49	41	48	43	55	57
Holyoke	707	75	54	73	57	72	54	61	54	48	53	40	66
Waltham	535	48	38	49	42	41	57	40	29	42	59	37	53

[1] Exclusive of stillbirths.

Table 9

Years.	Deaths.[1]		Live Births.		Deaths Under 1 Year.		Deaths Under 1 Month.[3]	
	Number.[2]	Per 1,000 population.	Number.[2]	Per 1,000 population.	Number.[2]	Per 1,000 live births.[2]	Number.[2]	Per 1,000 live births.[2]
1934	50,760	11.7	63,767	14.7	3,136	49.2	1,935	30
1935	49,634	11.4	62,416	14.3	3,014	48.3	1,834	29
1936	51,435	11.7	61,184	14.0	2,854	46.6	1,810	30
1937	51,739	11.7	61,272	13.9	2,684	43.8	1,744	28
1938	49,285	11.1	62,382	14.1	2,439	39.1	1,661	27
1939	50,292	11.3	62,575	14.1	2,338	37.4	1,605	26
1940	50,698	11.7	65,369	15.1	2,450	37.5	1,655	25
1941	50,456	11.7	70,228	16.2	2,480	35.3	1,677	24
1942	50,523	11.7	83,371	19.2	2,651	31.8	1,917	23
1943	54,411	12.5	85,743	19.8	2,939	34.3	1,926	22
1944	51,454	11.8	78,140	18.0	2,582	33.0	1,754	22
1945	50,763	11.3	76,455	16.9	2,433	31.8	1,701	22
1946	51,289	11.3	96,903	21.3	2,996	30.9	2,222	23
1947	51,583	11.2	106,690	23.3	3,021	28.3	2,201	21
1948	52,315	11.3	98,933	21.4	2,614	26.4	1,986	20
1949	50,442	10.8	96,041	20.6	2,341	24.4	1,786	19
1950	50,359	10.7	95,619	20.3	2,277	23.8	1,750	18
1951	52,940	11.2	99,851	21.1	2,184	21.9	1,710	17
1952	51,980	10.9	103,936	21.8	2,472	23.8	1,918	19
1953	51,896	10.8	104,232	21.7	2,345	22.5	1,816	17
1954	51,253	10.6	107,086	22.1	2,490	23.3	1,928	18
1955	53,386	11.0	109,610	22.6	2,438	22.2	1,917	18
1956	52,757	10.8	111,407	22.8	2,503	22.5	1,960	18
1957	54,658	11.1	115,065	23.4	2,646	23.0	2,074	18
1958	54,792	11.1	114,563	23.2	2,536	22.1	1,914	17

[1] Exclusive of stillbirths.
[2] Allocated since 1935.
[3] Under 4 weeks since 1949.

Detailed Int. List No.	Table 10 — Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
	All Causes.	**54,792**	**28,926**	**25,866**
I.	Infective and Parasitic Diseases	572	389	183
001–008	Tuberculosis of the respiratory system	305	231	74
001	Respiratory tuberculosis with mention of occupational disease of lung	5	5	–
002	Pulmonary tuberculosis	294	223	71
003	Pleural tuberculosis	5	3	2
.0	Pleurisy specified as tuberculous	1	1	–
.1	Pleurisy with effusion without mention of cause	4	2	2
004	Primary tuberculosis complex with symptoms	–	–	–
005	Tracheobronchial glandular tuberculosis with symptoms	–	–	–
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	–	–	–
007	Other respiratory tuberculosis	–	–	–
008	Tuberculosis, unspecified site	1	–	1
010–019	Tuberculosis, other forms	9	6	3
010	Tuberculosis of meninges and central nervous system	4	4	–
011	Tuberculosis of intestines, peritoneum and mesenteric glands	–	–	–
012	Tuberculosis of bones and joints, active or unspecified	1	1	–
.0	Active or unspecified tuberculosis of vertebral column	–	–	–
.1	Active or unspecified tuberculosis of hip	–	–	–
.2	Active or unspecified tuberculosis of knee	–	–	–
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	1	1	–
013	Late effects of tuberculosis of bones and joints	–	–	–
.0	Late effects of tuberculosis of vertebral column	–	–	–
.1	Late effects of tuberculosis of hip	–	–	–
.2	Late effects of tuberculosis of knee	–	–	–
.3	Late effects of tuberculosis of other and unspecified bones and joints	–	–	–
014	Tuberculosis of skin and subcutaneous cellular tissue	–	–	–
.0	Primary tuberculosis of skin	–	–	–
.1	Erythema nodosum specified as tuberculous	–	–	–
.2	Lupus	–	–	–
.3	Other	–	–	–
015	Tuberculosis of lymphatic system	–	–	–
016	Tuberculosis of genito-urinary system	2	–	2
017	Tuberculosis of adrenal glands	–	–	–
018	Tuberculosis of other organs	–	–	–
.0	Tuberculosis of eye	–	–	–
.1	Tuberculosis of ear	–	–	–
.2	Other	–	–	–
019	Disseminated tuberculosis	2	1	1
.0	Acute miliary tuberculosis specified as nonpulmonary	–	–	–
.1	Acute miliary tuberculosis, unspecified	–	–	–
.2	Other forms of disseminated tuberculosis	2	1	1
020–029	Syphilis and its sequelae	82	56	26
020	Congenital syphilis	1	1	–
.0	Interstitial keratitis	–	–	–
.1	Juvenile neurosyphilis	–	–	–
.2	Other	1	1	–
021	Early syphilis	–	–	–
.0	Primary syphilis, except extragenital chancre	–	–	–
.1	Extragenital chancre	–	–	–
.2	Secondary syphilis	–	–	–
.3	Early syphilis, relapse following treatment	–	–	–
.4	Early syphilis, unspecified stage	–	–	–
022	Aneurysm of aorta	50	32	18
023	Other cardiovascular syphilis	15	11	4
024	Tabes dorsalis	7	5	2
025	General paralysis of insane	2	1	1
026	Other syphilis of central nervous system	4	3	1
027	Other forms of late syphilis	–	–	–
028	Latent syphilis	–	–	–
.0	Early latent	–	–	–
.1	Late latent	–	–	–
.2	Unspecified	–	–	–
029	Syphilis, unqualified	3	3	–
030–039	Gonococcal infection and other venereal diseases	–	–	–
030	Acute or unspecified gonorrhea	–	–	–
031	Chronic gonococcal infection of genito-urinary system	–	–	–
032	Gonococcal infection of joint	–	–	–
033	Gonococcal infection of eye	–	–	–
034	Gonococcal infection of other sites	–	–	–
035	Late effects of gonococcal infection	–	–	–
036	Chancroid	–	–	–
037	Lymphogranuloma venereum	–	–	–
038	Granuloma inguinale, venereal	–	–	–
039	Other and unspecified venereal diseases	–	–	–

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
040–049	Infectious diseases commonly arising in intestinal tract	3	2	1
040	Typhoid fever	–	–	–
041	Paratyphoid fever	–	–	–
042	Other Salmonella infections	1	–	1
.0	Without mention of food as vehicle of infection	1	–	1
.1	With food as vehicle of infection	–	–	–
043	Cholera	–	–	–
044	Brucellosis (undulant fever)	1	1	–
045	Bacillary dysentery	1	1	–
.0	Flexner-Boyd group	–	–	–
.1	Schmitz	–	–	–
.2	Shiga	–	–	–
.3	Sonne	–	–	–
.4	Other and unspecified	1	1	–
046	Amebiasis	–	–	–
.0	Without mention of liver abscess	–	–	–
.1	With liver abscess	–	–	–
047	Other protozoal dysentery	–	–	–
048	Unspecified forms of dysentery	–	–	–
049	Food poisoning (infection and intoxication)	–	–	–
.0	Staphylococcal	–	–	–
.1	Botulism	–	–	–
.2	Unspecified	–	–	–
050–064	Other bacterial diseases	102	56	46
050	Scarlet fever	1	1	–
051	Streptococcal sore throat	–	–	–
052	Erysipelas	2	–	2
053	Septicemia and pyemia	71	39	32
.0	Streptococcus	1	–	1
.1	Staphylococcus	21	11	10
.2	Pneumococcus	–	–	–
.3	Other specified organism	1	1	–
.4	Organism unspecified	48	27	21
054	Bacterial toxemia	–	–	–
055	Diphtheria	–	–	–
056	Whooping cough	2	1	1
.0	Without mention of pneumonia	–	–	–
.1	With pneumonia	2	1	1
057	Meningococcal infections	25	14	11
.0	Meningococcal meningitis	15	5	10
.1	Acute and unspecified meningococcemia	10	9	1
.2	Chronic meningococcemia	–	–	–
.3	Other forms of meningococcal infection	–	–	–
058	Plague	–	–	–
.0	Bubonic	–	–	–
.1	Pneumonic	–	–	–
.2	Other	–	–	–
059	Tularemia	–	–	–
060	Leprosy	–	–	–
.0	Lepromatous leprosy	–	–	–
.1	Neuroleprosy	–	–	–
.2	Mixed	–	–	–
.3	Unspecified	–	–	–
061	Tetanus	1	1	–
062	Anthrax	–	–	–
063	Gas gangrene	–	–	–
064	Other bacterial diseases	–	–	–
.0	Epidemic arthritic erythema	–	–	–
.1	Rat-bite fever due to Streptobacillus moniliformis	–	–	–
.2	Glanders	–	–	–
.3	Melioidosis	–	–	–
.4	Other	–	–	–
070–074	Spirochetal diseases, except syphilis	1	–	1
070	Vincent's infection	1	–	1
071	Relapsing fever	–	–	–
.0	Louse-borne	–	–	–
.1	Tick-borne	–	–	–
.2	Unspecified	–	–	–
072	Leptospirosis	–	–	–
.0	Leptospirosis icterohemorrhagica (Weil's disease)	–	–	–
.1	Other and unspecified	–	–	–
073	Yaws	–	–	–
074	Other spirochetal and leptospirochetal infections	–	–	–
.0	Rat-bite fever due to Spirocheta morsus muris (sodoku)	–	–	–
.1	Other	–	–	–
080–096	Diseases attributable to viruses	60	35	25
080	Acute poliomyelitis	2	–	2
.0	Specified as bulbar or polio-encephalitis	1	–	1
.1	With other paralysis	–	–	–
.2	Specified as nonparalytic	–	–	–

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.3	Unspecified	1	–	1
081	Late effects of acute poliomyelitis	4	4	–
082	Acute infectious encephalitis	6	4	2
.0	Arthropod-borne encephalitis	–	–	–
.1	Lymphocytic choriomeningitis	–	–	–
.2	Lethargic encephalitis	1	1	–
.3	Other and unspecified infectious encephalitis	5	3	2
083	Late effects of acute infectious encephalitis	2	1	1
.0	Postencephalitic Parkinsonism	1	–	1
.1	Postencephalitic personality and character disorders	–	–	–
.2	Postencephalitic psychosis	–	–	–
.3	Other postencephalitic conditions	1	1	–
084	Smallpox	–	–	–
085	Measles	4	2	2
.0	Without mention of pneumonia	4	2	2
.1	With pneumonia	–	–	–
086	Rubella (German measles)	–	–	–
087	Chickenpox	4	2	2
088	Herpes zoster	–	–	–
089	Mumps	–	–	–
090	Dengue	–	–	–
091	Yellow fever	–	–	–
092	Infectious hepatitis	24	13	11
093	Glandular fever (infectious mononucleosis)	–	–	–
094	Rabies	–	–	–
095	Trachoma	–	–	–
096	Other diseases attributable to viruses	14	9	5
.0	Herpes febrilis	2	1	1
.1	Infectious keratoconjunctivitis	–	–	–
.2	Psittacosis and ornithosis	–	–	–
.3	Cowpox	–	–	–
.4	Epidemic hiccough	–	–	–
.5	Epidemic myalgia (Bornholm disease)	–	–	–
.6	Foot and mouth disease	–	–	–
.7	Sandfly fever	–	–	–
.8	Rift Valley fever	–	–	–
.9	Other	12	8	4
100–108	Typhus and other rickettsial diseases	–	–	–
100	Louse-borne epidemic typhus	–	–	–
101	Flea-borne endemic typhus (murine)	–	–	–
102	Brill's disease, not specified as louse- or flea-borne	–	–	–
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne	–	–	–
104	Tick-borne typhus	–	–	–
105	Mite-borne typhus	–	–	–
106	Wolhynian fever (trench fever)	–	–	–
107	Typhus, unspecified	–	–	–
108	Other rickettsial diseases	–	–	–
110–117	Malaria	1	–	1
110	Vivax malaria (benign tertian)	–	–	–
111	Malariae malaria (quartan)	–	–	–
112	Falciparum malaria (malignant tertian)	–	–	–
113	Ovale malaria	1	–	1
114	Mixed malarial infections	–	–	–
115	Blackwater fever	–	–	–
116	Other and unspecified forms of malaria	–	–	–
117	Recurrent induced malaria	–	–	–
120–138	Other infective and parasitic diseases	9	3	6
120	Leishmaniasis	2	–	2
.0	Visceral (Kala-azar)	–	–	–
.1	Cutaneous (Oriental sore)	2	–	2
.2	Mucocutaneous (American)	–	–	–
.3	Unspecified	–	–	–
121	Trypanosomiasis	–	–	–
.0	African (sleeping sickness)	–	–	–
.1	South American (Chagas' disease)	–	–	–
.2	Other	–	–	–
122	Other protozoal diseases	–	–	–
.0	Coccidiosis	–	–	–
.1	Toxoplasmosis	–	–	–
.2	Other	–	–	–
123	Schistosomiasis	–	–	–
.0	Vesical (S. hematobium)	–	–	–
.1	Intestinal (S. Mansoni)	–	–	–
.2	Pulmonary (S. japonicum)	–	–	–
.3	Other and unspecified	–	–	–
124	Other trematode infestation	–	–	–
.0	Clonorchiasis	–	–	–
.1	Paragonimiasis	–	–	–

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.2	Other	–	–	–
125	Hydatid disease	1	–	1
126	Other cestode infestation	–	–	–
127	Filariasis	–	–	–
128	Trichiniasis	–	–	–
129	Ankylostomiasis	–	–	–
130	Infestation with worms of other, mixed and unspecified type	–	–	–
.0	Ascariasis	–	–	–
.1	Oxyuriasis	–	–	–
.2	Mixed intestinal helminth infestation	–	–	–
.3	Other	–	–	–
131	Dermatophytosis	–	–	–
132	Actinomycosis	1	1	–
133	Coccidioidomycosis	–	–	–
134	Other fungus infections	2	1	1
.0	Blastomycosis	–	–	–
.1	Cryptococcosis (torulosis)	–	–	–
.2	Histoplasmosis	–	–	–
.3	Moniliasis	2	1	1
.4	Sporotrichosis	–	–	–
.5	Other	–	–	–
135	Scabies	–	–	–
136	Pediculosis	–	–	–
137	Other arthropod infestation	–	–	–
138	Other infective and parasitic diseases	3	1	2
.0	Sarcoid of Boeck	3	1	2
.1	Other	–	–	–
II.	Neoplasms	9,678	4,969	4,709
140–205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	9,526	4,897	4,629
140–148	Malignant neoplasm of buccal cavity and pharynx	279	219	60
140	Malignant neoplasm of lip	9	9	–
.0	Upper lip	–	–	–
.1	Lower lip	6	6	–
.8	Both lips	–	–	–
.9	Lip, unspecified (including commissure)	3	3	–
141	Malignant neoplasm of tongue	78	61	17
.0	Base of tongue	6	4	2
.7	Other specified parts of tongue	–	–	–
.8	Multiple parts of tongue	–	–	–
.9	Part unspecified	72	57	15
142	Malignant neoplasm of salivary gland	19	10	9
.0	Parotid gland	14	8	6
.7	Other salivary gland	–	–	–
.8	Multiple salivary glands	–	–	–
.9	Gland unspecified	5	2	3
143	Malignant neoplasm of floor of mouth	27	18	9
144	Malignant neoplasm of other parts of mouth and mouth unspecified	36	30	6
145	Malignant neoplasm of oral mesopharynx	32	27	5
.0	Tonsil (excluding pillars)	31	26	5
.7	Other specified parts of mesopharynx	–	–	–
.8	Multiple parts of mesopharynx	–	–	–
.9	Part unspecified	1	1	–
146	Malignant neoplasm of nasopharynx	6	4	2
147	Malignant neoplasm of hypopharynx	19	18	1
148	Malignant neoplasm of pharynx, unspecified	53	42	11
150–159	Malignant neoplasm of digestive organs and peritoneum	3,652	1,906	1,746
150	Malignant neoplasm of esophagus	196	156	40
151	Malignant neoplasm of stomach	836	476	360
152	Malignant neoplasm of small intestine, including duodenum	33	12	21
.0	Duodenum	10	4	6
.7	Other specified parts of small intestine	10	4	6
.8	Multiple parts of small intestine	–	–	–
.9	Part unspecified	13	4	9
153	Malignant neoplasm of large intestine, except rectum	1,226	581	645
.0	Cecum, appendix, and ascending colon	198	96	102
.1	Transverse colon, including hepatic and splenic flexures	66	34	32
.2	Descending colon	35	16	19
.3	Sigmoid colon	296	142	154
.7	Multiple parts of large intestine	2	1	1
.8	Large intestine (including colon), part unspecified	526	244	282
.9	Intestinal tract, part unspecified	103	48	55
154	Malignant neoplasm of rectum	495	269	226
155	Malignant neoplasm of biliary passages and of liver (primary)	196	77	119
.0	Liver	53	31	22

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater	143	46	97
.8	Multiple sites	–	–	–
156	Malignant neoplasm of liver (secondary and unspecified)	145	87	58
.1[1]	Unspecified	114	68	46
.2	Secondary	31	19	12
157	Malignant neoplasm of pancreas	436	206	230
158	Malignant neoplasm of peritoneum	40	19	21
159	Malignant neoplasm of unspecified digestive organs	49	23	26
160–165	Malignant neoplasm of respiratory system	1,311	1,108	203
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	25	10	15
.0	Nose (internal) and nasal cavaties	9	2	7
.1	Eustachian tube and middle ear	1	–	1
.2	Maxillary sinus	11	5	6
.7	Other specified sinus (accessory)	1	1	–
.8	Multiple sites	–	–	–
.9	Site unspecified	3	2	1
161	Malignant neoplasm of larynx	86	82	4
162	Malignant neoplasm of bronchus and trachea, and of lung (primary)	323	281	42
.0	Trachea	4	4	–
.1	Bronchus and lung	317	276	41
.2	Pleura	2	1	1
.8	Multiple sites	–	–	–
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	842	710	132
164	Malignant neoplasm of nediastinum	11	7	4
165	Malignant neoplasm of thoracic organs (secondary)	24	18	6
170–181	Malignant neoplasm of breast and genito-urinary organs	2,649	778	1,871
170	Malignant neoplasm of breast	981	12	969
171	Malignant neoplasm of cervix uteri	220	–	220
172	Malignant neoplasm of corpus uteri	52	–	52
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	1	–	1
174	Malignant neoplasm of uterus, unspecified	170	–	170
175	Malignant neoplasm of ovary, Fallopian tube and broad ligament	280	–	280
.0	Ovary	274	–	274
.1	Fallopian tube and broad ligament	6	–	6
.8	Multiple sites	–	–	–
.9	Site unspecified	–	–	–
176	Malignant neoplasm of other and unspecified female genital organs	24	–	24
.0	Vulva	15	–	15
.1	Vagina	7	–	7
.7	Other specified sites	1	–	1
.8	Multiple sites	–	–	–
.9	Site unspecified	1	–	1
177	Malignant neoplasm of prostate	452	452	–
178	Malignant neoplasm of testis	22	22	–
179	Malignant neoplasm of other and unspecified male genital organs	5	5	–
.0	Penis	5	5	–
.1	Scrotum	–	–	–
.7	Other specified sites	–	–	–
.8	Multiple sites	–	–	–
.9	Site unspecified	–	–	–
180	Malignant neoplasm of kidney	177	116	61
181	Malignant neoplasm of bladder and other urinary organs	265	171	94
.0	Bladder	257	169	88
.7	Other urinary organs	8	2	6
.8	Multiple sites	–	–	–
190–199	Malignant neoplasm of other and unspecified sites	858	441	417
190	Malignant melanoma of skin	55	29	26
.0	Lips	–	–	–
.1	Eyelids, including canthi	–	–	–
.2	Ear and external auricular canal	–	–	–
.3	Other and unspecified parts of face	2	–	2
.4	Scalp and neck	1	–	1
.5	Trunk	2	1	1
.6	Upper limb	2	2	–
.7	Lower limb	4	–	4
.8	Multiple sites	3	–	3
.9	Site unspecified	41	26	15
191	Other malignant neoplasm of skin	64	39	25

[1] Special subdivision used in the Division of Vital Statistics.

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.0	Lips	3	2	1
.1	Eyelids, including canthi	–	–	–
.2	Ear and external auricular canal	1	1	–
.3	Other and unspecified parts of face	26	15	11
.4	Scalp and neck	5	4	1
.5	Trunk	7	2	5
.6	Upper limb	1	1	–
.7	Lower limb	2	1	1
.8	Multiple sites	1	1	–
.9	Site unspecified	18	12	6
192	Malignant neoplasm of eye	8	4	4
193	Malignant neoplasm of brain and other parts of nervous system	194	109	85
.0	Brain	145	80	65
.1	Spinal cord	4	3	1
.2	Meninges	4	2	2
.3	Peripheral nerves	1	–	1
.4	Sympathetic nervous system	9	5	4
.8	Multiple sites	3	2	1
.9	Site unspecified	28	17	11
194	Malignant neoplasm of thyroid gland	30	15	15
195	Malignant neoplasm of other endocrine glands	13	10	3
.0	Suprarenal gland	8	6	2
.1	Parathyroid gland	–	–	–
.2	Thymus	1	1	–
.3	Pituitary gland and craniopharyngeal duct	3	2	1
.4	Pineal gland	–	–	–
.7	Other specified glands	1	1	–
.8	Multiple glands	–	–	–
196	Malignant neoplasm of bone	86	45	41
.0	Bones of the skull and face	10	6	4
.1	Lower jaw bone	7	4	3
.2	Vertebral column (excluding sacrum and coccyx)	13	7	6
.3	Ribs, sternum and clavicle	3	2	1
.4	Long bones of upper limb, and scapula	9	4	5
.5	Upper limb, short bones	–	–	–
.6	Pelvic bones, sacrum, coccyx	11	5	6
.7	Lower limb, long bones	8	6	2
.8	Lower limb, short bones	1	1	–
.9	Multiple sites and site unspecified	24	10	14
197	Malignant neoplasm of connective tissue	32	18	14
.0	Head, face and neck	–	–	–
.1	Trunk	4	1	3
.2	Upper limb (including shoulder)	3	2	1
.3	Lower limb (including hip)	5	5	–
.8	Multiple sites	1	–	1
.9	Site unspecified	19	10	9
198	Secondary and unspecified malignant neoplasm of lymph nodes	15	10	5
.0	Head, face and neck	4	2	2
.1	Intrathoracic	–	–	–
.2	Intra-abdominal	2	1	1
.3	Axillary and upper limb	1	–	1
.4	Inguinal and lower limb	2	2	–
.7	Other specified sites	1	1	–
.8	Multiple sites	–	–	–
.9	Site unspecified	5	4	1
199	Malignant neoplasm of other and unspecified sites	361	162	199
.1[1]	Malignant neoplasm of other specified sites not specified as secondary	45	18	27
.2	Malignant neoplasm with primary site not indicated	316	144	172
200–205	Neoplasms of lymphatic and hematopoietic tissues	777	445	332
200	Lymphosarcoma and reticulosarcoma	179	96	83
.0	Reticulum cell sarcoma	59	33	26
.1	Lymphosarcoma	77	37	40
.2	Other primary malignant neoplasms of lymphoid tissue	43	26	17
201	Hodgkin's disease	120	75	45
202	Other forms of lymphoma (reticulosis)	53	26	27
.0	Giant follicular lymphoma (Brill-Symmer's disease)	6	4	2
.1	Other	47	22	25
203	Multiple myeloma (plasmocytoma)	74	38	36
204	Leukemia and aleukemia	351	210	141
.0	Lymphatic leukemia	72	47	25
.1	Myeloid leukemia	66	35	31
.2	Monocytic leukemia	34	18	16
.3	Acute leukemia	149	93	56
.4	Other and unspecified leukemia	30	17	13
205	Mycosis fungoides	–	–	–
210–229	Benign neoplasm	73	23	50

[1] Special subdivision used in the Division of Vital Statistics.

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
210	Benign neoplasm of buccal cavity and pharynx	–	–	–
211	Benign neoplasm of other parts of digestive system	5	2	3
212	Benign neoplasm of respiratory system	5	3	2
213	Benign neoplasm of breast	–	–	–
214	Uterine fibromyoma	2	–	2
215	Other benign neoplasm of uterus	8	–	8
216	Benign neoplasm of ovary	6	–	6
217	Benign neoplasm of other female genital organs	–	–	–
218	Benign neoplasm of male genital organs	–	–	–
219	Benign neoplasm of kidney and other urinary organs	2	–	2
220	Benign melanoma of skin	–	–	–
221	Pilonidal cyst	–	–	–
222	Other benign neoplasm of skin	–	–	–
223	Benign neoplasm of brain and other parts of nervous system	25	11	14
224	Benign neoplasm of endocrine glands	10	3	7
225	Benign neoplasm of bone and cartilage	–	–	–
226	Lipoma	2	1	1
227	Other benign neoplasm of muscular and connective tissue	2	–	2
228	Hemangioma and lymphangioma	3	2	1
229	Benign neoplasm of other and unspecified organs and tissues	3	1	2
230–239	Neoplasm of unspecified nature	79	49	30
230	Neoplasm of unspecified nature of digestive organs	6	1	5
231	Neoplasm of unspecified nature of respiratory organs	6	6	–
232	Neoplasm of unspecified nature of breast	–	–	–
233	Neoplasm of unspecified nature of uterus	–	–	–
234	Neoplasm of unspecified nature of ovary	–	–	–
235	Neoplasm of unspecified nature of other female genital organs	–	–	–
236	Neoplasm of unspecified nature of other genito-urinary organs	4	3	1
237	Neoplasm of unspecified nature of brain and other parts of nervous system	57	36	21
238	Neoplasm of unspecified nature of skin and musculo-skeletal system	1	–	1
239	Neoplasm of unspecified nature of other and unspecified organs	5	3	2
III.	Allergic, Endocrine System, Metabolic and Nutritional Diseases	1,145	469	676
240–245	Allergic disorders	159	94	65
240	Hay fever	–	–	–
241	Asthma	158	93	65
242	Angioneurotic edema	1	1	–
243	Urticaria	–	–	–
244	Allergic eczema	–	–	–
245	Other allergic disorders	–	–	–
250–254	Diseases of thyroid gland	16	4	12
250	Simple goiter	1	–	1
251	Nontoxic nodular goiter	4	1	3
252	Thyrotoxicosis with or without goiter	6	3	3
.0	Toxic diffuse goiter	6	3	3
.1	Toxic nodular goiter	–	–	–
253	Myxedema and cretinism	4	–	4
254	Other diseases of thyroid gland	1	–	1
260	Diabetes mellitus	894	329	565
270–277	Diseases of other endocrine glands	17	9	8
270	Disorders of pancreatic internal secretion other than diabetes mellitus	–	–	–
271	Diseases of parathyroid gland	2	–	2
.0	Hyperparathyroidism	2	–	2
.1	Hypoparathyroidism	–	–	–
.2	Other and unspecified	–	–	–
272	Diseases of pituitary gland	3	2	1
273	Diseases of thymus gland	1	1	–
274	Diseases of adrenal glands	11	6	5
275	Ovarian dysfunction	–	–	–
276	Testicular dysfunction	–	–	–
277	Polyglandular dysfunction and other diseases of endocrine glands	–	–	–
280–289	Avitaminoses and other metabolic diseases	59	33	26
280	Beriberi	3	3	–
281	Pellagra	–	–	–
282	Scurvy	–	–	–
283	Active rickets	–	–	–
284	Late effects of rickets	–	–	–
285	Osteomalacia	–	–	–

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
286	Other avitaminoses and nutritional deficiency states	33	17	16
.0	Steatorrhea and sprue	1	1	–
.1	Vitamin A deficiency	–	–	–
.2	Vitamin B deficiency, except beriberi and pellagra	–	–	–
.3	Vitamin C deficiency, except scurvy	–	–	–
.4	Vitamin D deficiency, except rickets and osteomalacia	–	–	–
.5	Malnutrition, unqualified	25	11	14
.6	Kwashiorkor (protein malnutrition)	–	–	–
.7	Other and multiple deficiency states	7	5	2
287	Obesity, not specified as of endocrine origin	1	1	–
288	Gout	2	2	–
289	Other metabolic diseases	20	10	10
.0	Lipidosis (disturbance of lipid metabolism)	2	–	2
.1	Amyloidosis	7	4	3
.2	Other	11	6	5
IV.	Diseases of the Blood and Blood-forming Organs	140	71	69
290–299	Diseases of the blood and blood-forming organs	140	71	69
290	Pernicious and other hyperchromic anemias	19	5	14
.0	Pernicious anemia	17	4	13
.1	Subacute combined degeneration of spinal cord	–	–	–
.2	Other hyperchromic anemias	2	1	1
291	Iron deficiency anemias (hypochromic anemias)	5	2	3
292	Other anemias of specified type	44	21	23
.0	Familial acholuric jaundice	2	–	2
.1	Acute hemolytic anemia	2	–	2
.2	Other hemolytic anemias	5	2	3
.3	Leuko-erythroblastic anemia	10	5	5
.4	Aplastic anemia	22	13	9
.5	Nonregenerative anemia	–	–	–
.6	Sickle cell anemia	1	1	–
.7	Other specified anemias	2	–	2
293	Anemia of unspecified type	15	11	4
294	Polycythemia	14	11	3
295	Hemophilia	2	2	–
296	Purpura and other hemorrhagic conditions	24	11	13
297	Agranulocytosis	8	5	3
298	Diseases of spleen	9	3	6
.0	Hepatolienal fibrosis	3	1	2
.1	Other	6	2	4
299	Other diseases of blood and blood-forming organs	–	–	–
V.	Mental, Psychoneurotic and Personality Disorders	133	88	45
300–309	Psychoses	32	21	11
300	Schizophrenic disorders (dementia praecox)	4	2	2
.0	Simple type	–	–	–
.1	Hebephrenic type	–	–	–
.2	Catatonic type	1	1	–
.3	Paranoid type	1	–	1
.4	Acute schizophrenic reaction	–	–	–
.5	Latent schizophrenia	–	–	–
.6	Schizo-affective psychosis	–	–	–
.7	Other and unspecified	2	1	1
301	Manic-depressive reaction	1	–	1
.0	Manic and circular	–	–	–
.1	Depressive	1	–	1
.2	Other	–	–	–
302	Involutional melancholia	1	–	1
303	Paranoia and paranoid states	–	–	–
304	Senile psychosis	5	2	3
305	Presenile psychosis	4	4	–
306	Psychosis with cerebral arteriosclerosis	–	–	–
307	Alcoholic psychosis	15	12	3
308	Psychosis of other demonstrable etiology	–	–	–
.0	Resulting from brain tumor	–	–	–
.1	Resulting from epilepsy and other convulsive disorders	–	–	–
.2	Other	–	–	–
309	Other and unspecified psychoses	2	1	1
310–318	Psychoneurotic disorders	3	1	2
310	Anxiety reaction without mention of somatic symptoms	–	–	–
311	Hysterical reaction without mention of anxiety reaction	1	–	1
312	Phobic reaction	–	–	–
313	Obsessive-compulsive reaction	–	–	–
314	Neurotic-depressive reaction	1	1	–
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	–	–	–
.0	Neurocirculatory asthenia	–	–	–
.1	Other heart manifestations specified as of psychogenic origin	–	–	–

Detailed Int. List No.	Table 10 — Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.2	Other circulatory manifestations of psychogenic origin	–	–	–
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	–	–	–
.0	Mucous colitis specified as of psychogenic origin	–	–	–
.1	Irritability of colon specified as of psychogenic origin	–	–	–
.2	Gastric neuroses	–	–	–
.3	Other digestive manifestations specified as of psychogenic origin	–	–	–
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	–	–	–
.0	Psychogenic reactions affecting respiratory system	–	–	–
.1	Psychogenic reactions affecting genito-urinary system	–	–	–
.2	Pruritus of psychogenic origin	–	–	–
.3	Other cutaneous neuroses	–	–	–
.4	Psychogenic reactions affecting musculoskeletal system	–	–	–
.5	Psychogenic reactions affecting other systems	–	–	–
318	Psychoneurotic disorders, other, mixed and unspecified types	1	–	1
.0	Hypochondriacal reaction	–	–	–
.1	Depersonalization	–	–	–
.2	Occupational neurosis	–	–	–
.3	Asthenic reaction	–	–	–
.4	Mixed	–	–	–
.5	Of other and unspecified types	1	–	1
320–326	Disorders of character, behavior and intelligence	98	66	32
320	Pathological personality	–	–	–
.0	Schizoid personality	–	–	–
.1	Paranoid personality	–	–	–
.2	Cyclothymic personality	–	–	–
.3	Inadequate personality	–	–	–
.4	Antisocial personality	–	–	–
.5	Asocial personality	–	–	–
.6	Sexual deviation	–	–	–
.7	Other and unspecified	–	–	–
321	Immature personality	–	–	–
.0	Emotional instability	–	–	–
.1	Passive dependency	–	–	–
.2	Aggressiveness	–	–	–
.3	Enuresis characterizing immature personality	–	–	–
.4	Other symptomatic habits except speech impediments	–	–	–
.5	Other and unspecified	–	–	–
322	Alcoholism	85	58	27
.0	Acute	24	16	8
.1	Chronic	10	8	2
.2	Unspecified	51	34	17
323	Other drug addiction	–	–	–
324	Primary childhood behavior disorders	–	–	–
325	Mental deficiency	13	8	5
.0	Idiocy	–	–	–
.1	Imbecility	1	1	–
.2	Moron	–	–	–
.3	Borderline intelligence	–	–	–
.4	Mongolism	7	4	3
.5	Other and unspecified types	5	3	2
326	Other and unspecified character, behavior and intelligence disorders	–	–	–
.0	Specific learning defects	–	–	–
.1	Stammering and stuttering of nonorganic origin	–	–	–
.2	Other speech impediments of nonorganic origin	–	–	–
.3	Acute situational maladjustment	–	–	–
.4	Other and unspecified	–	–	–
VI.	Diseases of the Nervous System and Sense Organs	6,500	2,788	3,712
330–334	Vascular lesions affecting central nervous system	6,063	2,556	3,507
330	Subarachnoid hemorrhage	177	72	105
331	Cerebral hemorrhage	3,466	1,447	2,019
332	Cerebral embolism and thrombosis	2,008	859	1,149
333	Spasm of cerebral arteries	–	–	–
334	Other and ill-defined vascular lesions affecting central nervous system	412	178	234
340–345	Inflammatory diseases of central nervous system	172	82	90
340	Meningitis, except meningococcal and tuberculous	82	45	37
.0	Hemophilus influenzae	18	9	9
.1	Pneumococcus	18	7	11
.2	Due to other specified organism	11	7	4
.3	Unspecified cause	35	22	13
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	1	–	1

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
342	Intracranial and intraspinal abscess	12	7	5
343	Encephalitis, myelitis and encephalomyelitis (except acute infectious)	13	7	6
344	Late effects of intracranial abscess or pyogenic infection	8	3	5
345	Multiple sclerosis	56	20	36
350–357	Other diseases of central nervous system	246	141	105
350	Paralysis agitans	92	49	43
351	Cerebral spastic infantile paralysis	10	9	1
352	Other cerebral paralysis	9	5	4
353	Epilepsy	66	41	25
.0	Petit mal	–	–	–
.1	Grand mal	8	4	4
.2	Status epilepticus	17	12	5
.3	Other and unspecified	41	25	16
354	Migraine	–	–	–
355	Other diseases of brain	23	14	9
356	Motor neurone disease and muscular atrophy	38	18	20
.0	Progressive muscular atrophy	10	6	4
.1	Amyotrophic lateral sclerosis	26	11	15
.2	Spinal type of muscular atrophy	2	1	1
.3	Other and unspecified manifestations	–	–	–
357	Other diseases of spinal cord	8	5	3
360–369	Diseases of nerves and peripheral ganglia	10	5	5
360	Facial paralysis	–	–	–
361	Trigeminal neuralgia	–	–	–
362	Brachial neuralgia	–	–	–
363	Sciatica	–	–	–
364	Polyneuritis and polyradiculitis	8	5	3
365	Erythroedema polyneuritica	–	–	–
366	Other and unspecified forms of neuralgia and neuritis	2	–	2
367	Other diseases of cranial nerves	–	–	–
368	Other diseases of peripheral nerves except autonomic	–	–	–
369	Diseases of peripheral autonomic nervous system	–	–	–
370–379	Inflammatory diseases of eye	–	–	–
370	Conjunctivitis and ophthalmia	–	–	–
371	Blepharitis	–	–	–
372	Hordeolum (sty)	–	–	–
373	Iritis	–	–	–
374	Keratitis	–	–	–
375	Choroiditis	–	–	–
376	Other inflammation of uveal tract	–	–	–
377	Inflammation of optic nerve and retina	–	–	–
378	Inflammation of lachrymal glands and ducts	–	–	–
379	Other inflammatory diseases of eye	–	–	–
380–389	Other diseases and conditions of eye	1	1	–
380	Refractive errors	–	–	–
381	Corneal ulcer	–	–	–
382	Corneal opacity	–	–	–
383	Pterygium	–	–	–
384	Strabismus	–	–	–
385	Cataract	1	1	–
386	Detachment of retina	–	–	–
387	Glaucoma	–	–	–
388	Other diseases of eye	–	–	–
389	Blindness	–	–	–
.0	Both eyes, specifically defined	–	–	–
.1	Both eyes, not specifically defined	–	–	–
.2	One eye, specifically defined	–	–	–
.3	One eye, not specifically defined	–	–	–
390–398	Diseases of ear and mastoid process	8	3	5
390	Otitis externa	–	–	–
391	Otitis media without mention of mastoiditis	6	3	3
.0	Acute	1	–	1
.1	Chronic	1	1	–
.2	Unspecified	4	2	2
392	Otitis media with mastoiditis	1	–	1
.0	Acute	–	–	–
.1	Chronic	1	–	1
.2	Unspecified	–	–	–
393	Mastoiditis without mention of otitis media	1	–	1
.0	Acute	–	–	–
.1	Chronic	1	–	1
.2	Unspecified	–	–	–
394	Other inflammatory diseases of ear	–	–	–
395	Ménière's disease	–	–	–
396	Other diseases of ear and mastoid process	–	–	–
397	Deaf mutism	–	–	–
398	Other deafness	–	–	–
.0	Deafness, both ears	–	–	–

Detailed Int. List No.	Table 10 — Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.1	Deafness, one ear, and partial deafness in other	–	–	–
.2	Deafness, one ear	–	–	–
.3	Impairment of hearing, one or both ears	–	–	–
VII.	Diseases of the Circulatory System	25,372	13,588	11,784
400–402	Rheumatic fever	13	9	4
400	Rheumatic fever without mention of heart involvement	1	1	–
401	Rheumatic fever with heart involvement	12	8	4
.0	Active rheumatic pericarditis	4	3	1
.1	Active rheumatic endocarditis	2	1	1
.2	Active rheumatic myocarditis	–	–	–
.3	Active rheumatic fever with other and multiple types of heart involvement	6	4	2
402	Chorea	–	–	–
.0	Without mention of heart involvement	–	–	–
.1	With heart involvement	–	–	–
410–416	Chronic rheumatic heart disease	653	264	389
410	Diseases of mitral valve	231	90	141
411	Diseases of aortic valve (rheumatic)	57	33	24
412	Diseases of tricuspid valve	1	–	1
413	Diseases of pulmonary valve (rheumatic)	–	–	–
414	Other endocarditis (rheumatic)	12	7	5
415	Other myocarditis (rheumatic)	11	7	4
416	Other heart disease (rheumatic)	341	127	214
420–422	Arteriosclerotic and degenerative heart disease	19,842	11,204	8,638
420	Arteriosclerotic heart disease, including coronary disease	18,429	10,592	7,837
.0	Arteriosclerotic heart disease so described	7,764	3,733	4,031
.1	Heart disease specified as involving coronary arteries	10,637	6,844	3,793
.2	Angina pectoris without mention of coronary disease	28	15	13
421	Chronic endocarditis (nonrheumatic)	190	87	103
.0	Of mitral valve, specified as nonrheumatic	21	7	14
.1	Of aortic valve (nonrheumatic)	88	51	37
.2	Of tricuspid valve (nonrheumatic)	–	–	–
.3	Of pulmonary valve (nonrheumatic)	–	–	–
.4	Other and ill-defined (nonrheumatic)	81	29	52
422	Other myocardial degeneration	1,223	525	698
.0	Fatty degeneration	2	2	–
.1	With arteriosclerosis	797	326	471
.2	Other	424	197	227
430–434	Other diseases of heart	723	374	349
430	Acute and subacute endocarditis	39	26	13
.0	Acute and subacute bacterial endocarditis	36	24	12
.1	Other acute endocarditis	3	2	1
431	Acute myocarditis (nonrheumatic)	26	9	17
432	Acute pericarditis (nonrheumatic)	–	–	–
433	Functional disease of heart	91	47	44
.0	Heart block	33	22	11
.1	Other disorders of heart rhythm	58	25	33
.2	Other functional diseases of heart	–	–	–
434	Other and unspecified diseases of heart	567	292	275
.0	Kyphoscoliotic heart disease	5	4	1
.1	Congestive heart failure	239	116	123
.2	Left ventricular failure	46	19	27
.3	Other disease of heart	23	12	11
.4	Unspecified disease of heart	254	144	110
440–447	Hypertensive disease	2,365	908	1,457
440	Essential benign hypertension with heart disease	1	–	1
441	Essential malignant hypertension with heart disease	16	8	8
442	Hypertensive heart disease with arteriolar nephrosclerosis	228	94	134
443	Other and unspecified hypertensive heart disease	1,712	615	1,097
444	Essential benign hypertension without mention of heart	86	32	54
445	Essential malignant hypertension without mention of heart	49	24	25
446	Hypertension with arteriolar nephrosclerosis without mention of heart	257	130	127
447	Other hypertensive disease without mention of heart	16	5	11
450–456	Diseases of arteries	1,503	689	814
450	General arteriosclerosis	1,171	477	694
.0	Without mention of gangrene	1,097	446	651
.1	With gangrene	74	31	43
451	Aortic aneurysm (nonsyphilitic), and dissecting aneurysm	237	169	68
452	Other aneurysm, except of heart and aorta	23	11	12
453	Peripheral vascular disease	7	5	2
.0	Raynaud's disease	1	–	1
.1	Thrombo-angiitis obliterans	4	3	1

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.2	Chilblains	–	–	–
.3	Other	2	2	–
454	Arterial embolism and thrombosis	37	14	23
455	Gangrene of unspecified cause	10	6	4
456	Other diseases of arteries	18	7	11
460–468	Diseases of veins and other diseases of circulatory system	273	140	133
460	Varicose veins of lower extremities	5	1	4
461	Hemorrhoids	–	–	–
462	Varicose veins of other specified sites	14	10	4
.0	Varicocele	–	–	–
.1	Varicose veins of esophagus	13	9	4
.2	Other	1	1	–
463	Phlebitis and thrombophlebitis of lower extremities	38	15	23
464	Phlebitis and thrombophlebitis of other sites	56	26	30
465	Pulmonary embolism and infarction	96	52	44
466	Other venous embolism and thrombosis	43	24	19
467	Other diseases of circulatory system	20	12	8
.0	Hypotension	6	4	2
.1	Diseases of capillaries	2	2	–
.2	Other and unspecified	12	6	6
468	Certain diseases of lymph nodes and lymph channels	1	–	1
.0	Chronic lymphadenitis	–	–	–
.1	Nonspecific mesenteric lymphadenitis	–	–	–
.2	Lymphadenitis, unqualified	1	–	1
.3	Noninfective diseases of lymphatic channels	–	–	–
VIII.	Diseases of the Respiratory System	2,848	1,670	1,178
470–475	Acute upper respiratory infections	21	15	6
470	Acute nasopharyngitis (common cold)	–	–	–
471	Acute sinusitis	–	–	–
472	Acute pharyngitis	3	1	2
.0	Sore throat, unqualified	–	–	–
.1	Other	3	1	2
473	Acute tonsilitis	2	1	1
474	Acute laryngitis and tracheitis	8	7	1
475	Acute upper respiratory infection of multiple or unspecified sites	8	6	2
480–483	Influenza	25	11	14
480	Influenza with pneumonia	13	7	6
481	Influenza with other respiratory manifestations, and influenza, unqualified	10	3	7
482	Influenza with digestive manifestations, but without respiratory symptoms	–	–	–
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	2	1	1
490–493	Pneumonia	2,123	1,160	963
490	Lobar pneumonia	309	191	118
491	Bronchopneumonia	1,436	760	676
492	Primary atypical pneumonia	179	94	85
493	Pneumonia, other and unspecified	199	115	84
500–502	Bronchitis	139	101	38
500	Acute bronchitis	30	18	12
501	Bronchitis, unqualified	22	9	13
502	Chronic bronchitis	87	74	13
.0	Bronchitis with emphysema	48	43	5
.1	Other	39	31	8
510–527	Other diseases of respiratory system	540	383	157
510	Hypertrophy of tonsils and adenoids	8	7	1
.0	Without mention of tonsillectomy or adenoidectomy	2	1	1
.1	With tonsillectomy or adenoidectomy	6	6	–
511	Peritonsillar abscess (quinsy)	–	–	–
512	Chronic pharyngitis and nasopharyngitis	–	–	–
.0	Chronic pharyngitis	–	–	–
.1	Chronic nasopharyngitis	–	–	–
513	Chronic sinusitis	2	1	1
514	Deflected nasal septum	–	–	–
515	Nasal polyp	1	–	1
516	Chronic laryngitis	–	–	–
517	Other diseases of upper respiratory tract	7	4	3
518	Empyema	4	2	2
519	Pleurisy	3	3	–
.0	Without mention of effusion or tuberculosis	1	1	–
.1	With effusion with mention of a bacterial cause other than tuberculosis	–	–	–
.2	Other specified forms of effusion, except tuberculous	2	2	–
520	Spontaneous pneumothorax	5	4	1

Detailed Int. List No.	Table 10 — Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
521	Abscess of lung	22	15	7
522	Pulmonary congestion and hypostasis	56	30	26
523	Pneumoconiosis due to silica and silicates (occupational)	11	11	–
.0	Silicosis	6	6	–
.1	Anthracosilicosis	–	–	–
.2	Asbestosis	3	3	–
.3	Other, including pneumoconiosis unspecified	2	2	–
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	3	2	1
525	Other chronic interstitial pneumonia	110	75	35
526	Bronchiectasis	72	50	22
527	Other diseases of lung and pleural cavity	236	179	57
.0	Pulmonary collapse (1 year and over)	12	7	5
.1	Emphysema without mention of bronchitis	160	137	23
.2	Other	64	35	29
IX.	Diseases of the Digestive System	2,143	1,228	915
530–539	Diseases of buccal cavity and esophagus	32	19	13
530	Dental caries	1	–	1
.0	Dental caries, unqualified	–	–	–
.1	With pulp exposure	1	–	1
.2	With periapical abscess	–	–	–
.3	Other	–	–	–
531	Abscesses of supporting structures of teeth	–	–	–
.0	Pericoronal	–	–	–
.1	Peridontal (parietal)	–	–	–
.2	Other and unspecified	–	–	–
532	Other inflammatory diseases of supporting structures of teeth	–	–	–
.0	Gingivitis, except ulcerative	–	–	–
.1	Periodontitis (pyorrhea, inflammatory)	–	–	–
.2	Periodontosis (pyorrhea, degenerative)	–	–	–
.3	Other	–	–	–
533	Disorders of occlusion, eruption and tooth development	–	–	–
.0	Malocclusion	–	–	–
.1	Disorders of first dentition	–	–	–
.2	Impacted teeth	–	–	–
.3	Unerupted teeth	–	–	–
.4	Partially erupted teeth	–	–	–
.5	Congenital anomalies of teeth	–	–	–
.6	Chronic dental fluorosis	–	–	–
.7	Other	–	–	–
534	Toothache from unspecified cause	–	–	–
535	Other diseases of teeth and supporting structures	3	1	2
536	Stomatitis	–	–	–
537	Diseases of salivary glands	4	2	2
538	Other diseases of buccal cavity	1	1	–
539	Diseases of esophagus	23	15	8
.0	Functional disorders of esophagus	1	–	1
.1	Other	22	15	7
540–545	Diseases of stomach and duodenum	419	296	123
540	Ulcer of stomach	193	124	69
.0	Without mention of perforation	139	89	50
.1	With perforation	54	35	19
541	Ulcer of duodenum	197	151	46
.0	Without mention of perforation	130	101	29
.1	With perforation	67	50	17
542	Gastrojejunal ulcer	9	6	3
.0	Without mention of perforation	6	3	3
.1	With perforation	3	3	–
543	Gastritis and duodenitis	11	7	4
544	Disorders of function of stomach	3	3	–
.0	Disorders of gastric secretion	–	–	–
.1	Disorders of gastric motility	1	1	–
.2	Other	2	2	–
545	Other diseases of stomach and duodenum	6	5	1
550–553	Appendicitis	60	37	23
550	Acute appendicitis	56	35	21
.0	Without mention of peritonitis	7	5	2
.1	With peritonitis	49	30	19
551	Appendicitis, unqualified	3	1	2
552	Other appendicitis	–	–	–
553	Other diseases of appendix	1	1	–
560, 561	Hernia of abdominal cavity	95	44	51
560	Hernia of abdominal cavity without mention of obstruction	34	18	16
.0	Inguinal	4	2	2
.1	Femoral	–	–	–
.2	Umbilical	5	2	3

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.3	Ventral (incisional)	3	2	1
.4	Other specified sites	17	9	8
.5	Unspecified site	5	3	2
561	Hernia of abdominal cavity with obstruction	61	26	35
.0	Inguinal	18	14	4
.1	Femoral	10	2	8
.2	Umbilical	8	3	5
.3	Ventral (incisional)	10	1	9
.4	Other specified site	4	2	2
.5	Unspecified site	11	4	7
570–578	Other diseases of intestines and peritoneum	500	226	274
570	Intestinal obstruction without mention of hernia	207	96	111
.0	Intussusception	9	4	5
.1	Paralytic ileus	10	2	8
.2	Mesenteric infarction	96	41	55
.3	Volvulus	16	9	7
.4	Impaction of intestine	2	2	–
.5	Other	74	38	36
571	Gastroenteritis and colitis, except ulcerative, ages 4 weeks and over	53	26	27
.0	Ages between 4 weeks and 2 years	24	12	12
.1	Ages 2 years and over	29	14	15
572	Chronic enteritis and ulcerative colitis	111	46	65
.0	Regional enteritis	3	2	1
.1	Diverticulitis	72	26	46
.2	Ulcerative colitis	34	17	17
.3	Other	2	1	1
573	Functional disorders of intestines	–	–	–
.0	Constipation	–	–	–
.1	Mucous colitis	–	–	–
.2	Irritability of colon	–	–	–
.3	Other	–	–	–
574	Anal fissure and fistula	–	–	–
575	Abscess of anal and rectal regions	3	2	1
576	Peritonitis	31	11	20
577	Peritoneal adhesion	–	–	–
578	Other diseases of intestines and peritoneum	95	45	50
580–587	Diseases of liver, gall bladder and pancreas	1,037	606	431
580	Acute and subacute yellow atrophy of liver	21	8	13
581	Cirrhosis of liver	711	441	270
.0	Without mention of alcoholism	499	288	211
.1	With alcoholism	212	153	59
582	Suppurative hepatitis and liver abscess	3	1	2
583	Other diseases of liver	26	14	12
584	Cholelithiasis	89	33	56
585	Cholecystitis without mention of calculi	57	30	27
586	Other diseases of gall bladder and biliary ducts	30	21	9
587	Diseases of pancreas	100	58	42
.0	Acute pancreatitis	72	42	30
.1	Chronic pancreatitis	6	5	1
.2	Other diseases of pancreas	6	2	4
.3[1]	Cystic fibrosis	16	9	7
X.	Diseases of the Genito-urinary System	839	465	374
590–594	Nephritis and nephrosis	359	184	175
590	Acute nephritis	21	12	9
591	Nephritis with edema, including nephrosis	19	9	10
592	Chronic nephritis	248	123	125
593	Nephritis not specified as acute or chronic	67	36	31
594	Other renal sclerosis	4	4	–
600–609	Other diseases of urinary system	353	164	189
600	Infections of kidney	252	110	142
.0	Pyelitis, pyelocystitis and pyelonephritis	246	107	139
.1	Abscess of kidney and perirenal tissue	3	1	2
.2	Other	3	2	1
601	Hydronephrosis	10	8	2
602	Calculi of kidney and ureter	29	13	16
603	Other diseases of kidney and ureter	25	12	13
604	Calculi of other parts of urinary system	3	1	2
605	Cystitis	13	4	9
606	Other diseases of bladder	7	7	–
607	Urethritis (nonvenereal)	–	–	–
608	Stricture of urethra	2	2	–
609	Other diseases of urethra	12	7	5
610–617	Diseases of male genital organs	117	117	–
610	Hyperplasia of prostate	102	102	–
611	Prostatitis	7	7	–
612	Other diseases of prostate	4	4	–

[1] Special subdivisions in the Division of Vital Statistics.

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
613	Hydrocele	–	–	–
614	Orchitis and epididymitis	3	3	–
615	Redundant prepuce and phimosis	–	–	–
616	Sterility, male	–	–	–
617	Other diseases of male genital organs	1	1	–
620–626	Diseases of breast, ovary, Fallopian tube and parametrium	2	–	2
620	Chronic cystic disease of breast	–	–	–
621	Other diseases of breast	–	–	–
.0	Acute mastitis not associated with lactation	–	–	–
.1	Hypertrophy of breast	–	–	–
.2	Other	–	–	–
622	Acute salpingitis and oophoritis	–	–	–
623	Chronic salpingitis and oophoritis	–	–	–
624	Salpingitis and oophoritis, unqualified	2	–	2
625	Other diseases of ovary and Fallopian tube	–	–	–
626	Diseases of parametrium and pelvic peritoneum (female)	–	–	–
630–637	Diseases of uterus and other female genital organs	8	–	8
630	Infective disease of uterus, vagina and vulva	–	–	–
.0	Cervicitis	–	–	–
.1	Other infective diseases of uterus	–	–	–
.2	Vaginitis and vulvitis	–	–	–
631	Uterovaginal collapse	1	–	1
632	Malposition of uterus	1	–	1
633	Other diseases of uterus	3	–	3
634	Disorders of menstruation	2	–	2
635	Menopausal symptoms	–	–	–
636	Sterility, female	–	–	–
637	Other diseases of female genital organs	1	–	1
.0	Leukorrhea	–	–	–
.1	Other	1	–	1
XI.	Deliveries and Complications of Pregnancy, Childbirth and the Puerperium	24	–	24
640–649	Complications of pregnancy	3	–	3
640	Pyelitis and pyelonephritis of pregnancy	–	–	–
641	Other infections of genito-urinary tract during pregnancy	–	–	–
642	Toxemias of pregnancy	1	–	1
.0	Hypertensive disease arising during pregnancy	–	–	–
.1	Renal disease arising during pregnancy	–	–	–
.2	Pre-eclampsia of pregnancy	–	–	–
.3	Eclampsia of pregnancy	1	–	1
.4	Hyperemesis gravidarum	–	–	–
.5	Other	–	–	–
643	Placenta praevia	–	–	–
644	Other hemorrhage of pregnancy	–	–	–
645	Ectopic pregnancy	1	–	1
.0	Without mention of sepsis	–	–	–
.1	With sepsis	1	–	1
646	Anemia of pregnancy	–	–	–
647	Pregnancy with malposition of foetus in uterus	–	–	–
648	Other complications arising from pregnancy	1	–	1
.0	Threatened abortion	–	–	–
.1	Hydatidiform mole	–	–	–
.2	Placental abnormalities not classified elsewhere	–	–	–
.3	Other	1	–	1
649	Pregnancy associated with other conditions	–	–	–
650–652	Abortion	4	–	4
650	Abortion without mention of sepsis or toxemia	2	–	2
.0	Spontaneous or unspecified	–	–	–
.1	Induced for medical or legal indications	–	–	–
.2	Induced for other reasons	2	–	2
.3	Other	–	–	–
651	Abortion with sepsis	2	–	2
.0	Spontaneous or unspecified	1	–	1
.1	Induced for medical or legal indications	–	–	–
.2	Induced for other reasons	1	–	1
.3	Other	–	–	–
652	Abortion with toxemia, without mention of sepsis	–	–	–
.0	Spontaneous or unspecified	–	–	–
.1	Induced for medical or legal indications	–	–	–
.2	Induced for other reasons	–	–	–
.3	Other	–	–	–
660	Delivery without complication	2	–	2
670–678	Delivery with specified complication	8	–	8
670	Delivery complicated by placenta praevia or antepartum hemorrhage	1	–	1

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.5	Cesarean section	1	–	1
671	Delivery complicated by retained placenta	–	–	–
672	Delivery complicated by other postpartum hemorrhage	1	–	1
.6	Unspecified type of delivery	1	–	1
673	Delivery complicated by abnormality of bony pelvis	–	–	–
674	Delivery complicated by disproportion or malposition of foetus	–	–	–
675	Delivery complicated by prolonged labor of other origin	2	–	2
.5	Cesarean section	1	–	1
.6	Unspecified type of delivery	1	–	1
676	Delivery with laceration of perineum, without mention of other laceration	–	–	–
677	Delivery with other trauma	3	–	3
.0	Spontaneous	1	–	1
.6	Unspecified type of delivery	2	–	2
678	Delivery with other complications of childbirth	1	–	1
.5	Cesarean section	1	–	1
680–689	Complications of the puerperium	7	–	7
680	Puerperal urinary infection without other sepsis	–	–	–
681	Sepsis of childbirth and the puerperium	1	–	1
682	Puerperal phlebitis and thrombosis	–	–	–
683	Pyrexia of unknown origin during the puerperium	–	–	–
684	Puerperal pulmonary embolism	2	–	2
685	Puerperal eclampsia	2	–	2
686	Other forms of puerperal toxemia	–	–	–
687	Cerebral hemorrhage in the puerperium	1	–	1
688	Other and unspecified complications of the puerperium	1	–	1
.0	Anemia of the puerperium	–	–	–
.1	Puerperal psychosis	–	–	–
.2	Sudden death from unknown cause in the puerperium	–	–	–
.3	Other	1	–	1
689	Mastitis and other disorders of lactation	–	–	–
XII.	Diseases of the Skin and Cellular Tissue	48	18	30
690–698	Infections of skin and subcutaneous tissue	16	4	12
690	Boil and carbuncle	3	1	2
.0	Of face	–	–	–
.1	Of neck	–	–	–
.2	Of trunk	–	–	–
.3	Of upper arm and forearm	1	1	–
.4	Of hand	–	–	–
.5	Of buttock	1	–	1
.6	Of other parts of lower extremity	–	–	–
.7	Of other and multiple sites	1	–	1
.8	Of unspecified site	–	–	–
691	Cellulitis of finger and toe	–	–	–
692	Other cellulitis and abscess without mention of lymphangitis	13	3	10
.0	Of head and neck	4	3	1
.1	Of trunk	1	–	1
.2	Of upper arm and forearm	–	–	–
.3	Of hand, except fingers	–	–	–
.4	Of leg	3	–	3
.5	Of foot, except toes	–	–	–
.6	Of other, multiple and unspecified sites	5	–	5
693	Other cellulitis and abscess with lymphangitis	–	–	–
.0	Of head and neck	–	–	–
.1	Of trunk	–	–	–
.2	Of upper arm and forearm	–	–	–
.3	Of hand, except fingers	–	–	–
.4	Of leg	–	–	–
.5	Of foot, except toes	–	–	–
.6	Of other, multiple and unspecified sites	–	–	–
694	Acute lymphadenitis	–	–	–
695	Impetigo	–	–	–
696	Infectious warts	–	–	–
697	Molluscum contagiosum	–	–	–
698	Other local infections of skin and subcutaneous tissue	–	–	–
700–716	Other diseases of skin and subcutaneous tissue	32	14	18
700	Seborrheic dermatitis	–	–	–
701	Eczema	1	1	–
702	Occupational dermatitis	–	–	–
.0	Due to plants	–	–	–
.1	Due to oils and greases	–	–	–
.2	Due to solvents	–	–	–
.3	Due to drugs	–	–	–
.4	Due to other chemicals	–	–	–
.5	Due to radiation	–	–	–
.6	Other	–	–	–
703	Other dermatitis	–	–	–

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from each Cause and Class of Causes, according to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.0	Due to plants	–	–	–
.1	Due to oils and greases	–	–	–
.2	Due to solvents	–	–	–
.3	Due to drugs	–	–	–
.4	Due to other chemicals	–	–	–
.5	Due to radiation	–	–	–
.6	Due to other specified agents	–	–	–
.7	Unqualified	–	–	–
704	Pemphigus	8	5	3
.0	Dermatitis herpetiformis	–	–	–
.1	Other	8	5	3
705	Erythematous conditions	14	5	9
.0	Toxic erythema	–	–	–
.1	Erythema multiforme (erythema iris)	4	4	–
.2	Erythema nodosum	–	–	–
.3	Rosacea	–	–	–
.4	Lupus erythematosus	9	1	8
.5	Other and unqualified	1	–	1
706	Psoriasis and similar disorders	–	–	–
.0	Psoriasis	–	–	–
.1	Parapsoriasis	–	–	–
.2	Pityriasis rosea	–	–	–
.3	Other and unspecified pityriasis	–	–	–
.4	Other	–	–	–
707	Lichen planus	–	–	–
708	Pruritus and related conditions	–	–	–
.0	Pruritus ani	–	–	–
.1	Pruritus of genital organs	–	–	–
.2	Prurigo	–	–	–
.3	Lichenification and lichen simplex chronicus	–	–	–
.4	Dermatitis factitia (artefacta)	–	–	–
.5	Other pruritic conditions	–	–	–
709	Corns and callosities	–	–	–
710	Other hypertrophic and atrophic conditions of skin	6	2	4
.0	Scleroderma and dermatomyositis	6	2	4
.1	Keratoderma	–	–	–
.2	Hereditary edema of legs (Milroy's disease)	–	–	–
.3	Striae atrophicae	–	–	–
.4	Keloid scar	–	–	–
.5	Other hypertrophic and atrophic conditions of skin	–	–	–
711	Other dermatoses	–	–	–
712	Diseases of nail	–	–	–
713	Diseases of hair and hair follicles	–	–	–
714	Diseases of sweat and sebaceous glands	–	–	–
.0	Diseases of sweat glands	–	–	–
.1	Acne	–	–	–
.2	Other diseases of sebaceous glands	–	–	–
715	Chronic ulcer of skin	3	1	2
716	Other diseases of skin	–	–	–
XIII.	Diseases of the Bones and Organs of Movement	87	35	52
720–727	Arthritis and rheumatism, except rheumatic fever	34	8	26
720	Acute arthritis due to pyogenic organisms	–	–	–
721	Acute nonpyogenic arthritis	–	–	–
722	Rheumatoid arthritis and allied conditions	13	2	11
.0	Rheumatoid arthritis	13	2	11
.1	Spondylitis ankylopoietica	–	–	–
.2	Chronic rheumatoid nodular fibrositis	–	–	–
723	Osteo-arthritis (arthrosis) and allied conditions	12	2	10
.0	Osteo-arthritis (arthrosis)	11	2	9
.1	Spondylitis osteo-arthritica (spondylarthrosis)	1	–	1
.2	Adult osteochondrosis of spine	–	–	–
724	Other specified forms of arthritis	1	–	1
725	Arthritis, unspecified	6	3	3
726	Muscular rheumatism	1	–	1
.0	Lumbago	–	–	–
.1	Myofibrosis of humeroscapular region	–	–	–
.2	Torticollis not specified as congenital, psychogenic, or traumatic	–	–	–
.3	Other muscular rheumatism, fibrositis and myalgia	1	–	1
727	Rheumatism, unspecified	1	1	–
730–738	Osteomyelitis and other diseases of bone and joint	21	7	14
730	Osteomyelitis and periostitis	6	1	5
.0	Acute osteomyelitis	–	–	–
.1	Chronic osteomyelitis	2	–	2
.2	Unspecified osteomyelitis	4	1	3
.3	Periostitis without mention of osteomyelitis	–	–	–
731	Osteitis deformans	12	6	6
732	Osteochondrosis	–	–	–
733	Other diseases of bone	3	–	3
734	Internal derangement of knee joint	–	–	–
735	Displacement of intervertebral disc	–	–	–

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
736	Affection of sacro-iliac joint	–	–	–
737	Ankylosis of joint	–	–	–
.0	Of spine	–	–	–
.1	Of shoulder	–	–	–
.2	Of elbow	–	–	–
.3	Of wrist	–	–	–
.4	Of finger	–	–	–
.5	Of hip	–	–	–
.6	Of knee	–	–	–
.7	Of ankle	–	–	–
.8	Of other and multiple sites	–	–	–
.9	Of unspecified site	–	–	–
738	Other diseases of joint	–	–	–
740–749	Other diseases of musculoskeletal system	32	20	12
740	Bunion	–	–	–
741	Synovitis, bursitis and tenosynovitis without mention of occupational origin	–	–	–
742	Synovitis, bursitis and tenosynovitis of occupational origin	–	–	–
743	Infective myositis and other inflammatory diseases of tendon and fascia	–	–	–
744	Other diseases of muscle, tendon and fascia	30	20	10
.0	Myasthenia gravis	6	1	5
.1	Inborn defect of muscle	22	18	4
.2	Other	2	1	1
745	Curvature of spine	1	–	1
746	Flat foot	–	–	–
747	Hallux valgus and varus	–	–	–
748	Clubfoot	–	–	–
749	Other deformities	1	–	1
XIV.	Congenital Malformations	620	343	277
750–759	Congenital malformations	620	343	277
750	Monstrosity	40	14	26
751	Spina bifida and meningocele	43	17	26
752	Congenital hydrocephalus	56	37	19
753	Other congenital malformations of nervous system and sense organs	20	10	10
.0	Congenital cataract	–	–	–
.1	Other	20	10	10
754	Congenital malformations of circulatory system	306	177	129
.0	Tetralogy of Fallot	13	8	5
.1	Patent ductus arteriosus (Botalli)	11	6	5
.2	Interventricular septal defect	23	13	10
.3	Interauricular septal defect	19	11	8
.4	Fibroelastosis cordis	28	18	10
.5	Other and unspecified malformations of heart	167	91	76
.6	Coarctation of aorta	12	8	4
.7	Other circulatory malformations	33	22	11
755	Cleft palate and harelip	–	–	–
756	Congenital malformations of digestive system	28	15	13
.0	Congenital hypertrophic pyloric stenosis	–	–	–
.1	Imperforate anus	1	–	1
.2	Other	27	15	12
757	Congenital malformations of genito-urinary system	59	38	21
.0	Undescended testicle	–	–	–
.1	Polycystic disease of kidney	34	23	11
.2	Congenital malformations of external genital organs	1	–	1
.3	Other	24	15	9
758	Congenital malformations of bone and joint	4	2	2
.0	Congenital dislocation of hip	–	–	–
.1	Chondrodystrophy	1	1	–
.2	Congenital malformations of skull	1	–	1
.3	Brittle bones	–	–	–
.4	Cervical rib	–	–	–
.5	Congenital abnormalities of lumbosacral region	–	–	–
.6	Other	2	1	1
759	Other and unspecified congenital malformations	64	33	31
.0	Of respiratory system	9	5	4
.1	Of skin	1	1	–
.2	Of muscle	2	1	1
.3	Other and unspecified	52	26	26
XV.	Certain Diseases of Early Infancy	1,557	924	633
760–769	Birth injuries, asphyxia and infections of newborn	738	449	289
760	Intracranial and spinal injury at birth	104	62	42
.0	Without mention of immaturity	57	35	22
.5	With immaturity	47	27	20
761	Other birth injury	109	63	46
.0	Without mention of immaturity	25	17	8

Detailed Int. List No.	Table 10 — Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.5	With immaturity	84	46	38
762	Postnatal asphyxia and atelectasis	411	253	158
.0	Without mention of immaturity	138	85	53
.5	With immaturity	273	168	105
763	Pneumonia of newborn	86	52	34
.0	Without mention of immaturity	57	34	23
.5	With immaturity	29	18	11
764	Diarrhea of newborn	3	2	1
.0	Without mention of immaturity	3	2	1
.5	With immaturity	–	–	–
765	Ophthalmia neonatorum	–	–	–
.0	Without mention of immaturity	–	–	–
.5	With immaturity	–	–	–
766	Pemphigus neonatorum	–	–	–
.0	Without mention of immaturity	–	–	–
.5	With immaturity	–	–	–
767	Umbilical sepsis	3	3	–
.0	Without mention of immaturity	1	1	–
.5	With immaturity	2	2	–
768	Other sepsis of newborn	15	11	4
.0	Without mention of immaturity	10	7	3
.5	With immaturity	5	4	1
769	Neonatal disorders arising from maternal toxemia	7	3	4
.0	Attributed to "toxemia of pregnancy", without mention of immaturity	–	–	–
.1	Attributed to maternal diabetes, without mention of immaturity	1	1	–
.2	Attributed to maternal rubella, without mention of immaturity	–	–	–
.3	Attributed to toxoplasmosis, without mention of immaturity	–	–	–
.4	Attributed to other or unspecified maternal toxemia, without mention of immaturity	–	–	–
.5	Attributed to "toxemia of pregnancy", with immaturity	2	1	1
.6	Attributed to maternal diabetes, with immaturity	3	–	3
.7	Attributed to maternal rubella, with immaturity	–	–	–
.8	Attributed to toxoplasmosis, with immaturity	–	–	–
.9	Attributed to other or unspecified maternal toxemia, with immaturity	1	1	–
770–776	Other diseases peculiar to early infancy	819	475	344
770	Hemolytic disease of newborn (erythroblastosis)	76	40	36
.0	Erythroblastosis without mention of nervous affection or immaturity	58	32	26
.1	Kernicterus, without mention of immaturity	2	–	2
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	–	–	–
.5	Erythroblastosis, without mention of nervous affection but with immaturity	14	6	8
.6	Kernicterus with immaturity	2	2	–
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	–	–	–
771	Hemorrhagic disease of newborn	28	19	9
.0	Without mention of immaturity	16	12	4
.5	With immaturity	12	7	5
772	Nutritional maladjustment	4	2	2
.0	Without mention of immaturity	2	1	1
.5	With immaturity	2	1	1
773	Ill-defined diseases peculiar to early infancy	106	74	32
.0	Without mention of immaturity	38	26	12
.5	With immaturity	68	48	20
774	Immaturity with mention of any other subsidiary condition	30	22	8
775	Immaturity subsidiary to some other cause	–	–	–
776	Immaturity, unqualified	575	318	257
XVI.	Symptoms, Senility and Ill-defined Conditions	225	117	108
780–789	Symptoms referable to systems or organs	84	37	47
780	Certain symptoms referable to nervous system and special senses	3	2	1
.0	Coma and stupor	1	–	1
.1	Delirium	–	–	–
.2	Convulsions	2	2	–
.3	Jacksonian epilepsy	–	–	–
.4	Abnormal involuntary movement	–	–	–
.5	Disturbance of coordination	–	–	–
.6	Vertigo	–	–	–
.7	Disturbance of sleep	–	–	–
.8	Disturbance of memory	–	–	–
.9	Meningismus	–	–	–

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
781	Other symptoms referable to nervous system and special senses	2	2	–
.0	Disturbance of vision except defective sight	–	–	–
.1	Oculomotor disturbance	–	–	–
.2	Photophobia	–	–	–
.3	Disturbance of hearing except deafness	–	–	–
.4	Disburbance of cranial nerves except optic, oculomotor and auditory	–	–	–
.5	Stammering and stuttering	–	–	–
.6	Other disturbance of speech, including alexia and agraphia	–	–	–
.7	Other disturbance of sensation	–	–	–
.8	Encephalopathy	2	2	–
.9	Hallucinations	–	–	–
782	Symptoms referable to cardiovascular and lymphatic system	64	26	38
.0	Precordial pain	–	–	–
.1	Palpitation	–	–	–
.2	Tachycardia	1	–	1
.3	Pallor and cyanosis (not of newborn)	–	–	–
.4	Acute heart failure, undefined	60	25	35
.5	Syncope or collapse	1	1	–
.6	Edema and dropsy (not of newborn)	–	–	–
.7	Enlargement of lymph node	–	–	–
.8	Splenomegaly	–	–	–
.9	Shock without mention of trauma	2	–	2
783	Symptoms referable to respiratory system	5	4	1
.0	Epistaxis	–	–	–
.1	Hemoptysis	5	4	1
.2	Dyspnea	–	–	–
.3	Cough	–	–	–
.4	Excess of sputum	–	–	–
.5	Change in voice	–	–	–
.6	Stridor	–	–	–
.7	Pain in chest	–	–	–
784	Symptoms referable to upper gastro-intestinal tract	4	2	2
.0	Anorexia	–	–	–
.1	Nausea and vomiting	–	–	–
.2	Pylorospasm	1	1	–
.3	Heartburn	–	–	–
.4	Dysphagia	–	–	–
.5	Hematemesis	3	1	2
.6	Excessive salivation	–	–	–
.7	Hiccough	–	–	–
.8	Eructation	–	–	–
785	Symptoms referable to abdomen and lower gastro-intestinal system	1	–	1
.0	Abdominal swelling (not referable to any particular organ)	–	–	–
.1	Hepatomegaly	–	–	–
.2	Jaundice	–	–	–
.3	Ascites	1	–	1
.4	Flatulence	–	–	–
.5	Abdominal pain	–	–	–
.6	Diarrhea, age 2 years and over	–	–	–
.7	Incontinence of feces	–	–	–
.8	Melena (age 1 year and over)	–	–	–
.9	Visible peristalsis	–	–	–
786	Symptoms referable to genito-urinary system	2	–	2
.0	Pain referable to urinary system	–	–	–
.1	Retention of urine	–	–	–
.2	Incontinence of urine	–	–	–
.3	Frequency of micturition	–	–	–
.4	Polyuria	–	–	–
.5	Oliguria, anuria (not of newborn)	1	–	1
.6	Priapism	1	–	1
.7	Pain referable to genital organs, including dyspareunia	–	–	–
787	Symptoms referable to limbs and back	–	–	–
.0	Transient paralysis of limb, cause unknown	–	–	–
.1	Pain in limb	–	–	–
.2	Swelling of limb	–	–	–
.3	Pain in joint	–	–	–
.4	Swelling of joint	–	–	–
.5	Pain in back	–	–	–
.6	Difficulty in walking	–	–	–
.7	Abnormality of gait	–	–	–
788	Other general symptoms	1	–	1
.0	Dehydration	1	–	1
.1	Excessive sweating	–	–	–
.2	Rash	–	–	–
.3	Subcutaneous nodules	–	–	–
.4	Loss of weight	–	–	–
.5	Tetany	–	–	–

Detailed Int. List No.	Table 10 — Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.6	Acidosis	–	–	–
.7	Alkalosis	–	–	–
.8	Pyrexia of unknown origin	–	–	–
.9	Other specified symptoms not classifiable elsewhere	–	–	–
789	Abnormal urinary constituents of unspecified cause	2	1	1
.0	Albuminuria, unqualified	–	–	–
.1	Albuminuria, orthostatic	–	–	–
.2	Pyuria and bacteriuria	1	–	1
.3	Chyluria	–	–	–
.4	Hematuria	1	1	–
.5	Hemoglobinuria	–	–	–
.6	Glycosuria	–	–	–
.7	Acetonuria	–	–	–
.8	Other	–	–	–
790–795	Senility and ill-defined diseases	141	80	61
790	Nervousness and debility	1	–	1
.0	Nervousness	–	–	–
.1	Debility and undue fatigue	1	–	1
.2	Depression	–	–	–
791	Headache	–	–	–
792	Uremia, unqualified	21	12	9
793	Observation, without need for further medical care	–	–	–
.0	Mental	–	–	–
.1	Suspected malignant neoplasm	–	–	–
.2	Other specified	–	–	–
.3	Unspecified	–	–	–
794	Senility without mention of psychosis	14	3	11
795	Ill-defined and unknown causes of mortality	105	65	40
.0	Other ill-defined conditions	7	3	4
.1	Malingering	–	–	–
.2	Sudden death (cause unknown)	4	2	2
.3	Found dead (cause unknown)	3	3	–
.4	Died without sign of disease	–	–	–
.5	Other, unknown and unspecified causes	91	57	34
XVII.	Accidents, Poisonings and Violence	2,861	1,764	1,097
800–802	Railroad accidents	29	25	4
800	Railroad accident involving railroad employee	4	4	–
801	Railroad accident involving passenger	3	2	1
802	Railroad accident involving other and unspecified person	22	19	3
810–825	Motor-vehicle traffic accidents	624	447	177
810	Motor-vehicle traffic accident involving collision with railroad train	7	4	3
811	Motor-vehicle traffic accident involving collision with streetcar	–	–	–
812	Motor-vehicle traffic accident to pedestrian	231	161	70
813	Motor-vehicle traffic accident to rider of bicycle	3	2	1
814	Motor-vehicle traffic accident to rider or passenger of motorcycle, in collision with nonmotor vehicle or object	2	2	–
815	Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	5	4	1
816	Other motor-vehicle traffic accident involving two or more motor vehicles	138	95	43
817	Motor-vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or bicycle	–	–	–
818	Motor-vehicle traffic accident involving collision with animal or animal-drawn vehicle	–	–	–
819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	105	82	23
820	Motor-vehicle traffic accident while boarding and alighting	2	1	1
821	Motor-vehicle traffic accident to rider of motorcycle without antecedent collision	4	4	–
822	Motor-vehicle traffic accident involving overturning on highway	13	10	3
823	Motor-vehicle traffic accident involving running off highway	55	35	20
824	Other noncollision motor-vehicle traffic accident	12	7	5
825	Motor-vehicle traffic accident of unspecified nature	47	40	7
830–835	Motor-vehicle nontraffic accident	8	4	4
830	Motor-vehicle nontraffic accident to pedestrian	5	2	3
831	Motor-vehicle nontraffic accident to rider of bicycle	–	–	–
832	Motor-vehicle nontraffic accident to rider or passenger of motorcycle	–	–	–
833	Other motor-vehicle nontraffic accident involving two or more motor vehicles	–	–	–

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
834	Motor-vehicle nontraffic accident while boarding and alighting	2	1	1
835	Motor-vehicle nontraffic accident of other and unspecified nature	1	1	–
840–845	Other road-vehicle accidents	5	2	3
840	Streetcar accident to pedestrian	2	–	2
841	Other streetcar accident, except collision with motor vehicle	–	–	–
842	Accident to pedestrian caused by bicycle	2	1	1
843	Accident to rider of bicycle not involving collision with motor vehicle	–	–	–
844	Accident to pedestrian caused by other nonmotor road vehicle	–	–	–
845	Other nonmotor road-vehicle accidents	1	1	–
850–858	Water-transport accidents	26	26	–
850	Drowning of occupant of small boat	16	16	–
851	Other water-transport injury by drowning	7	7	–
852	Falls on stairs and ladders in water transport	1	1	–
853	Other falls from one level to another in water transport	–	–	–
854	Falls on same level in water transport	–	–	–
855	Unspecified falls in water transport	1	1	–
856	Machinery accident in water transport	–	–	–
857	Other specified accidents in water transport	–	–	–
858	Water-transport accident of unspecified cause	1	1	–
860–866	Aircraft accidents	17	16	1
860	Accident to personnel in military aircraft	5	5	–
861	Injury to occupant by accident to commercial "transport" aircraft	8	8	–
862	Other injury in commercial "transport" aircraft	–	–	–
863	Injury to occupant by accident to other specified aircraft	–	–	–
864	Aircraft accident at airfield to person not in aircraft	–	–	–
865	Aircraft accident elsewhere to person not in aircraft	–	–	–
866	Other and unspecified aircraft accidents	4	3	1
870–888	Accidental poisoning by solid and liquid substances	43	28	15
870	Accidental poisoning by morphine and other opium derivatives	–	–	–
871	Accidental poisoning by barbituric acid and derivatives	8	2	6
872	Accidental poisoning by aspirin and salicylates	7	5	2
873	Accidental poisoning by bromides	–	–	–
874	Accidental poisoning by other analgesic and soporific drugs	5	3	2
875	Accidental poisoning by sulphonamides	–	–	–
876	Accidental poisoning by strychnine	–	–	–
877	Accidental poisoning by belladonna, hyoscine and atropine	–	–	–
878	Accidental poisoning by other and unspecified drugs	–	–	–
879	Accidental poisoning by noxious foodstuffs	–	–	–
880	Accidental poisoning by alcohol	7	7	–
881	Accidental poisoning by petroleum products	–	–	–
882	Accidental poisoning by industrial solvents	5	4	1
883	Accidental poisoning by corrosive aromatics, acids and caustic alkalis	2	2	–
884	Accidental poisoning by mercury and its compounds	–	–	–
885	Accidental poisoning by lead and its compounds	4	–	4
886	Accidental poisoning by arsenic and antimony, and their compounds	1	1	–
887	Accidental poisoning by fluorides	–	–	–
888	Accidental poisoning by other and unspecified solid and liquid substances	4	4	–
890–895	Accidental poisoning by gases and vapors	31	22	9
890	Accidental poisoning by utility (illuminating) gas	20	14	6
891	Accidental poisoning by motor-vehicle exhaust gas	5	4	1
892	Accidental poisoning by other carbon monoxide gas	6	4	2
893	Accidental poisoning by cyanide gas	–	–	–
894	Accidental poisoning by other specified gases and vapors	–	–	–
895	Accidental poisoning by unspecified gases and vapors	–	–	–
900–904	Accidental falls	1,087	483	604
900	Fall on stairs	152	85	67
901	Fall from ladders	8	6	2
902	Other falls from one level to another	158	87	71
903	Fall on same level	194	72	122
904	Unspecified falls	575	233	342

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
910–936	Other accidents	492	356	136
910	Blow from falling or projected object or missile	17	17	–
911	Accident caused by vehicle	–	–	–
912	Accident caused by machinery	12	11	1
913	Accident caused by cutting and piercing instruments	2	2	–
914	Accident caused by electric current	16	15	1
915	Accident caused by explosion of pressure vessel	–	–	–
916	Accident caused by fire and explosion of combustible material	160	95	65
917	Accident caused by hot substance, corrosive liquid, and steam	11	8	3
918	Accident caused by radiation	–	–	–
919	Accident caused by firearms	12	11	1
920	Foreign body entering eye and adnexa	–	–	–
921	Inhalation and ingestion of food causing obstruction or suffocation	32	21	11
922	Inhalation and ingestion of other object causing obstruction or suffocation	3	2	1
923	Foreign body entering other orifice	3	–	3
924	Accidental mechanical suffocation in bed and crib	20	13	7
925	Accidental mechanical suffocation in other and unspecified circumstances	8	6	2
926	Lack of care of infants under 1 year of age	2	1	1
927	Accidents caused by bites and stings of venomous animals and insects	1	1	–
928	Other accidents caused by animals	1	1	–
929	Accidental drowning and submersion	121	103	18
930	High and low air pressure	–	–	–
931	Excessive heat and insolation	3	2	1
932	Excessive cold	4	3	1
933	Hunger, thirst and exposure	4	2	2
931	Cataclysm	–	–	–
935	Lightning	–	–	–
936	Other and unspecified accidents	60	42	18
940–946	Complications due to nontherapeutic medical and surgical procedures	–	–	–
940	Generalized vaccinia following vaccination	–	–	–
941	Postvaccinal encephalitis	–	–	–
942	Other complications of smallpox vaccination	–	–	–
943	Post-immunization jaundice and hepatitis	–	–	–
944	Other complications of prophylactic inoculation	–	–	–
945	Complications of anesthesia for nontherapeutic purpose	–	–	–
946	Other complications due to nontherapeutic medical and surgical procedures	–	–	–
950–959	Therapeutic misadventure and late complications of therapeutic procedures	17	9	8
950	Therapeutic misadventure in surgical treatment	9	3	6
951	Therapeutic misadventure in infusion or transfusion	–	–	–
952	Therapeutic misadventure in local applications	–	–	–
953	Therapeutic misadventure in administration of drugs or biologicals	3	2	1
954	Therapeutic misadventure in anesthesia	3	2	1
955	Other and unspecified therapeutic misadventure	2	2	–
956	Late complication of surgical operation	–	–	–
957	Late complication of amputation stump	–	–	–
958	Late complication of irradiation	–	–	–
959	Late complication of other forms of treatment	–	–	–
960–965	Late effects of injury and poisoning	13	9	4
960	Late effect of motor-vehicle accident	1	1	–
961	Late effect of accidental poisoning	–	–	–
962	Late effect of other accidental injury	12	8	4
963	Late effect of self-inflicted injury	–	–	–
964	Late effect of injury purposely inflicted by another person (not in war)	–	–	–
965	Late effects of injuries due to war operations	–	–	–
970–979	Suicide and self-inflicted injury	420	303	117
970	Suicide and self-inflicted poisoning by analgesic and soporific substances	26	12	14
.1[1]	Morphine and other opium derivatives	–	–	–
.2	Barbituric acid and derivatives	21	9	12
.3	Acetylsalicylic acid	–	–	–
.4	Methyl salicylate	–	–	–
.5	Other salicylates	2	–	2
.6	Bromides	–	–	–
.7	Antipyretic substances, not elsewhere classified	–	–	–
.8	Others	3	3	–
.9	Unspecified drugs	–	–	–
971	Suicide and self-inflicted poisoning by other solid and liquid substances	20	10	10

[1] Special subdivision used in the Division of Vital Statistics.

Table 10

Detailed Int. List No.	Cause of Death.	Allocated Deaths (Exclusive of Stillbirths) from Each Cause and Class of Causes, According to the Detailed International List, by Sex: 1958.		
		Total	Males	Females
.1[1]	Strychnine	1	1	–
.2	Phenol compounds	–	–	–
.3	Lye and potash	1	–	1
.4	Cresol compounds	1	1	–
.5	Mercury and its compounds	–	–	–
.6	Arsenic and its compounds	1	1	–
.7	Fluorides	1	–	1
.8	Others	15	7	8
972	Suicide and self-inflicted poisoning by gases in domestic use	7	4	3
973	Suicide and self-inflicted poisoning by other gases	61	49	12
.1[1]	Motor-vehicle exhaust gas	55	45	10
.2	Other motor-exhaust gas	–	–	–
.3	Other carbon monoxide gas	4	2	2
.4	Other gases	2	2	–
974	Suicide and self-inflicted injury by hanging and strangulation	130	98	32
975	Suicide and self-inflicted injury by drowning and submersion	31	14	17
976	Suicide and self-inflicted injury by firearms and explosives	99	90	9
977	Suicide and self-inflicted injury by cutting and piercing instruments	7	4	3
978	Suicide and self-inflicted injury by jumping from high place	31	17	14
979	Suicide and self-inflicted injury by other and unspecified means	8	5	3
980–985	Homicide and injury purposely inflicted by other persons (not in war)	49	34	15
980	Nonaccidental poisoning by another person	1	1	–
981	Assault by firearms and explosives	16	11	5
982	Assault by cutting and piercing instruments	12	10	2
983	Assault by other means	19	11	8
984	Injury by intervention of police	1	1	–
985	Execution	–	–	–
990–999	Injury resulting from operations of war	–	–	–
990	Injury due to war operations by gas and chemicals	–	–	–
991	Injury due to war operations by gunshot	–	–	–
992	Injury due to war operations by grenade and land mine	–	–	–
993	Injury due to war operations by bomb	–	–	–
994	Injury due to war operations by marine mine, depth charge and torpedo	–	–	–
995	Injury due to war operations by explosion of artillery shell	–	–	–
996	Injury due to war operations by explosion of undetermined origin	–	–	–
997	Injury due to war operations by aircraft destruction	–	–	–
998	Injury due to war operations by other and unspecified means	–	–	–
999	Injury due to war operations but occurring after cessation of hostilities	–	–	–

[1] Special subdivision used in the Division of Vital Statistics.

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM 256 SELECTED CAUSES, BY MONTHS: 1958.

Detailed Int. List No.	CAUSE OF DEATH.	Total.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	54,792	5,094	4,739	5,095	4,479	4,628	4,265	4,414	4,110	4,073	4,461	4,309	5,123
	Male	28,926	2,664	2,519	2,708	2,359	2,412	2,275	2,335	2,170	2,183	2,356	2,260	2,683
	Female	25,866	2,430	2,220	2,387	2,120	2,216	1,990	2,079	1,940	1,890	2,105	2,049	2,440
I.	INFECTIVE AND PARASITIC DISEASES	572	51	50	56	51	42	50	39	48	42	47	44	52
001–019	Tuberculosis, all forms	314	28	29	36	38	24	33	18	23	26	21	21	20
001–008	Tuberculosis of respiratory system	305	27	27	35	37	23	32	17	22	24	20	21	20
010	Tuberculosis of meninges and central nervous system	4	–	–	–	–	1	1	–	1	1	–	–	–
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	–	–	–	–	–	–	–	–	–	–	–	–	–
012.0, 013.0	Tuberculosis of vertebral column	–	–	–	–	–	–	–	–	–	–	–	–	–
012.1–012.3, 013.1–013.3	Tuberculosis of other bones and joints	1	–	–	–	–	–	–	–	–	–	1	–	–
016	Tuberculosis of genito-urinary system	2	1	–	–	1	–	–	–	–	–	–	–	–
014, 015, 017, 018	Tuberculsois of lymphatic system and other organs	–	–	–	–	–	–	–	–	–	–	–	–	–
019	Disseminated tuberculosis	2	–	1	1	–	–	–	–	–	–	–	–	–
020–029	Syphilis and its sequelae	82	11	4	6	3	10	8	5	8	2	5	8	12
020	Congenital syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–
021	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
022	Aneurysm of aorta	50	5	2	5	1	5	5	3	6	–	4	5	9
023	Other cardiovascular syphilis	15	1	1	–	1	3	2	2	–	2	–	1	2
024	Tabes dorsalis	7	1	1	–	–	–	–	–	2	–	1	2	–
025	General paralysis of insane	2	1	–	–	1	–	–	–	–	–	–	–	–
026	Other syphilis of central nervous system	4	3	–	–	–	–	1	–	–	–	–	–	–
027–029	Other syphilis	3	–	–	–	–	2	–	–	–	–	–	–	1
030–035	Gonococcal infection	–	–	–	–	–	–	–	–	–	–	–	–	–
040	Typhoid fever	–	–	–	–	–	–	–	–	–	–	–	–	–
041	Paratyphoid fever	–	–	–	–	–	–	–	–	–	–	–	–	–
042	Other Salmonella infections	1	–	–	–	1	–	–	–	–	–	–	–	–
043	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
044	Brucellosis (undulant fever)	1	–	–	–	–	–	–	–	1	–	–	–	–
045–048	Dysentery, all forms	1	–	–	1	–	–	–	–	–	–	–	–	–
049	Food poisoning (infection and intoxication)	–	–	–	–	–	–	–	–	–	–	–	–	–
050	Scarlet fever	1	1	–	–	–	–	–	–	–	–	–	–	–
051	Streptococcal sore throat	–	–	–	–	–	–	–	–	–	–	–	–	–
052	Erysipelas	2	–	–	–	–	–	–	–	1	–	–	1	–
053	Septicemia and pyemia	71	5	6	3	2	1	2	8	9	9	6	9	11
055	Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
056	Whooping cough	2	–	–	–	–	–	–	–	–	–	1	1	–
057	Meningococcal infections	25	3	1	3	1	1	2	–	1	4	4	1	4
058	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–
059	Tularemia	–	–	–	–	–	–	–	–	–	–	–	–	–
060	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–
061	Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	1
062	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–
080	Acute poliomyelitis	2	–	–	–	1	–	–	–	–	–	–	–	1
081	Late effects of acute poliomyelitis	4	1	2	–	1	–	–	–	–	–	–	–	–
082	Acute infectious encephalitis	6	–	1	1	–	2	–	1	–	–	1	–	–
083	Late effects of acute infectious encephalitis	2	–	–	–	–	–	–	–	1	–	–	–	1
084	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–
085	Measles	4	–	–	1	1	–	1	1	–	–	–	–	–
091	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–
092	Infectious hepatitis	24	–	4	1	2	1	3	4	2	1	3	2	1
094	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–
104	Tick-borne typhus	–	–	–	–	–	–	–	–	–	–	–	–	–
100–103, 105–108	Typhus, etc.[1], and other rickettsial diseases	–	–	–	–	–	–	–	–	–	–	–	–	–
110–117	Malaria	1	–	1	–	–	–	–	–	–	–	–	–	–
123	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–
125	Hydatid disease	1	–	–	–	–	–	–	–	–	–	1	–	–
127	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] For category titles, see table 10.

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM 256 SELECTED CAUSES, BY MONTHS: 1958.

Detailed Int. List No.	CAUSE OF DEATH.	Total.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
129	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	Other diseases due to helminths	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual[1]	All other infective and parastic diseases	27	2	3	4	1	3	1	3	2	1	5	1	1
II.	NEOPLASMS	9,678	805	747	860	821	798	781	846	791	800	809	767	853
140–205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	9,526	798	735	847	804	786	771	838	776	791	796	748	836
140–148	Malignant neoplasm of buccal cavity and pharynx	279	25	23	20	25	24	21	18	26	25	25	24	23
140	Of lip	9	1	–	–	–	–	–	1	1	2	1	1	2
141	Of tongue	78	6	7	6	10	5	4	5	10	7	7	5	6
142–144	Of other and unspecified parts of buccal cavity	82	4	7	7	5	6	7	7	8	7	7	8	9
145–148	Of pharynx	110	14	9	7	10	13	10	5	7	9	10	10	6
150–156.1, 157–159	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary	3,621	307	262	320	311	309	278	327	308	308	285	307	299
150	Of esophagus	196	21	8	17	8	19	19	21	19	12	13	24	15
151	Of stomach	836	78	68	74	65	63	74	85	75	61	63	59	71
152, 153	Of intestine, except rectum	1,259	103	73	127	112	110	93	110	94	124	93	113	107
154	Of rectum	495	39	44	39	48	49	44	44	43	30	45	38	32
155	Of biliary passages and of liver (stated to be primary site)	196	16	14	15	23	13	12	20	18	15	14	16	20
156.1	Of liver not specified as primary or secondary	114	16	17	10	10	8	7	7	8	7	9	8	7
157	Of pancreas	436	29	34	35	30	41	23	35	44	47	42	40	36
158, 159	Of peritoneum and of unspecified digestive organs	89	5	4	3	15	6	6	5	7	12	6	9	11
160–164	Malignant neoplasm of respiratory system, not specified as secondary	1,287	128	101	110	104	103	112	117	98	95	114	77	128
161	Of larynx	86	13	5	7	6	4	10	8	9	5	9	5	5
162	Of bronchus and trachea, and of lung specified as primary	323	29	20	35	24	25	25	34	24	27	28	20	32
163	Of lung, unspecified as primary or secondary	842	85	74	65	69	68	76	72	62	59	72	52	88
160, 164	Of other parts of respiratory system	36	1	2	3	5	6	1	3	3	4	5	–	3
170	Malignant neoplasm of breast	981	80	78	86	72	81	85	93	72	77	96	81	80
171–179	Malignant neoplasm of genital organs	1,226	90	99	109	106	94	110	92	102	108	110	95	111
171	Of cervix uteri	220	16	19	20	18	25	19	18	11	22	14	16	22
172–174	Of other and unspecified parts of uterus	223	17	16	19	19	9	17	23	23	18	16	20	26
175	Of ovary, Fallopian tube, and broad ligament	280	25	22	29	22	16	29	21	24	25	31	17	19
176	Of other and unspecified female genital organs	24	1	–	4	–	4	2	1	2	1	3	2	4
177	Of prostate	452	28	39	34	44	40	40	28	40	40	43	37	39
178, 179	Of testis, and of other and unspecified male genital organs	27	3	3	3	3	–	3	1	2	2	3	3	1
180, 181	Malignant neoplasm of urinary organs	442	37	36	41	36	23	33	33	38	42	38	37	48
180	Of kidney	177	18	13	22	11	8	15	11	16	11	14	11	27
181	Of bladder and other urinary organs	265	19	23	19	25	15	18	22	22	31	24	26	21
156.2, 165, 190–199	Malignant neoplasm of other and unspecified sites	913	79	74	84	75	79	57	92	67	78	72	74	82
190, 191	Of skin	119	7	6	15	13	11	8	11	13	12	9	7	7
192	Of eye	8	1	–	1	3	–	1	–	–	–	–	1	1

[1]For category numbers, see table 10.

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM 256 SELECTED CAUSES, BY MONTHS: 1958.

Detailed Int. List No.	CAUSE OF DEATH.	Total.	MONTHS.											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
193	Of brain and other parts of nervous system	194	19	19	14	18	21	12	24	14	18	14	11	10
194	Of thyroid gland	30	1	4	3	3	3	2	4	3	2	–	3	2
196	Of bone (including jaw bone)	86	11	8	6	4	10	2	9	7	5	7	7	10
197	Of connective tissue	32	2	4	4	5	–	2	3	2	1	5	1	3
195, 198.0–.8 199.1	Of other specified sites, not stated to be secondary	68	5	8	7	6	6	5	10	4	7	4	4	2
156.2, 165, 198.9, 199.2	Of unspecified sites	376	33	25	34	23	28	25	31	24	33	33	40	47
204	Leukemia and aleukemia	351	27	34	37	31	23	35	33	31	28	17	26	29
200–203, 205	Lymphosarcoma, etc.[1]	426	25	28	40	44	50	40	33	34	30	39	27	36
200	Lymphosarcoma and reticulosarcoma	179	10	11	17	17	24	18	9	15	15	18	10	15
201	Hodgkin's disease	120	7	9	13	10	8	15	9	9	8	10	8	14
202, 203, 205	Other neoplasms of lymphatic and hematopoietic tissues	127	8	8	10	17	18	7	15	10	7	11	9	7
210–239	Benign neoplasms and neoplasms of unspecified nature	152	7	12	13	17	12	10	8	15	9	13	19	17
214–217	Benign neoplasms of female genital organs	16	–	2	2	2	1	–	–	5	1	2	1	–
223	Benign neoplasm of brain and other parts of nervous system	25	2	3	4	3	1	1	1	1	3	2	–	4
210–213, 218–222, 224–229	Other benign neoplasms	32	2	3	3	6	3	3	3	2	2	3	1	1
233–235	Neoplasm of unspecified nature of female genital organs	–	–	–	–	–	–	–	–	–	–	–	–	–
237	Neoplasm of unspecified nature of brain, etc.[1]	57	2	3	2	6	3	4	1	5	3	4	14	10
230–232, 236, 238, 239	Other neoplasms of unspecified nature	22	1	1	2	–	4	2	3	2	–	2	3	2
III.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	1,145	113	84	121	86	115	88	92	63	73	95	100	115
241	Asthma	158	17	9	19	11	19	14	17	10	9	8	11	14
250, 251	Nontoxic goiter	5	–	1	2	–	–	1	–	–	1	–	–	–
252	Thyrotoxicosis with or without goiter	6	–	2	–	–	–	–	–	–	1	2	1	–
253, 254	Myxedema, cretinism, and other diseases of thyroid gland	5	–	1	–	–	–	1	1	–	–	1	–	1
260	Diabetes mellitus	894	85	67	89	71	90	67	68	51	56	76	79	95
273	Diseases of thymus gland	1	–	–	–	–	–	–	–	–	–	1	–	–
274	Diseases of adrenal glands	11	1	–	1	–	1	–	2	1	1	2	1	1
281	Pellagra	–	–	–	–	–	–	–	–	–	–	–	–	–
280, 282–286	All other avitaminoses and nutritional deficiency states	36	6	3	7	1	3	2	1	1	2	3	6	1
Residual[1]	Other allergic, endocrine, and metabolic diseases	29	4	1	3	3	2	3	3	–	3	2	2	3
IV.	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	140	11	14	11	13	7	11	18	20	12	8	6	9
290–293	Anemias	83	8	10	4	10	5	8	10	9	9	2	3	5
290	Pernicious and other hyperchromic anemias	19	2	2	1	3	2	1	3	1	2	–	–	2
291–293	Anemias of other and unspecified type	64	6	8	3	7	3	7	7	8	7	2	3	3
296	Purpura and other hemorrhagic conditions	24	1	1	3	2	–	2	3	7	1	2	1	1
294, 295, 297–299	All other diseases of blood and blood-forming organs	33	2	3	4	1	2	1	5	4	2	4	2	3

[1] For category titles and numbers, see table 10.

Table 11

Allocated Deaths (Exclusive of Stillbirths) from 256 Selected Causes, by Months: 1958.

Detailed Int. List No.	Cause of Death.	Total.	Months.											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
V.	Mental, Psychoneurotic and Personality Disorders	133	15	19	12	12	10	6	10	8	12	9	9	11
304	Senile psychosis	5	–	–	–	1	–	–	1	2	–	–	–	2
307	Alcoholic psychosis	15	3	3	2	1	2	–	–	–	1	–	–	3
300–303, 305, 306, 308, 309	Other psychoses	12	–	–	1	–	3	–	–	1	3	1	–	3
322	Alcoholism	85	11	14	9	11	4	4	9	4	7	4	7	1
325	Mental deficiency	13	1	2	–	–	1	1	–	1	1	4	2	–
310–321,323, 324, 326	Psychoneuroses and other disorders of personality	3	–	–	–	–	–	1	–	–	–	–	–	2
VI.	Diseases of the Nervous System and Sense Organs	6,500	627	579	606	494	554	498	545	454	468	556	515	604
330–334	Vascular lesions affecting central nervous system	6,063	576	544	575	462	514	459	500	428	436	525	485	559
330	Subarachnoid hemorrhage	177	18	14	17	16	11	14	16	7	15	15	16	18
331	Cerebral hemorrhage	3,466	341	292	337	259	301	259	286	246	241	294	280	330
332	Cerebral embolism and thrombosis	2,008	183	202	173	152	167	157	162	145	148	181	162	176
333, 334	Other vascular lesions affecting central nervous system	412	34	36	48	35	35	29	36	30	32	35	27	35
340	Meningitis, except meningococcal and tuberculous	82	11	7	3	5	8	8	4	5	4	10	5	12
345	Multiple sclerosis	56	8	5	4	6	5	4	5	–	5	4	4	6
350	Paralysis agitans	92	5	6	6	9	6	11	12	3	10	7	6	11
351	Cerebral spastic infantile paralysis	10	–	2	1	1	2	1	–	1	1	1	–	–
353	Epilepsy	66	7	4	7	6	8	5	11	5	5	3	2	3
370–379	Inflammatory diseases of eye	–	–	–	–	–	–	–	–	–	–	–	–	–
385	Cataract	1	1	–	–	–	–	–	–	–	–	–	–	–
387	Glaucoma	–	–	–	–	–	–	–	–	–	–	–	–	–
391–393	Otitis media and mastoiditis	8	1	3	1	–	1	1	–	–	–	1	–	–
Residual[1]	Other diseases of nervous system and sense organs	122	18	8	10	5	10	9	13	12	6	5	13	13
VII.	Diseases of the Circulatory System	25,372	2,385	2,271	2,319	2,025	2,186	1,952	1,951	1,881	1,906	2,093	1,994	2,404
400–402	Rheumatic fever	13	2	1	3	1	–	1	–	1	–	1	1	2
410–443	Diseases of heart	23,175	2,173	2,074	2,108	1,836	1,994	1,784	1,791	1,700	1,736	1,947	1,825	2,207
410–416	Chronic rheumatic heart disease	653	57	71	42	55	55	58	45	53	61	61	42	53
410	Diseases of mitral valve	231	23	31	14	21	15	17	13	18	22	20	15	22
411	Diseases of aortic valve specified as rheumatic	57	4	3	4	4	8	6	6	6	2	4	4	6
412	Diseases of tricuspid valve	1	–	–	–	–	–	–	–	–	–	1	–	–
413, 414	Diseases of pulmonary valve, etc.,[1] specified as rheumatic	12	1	2	1	1	1	–	–	2	2	1	1	–
415, 416	Other diseases of heart specified as rheumatic	352	29	35	23	29	31	35	26	27	35	35	22	25
420	Arteriosclerotic heart disease, including coronary disease	18,429	1,684	1,622	1,672	1,474	1,580	1,430	1,437	1,335	1,364	1,540	1,458	1,833
420.0	Arteriosclerotic heart disease so described	7,764	724	719	694	617	649	596	613	554	573	648	622	755
420.1	Heart disease specified as involving coronary arteries	10,637	959	902	978	853	930	832	821	777	786	890	833	1,076
420.2	Angina pectoris without mention of coronary disease	28	1	1	–	4	1	2	3	4	5	2	3	2
421	Chronic endocarditis not specified as rheumatic	190	23	13	24	15	10	15	18	12	15	18	13	14
421.0	Of mitral valve, specified as nonrheumatic	21	3	–	3	5	–	1	4	2	1	–	1	1
421.1	Of aortic valve, not specified as rheumatic	88	11	9	8	7	6	7	7	3	4	11	7	

[1] For category titles and numbers, see table 10.

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM 256 SELECTED CAUSES, BY MONTHS: 1958.

Detailed Int. List No.	CAUSE OF DEATH.	Total.	MONTHS.											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
421.2–421.4	Of other valves, not specified as rheumatic	81	9	4	13	3	4	7	7	7	10	7	5	5
422	Other myocardial degeneration	1,223	135	131	121	101	113	86	79	84	90	108	84	91
422.1	With arteriosclerosis	797	92	90	69	65	72	56	58	49	60	72	57	57
422.0, 422.2	Without mention of arteriosclerosis	426	43	41	52	36	41	30	21	35	30	36	27	34
430–434	Other diseases of heart	723	77	65	73	44	69	51	57	56	59	61	47	64
430	Acute and subacute endocarditis	39	6	3	4	–	7	3	1	4	3	2	3	3
431	Acute myocarditis not specified as rheumatic	26	–	3	4	–	3	2	3	–	1	4	2	4
432	Acute pericarditis specified as nonrheumatic	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Functional disease of heart	91	8	7	6	5	7	5	6	7	13	10	3	14
434	Other and unspecified diseases of heart	567	63	52	59	39	52	41	47	45	42	45	39	43
440–443	Hypertension with heart disease	1,957	197	172	176	147	167	144	155	160	147	159	181	152
442	Hypertensive heart disease with arteriolar nephrosclerosis	228	20	21	23	15	24	16	13	16	19	21	22	18
440, 441, 443	Essential hypertension with heart disease, etc.[1]	1,729	177	151	153	132	143	128	142	144	128	138	159	134
444–447	Hypertension without mention of heart	408	44	32	29	32	37	33	30	32	32	29	37	41
446	Hypertension with arteriolar nephroscelerosis, etc.[1]	257	25	13	20	26	23	23	17	18	21	20	23	28
444, 445, 447	Essential hypertension, other hypertensive disease, etc.[1]	151	19	19	9	6	14	10	13	14	11	9	14	13
450–456	Diseases of arteries	1,503	147	135	150	127	130	115	117	134	114	94	115	125
450	General arteriosclerosis	1,171	115	102	130	98	93	87	90	104	90	72	92	98
451	Aortic aneurysm specified as nonsyphilitic, etc.[1]	237	20	28	13	18	28	23	17	22	13	18	17	20
455	Gangrene of unspecified cause	10	2	–	–	2	3	–	1	1	–	–	1	–
452–454, 456	Other arterial diseases	85	10	5	7	9	6	5	9	7	11	4	5	7
460–468	Diseases of veins and other diseases of circulatory system	273	19	29	29	29	25	19	13	14	24	27	16	29
VIII.	DISEASES OF THE RESPIRATORY SYSTEM	2,848	334	320	395	226	220	173	179	133	141	194	232	301
470–475	Acute upper respiratory infections	21	3	3	3	2	–	1	3	1	1	1	1	2
480–483	Influenza	25	2	6	8	3	–	–	1	1	–	1	–	3
490–493	Pneumonia, except pneumonia of newborn	2,123	246	249	303	178	156	124	132	93	108	146	157	231
490	Lobar pneumonia	309	47	24	45	26	20	16	20	10	16	27	21	37
491	Bronchopneumonia	1,436	161	183	212	123	110	86	88	63	74	99	95	142
492	Primary atypical pneumonia	179	22	22	13	17	11	12	11	8	9	9	17	26
493	Pneumonia, other and unspecified	199	16	20	33	12	15	10	13	12	9	9	24	26
500	Acute bronchitis	30	4	3	4	2	2	4	3	1	3	–	4	–
501, 502	Bronchitis, chronic and unqualified	109	14	13	10	5	7	8	12	4	6	9	12	9
510	Hypertrophy of tonsils and adenoids	8	–	2	1	1	1	1	1	–	–	–	–	1
518, 521	Empyema and abscess of lung	26	3	3	2	3	5	1	2	3	1	–	1	2
519	Pleurisy	3	–	1	–	–	–	–	–	–	–	–	1	1
Residual[1]	All other respiratory diseases	503	62	40	64	32	49	34	25	30	22	37	56	52
IX.	DISEASES OF THE DIGESTIVE SYSTEM	2,143	206	172	185	202	175	179	177	176	162	150	160	199
530–535	Diseases of teeth and supporting structures	4	2	–	–	–	–	–	–	–	–	–	1	1
540	Ulcer of stomach	193	24	25	18	10	10	13	8	13	18	22	16	16
541	Ulcer of duodenum	197	20	16	16	18	21	22	20	13	8	9	17	17
543	Gastritis and duodenitis	11	–	2	2	–	2	–	1	1	1	–	1	1
550–553	Appendicitis	60	8	8	3	8	4	6	1	–	4	6	7	5

[1] For category title and numbers, see table 10.

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM 256 SELECTED CAUSES, BY MONTHS: 1958.

Detailed Int. List No.	CAUSE OF DEATH.	Total.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
560, 561, 570	Hernia and intestinal obstruction	302	29	19	33	38	30	18	24	26	33	11	19	22
571, 572	Gastro-enteritis and colitis, except diarrhea of newborn	164	9	8	12	17	16	14	14	18	14	13	12	17
581	Cirrhosis of liver	711	77	46	65	62	52	65	59	56	51	53	55	70
581.0	Without mention of alcoholism	499	50	34	42	43	35	43	36	45	36	40	43	52
581.1	With alcoholism	212	27	12	23	19	17	22	23	11	15	13	12	18
584, 585	Cholelithiasis and cholecystitis	146	8	11	7	13	12	13	14	17	7	17	10	17
Residual[1]	Other diseases of digestive system	355	29	37	29	36	28	28	36	32	26	19	22	33
X.	DISEASES OF THE GENITO-URINARY SYSTEM	839	71	92	72	76	55	73	70	77	54	54	66	79
590–594	Nephritis and nephrosis	359	30	45	30	35	27	23	25	34	28	19	29	34
590	Acute nephritis	21	2	5	1	1	–	1	1	3	–	4	2	1
591	Nephritis with edema, including nephrosis	19	4	2	2	2	1	2	–	1	–	–	3	2
592–594	Chronic and unspecified nephritis and other renal sclerosis	319	24	38	27	32	26	20	24	30	28	15	24	31
600	Infections of kidney	252	17	25	24	28	10	28	25	25	14	19	16	21
602, 604	Calculi of urinary system	32	4	6	3	2	1	2	–	2	2	2	5	3
601, 603, 605–609	Other diseases of urinary system	69	3	4	7	5	6	4	9	5	5	9	7	5
610	Hyperplasia of prostate	102	11	12	6	5	10	12	8	9	5	5	9	10
611–617	Other diseases of male genital organs	15	4	–	1	–	–	4	1	1	–	–	–	4
620, 621	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–
622–637	Diseases of female genital organs	10	2	–	1	1	1	–	2	1	–	–	–	2
XI.	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	24	2	1	2	3	–	2	4	1	2	1	4	2
640, 641, 681, 682, 684	Sepsis of pregnancy, childbirth and puerperium	3	1	–	–	1	–	–	–	–	–	–	1	–
642, 685, 686	Toxemias of pregnancy and puerperium, etc.[1]	3	–	1	1	–	–	–	1	–	–	–	–	–
643, 644, 670–672	Hemorrhage of pregnancy and childbirth	2	–	–	–	–	–	–	1	1	–	–	–	–
645	Ectopic pregnancy	1	–	–	–	1	–	–	–	–	–	–	–	–
650	Abortion without mention of sepsis or toxemia	2	–	–	–	1	–	–	–	–	1	–	–	–
651	Abortion with sepsis	2	1	–	–	–	–	–	–	–	–	–	–	1
652	Abortion with toxemia, without mention of sepsis	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual[1]	Other complications of pregnancy, childbirth and puerperium	11	–	–	1	–	–	2	2	–	1	1	3	1
XII.	DISEASES OF THE SKIN AND CELLULAR TISSUE	48	7	4	5	3	5	1	4	4	2	3	1	9
690–698	Infections of skin and subcutaneous tissue	16	3	1	1	1	2	1	1	2	–	–	–	4
700–716	Other diseases of skin and subcutaneous tissue	32	4	3	4	2	3	–	3	2	2	3	1	5
XIII.	DISEASES OF THE BONES AND ORGANS OF MOVEMENT	87	11	7	11	7	6	15	8	9	4	4	3	2
720–725	Arthritis and spondylitis	32	5	1	2	2	1	5	6	4	1	2	2	1
726, 727	Muscular rheumatism and rheumatism, unspecified	2	–	–	–	–	–	–	1	–	–	–	1	–
730	Osteomyelitis and periostitis	6	–	1	–	–	1	2	–	2	–	–	–	–
737, 745–749	Ankylosis and acquired musculoskeletal deformities	2	–	–	1	1	–	–	–	–	–	–	–	–

[1] For category titles and numbers, see table 10

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM 256 SELECTED CAUSES, BY MONTHS: 1958.

Detailed Int. List No.	CAUSE OF DEATH.	Total.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
731–736, 738–744	Other diseases of musculoskeletal system	45	6	5	8	4	4	8	1	3	3	2	–	1
XIV.	CONGENITAL MALFORMATIONS	620	58	40	55	61	60	56	45	49	40	42	45	69
751	Spina bifida and meningocele	43	8	1	2	4	2	6	4	2	3	2	1	8
752, 753	Congenital hydrocephalus, etc.[1]	76	15	1	4	7	11	6	5	3	6	3	8	7
754	Congenital malformations of circulatory system	306	20	20	24	33	26	29	22	28	20	28	22	34
750, 755–759	Other congenital malformations	195	15	18	25	17	21	15	14	16	11	9	14	20
XV.	CERTAIN DISEASES OF EARLY INFANCY	1,557	124	93	130	133	145	119	153	143	125	136	141	115
760, 761	Birth injuries	213	23	15	20	11	17	26	15	17	20	17	16	16
762	Postnatal asphyxia and atelectasis	411	28	26	39	37	42	32	43	33	27	38	40	26
763–768	Infections of newborn	107	11	7	4	13	11	6	8	11	8	11	10	7
770	Hemolytic disease of newborn (erythroblastosis)	76	6	4	5	6	8	6	8	8	9	5	7	4
769, 771, 772	All other defined diseases of early infancy	39	2	2	3	1	1	2	11	7	3	4	3	–
773–776	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	711	54	39	59	65	66	47	68	67	58	61	65	62
XVI.	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	225	20	16	16	21	22	9	31	14	16	18	16	26
794	Senility without mention of psychosis	14	4	–	2	–	–	1	–	4	1	–	–	2
780–793, 795	Symptoms, ill-defined and unknown causes	211	16	16	14	21	22	8	31	10	15	18	16	24
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE	2,861	254	230	240	245	228	252	243	239	214	257	206	273
800–962	Accidents	2,392	222	192	198	195	188	214	213	195	161	207	175	232
800–802	Railroad accidents	29	3	3	1	3	2	3	2	2	3	3	2	2
810–835	Motor-vehicle accidents	632	56	43	34	56	53	59	65	48	40	51	51	76
810–825	Motor-vehicle traffic accidents	624	55	43	34	55	52	57	61	47	40	51	50	76
810	Motor-vehicle traffic accident with railroad train	7	–	–	1	3	–	–	–	–	–	1	–	2
812	Motor-vehicle traffic accident to pedestrian	231	31	13	15	16	13	15	20	15	18	17	24	34
811, 813–819	Other motor-vehicle traffic accidents, etc.[1]	253	17	25	9	14	20	33	34	20	16	23	12	30
820–824	Motor-vehicle noncollision traffic accidents	86	6	4	6	17	9	5	9	8	3	7	5	7
825	Motor-vehicle traffic accident of unspecified nature	47	1	1	3	5	10	4	1	4	3	3	9	3
830–835	Motor-vehicle nontraffic accidents	8	1	–	–	1	1	2	1	1	–	–	1	–
840–845	Other road-vehicle accidents	5	–	–	1	1	–	2	–	1	–	–	–	–
850–858	Water-transport accidents	26	–	1	1	3	5	3	5	2	5	1	–	–
860–866	Aircraft accidents	17	2	–	–	1	1	3	–	8	–	1	1	–
870–888	Accidental poisoning by solid and liquid substances	43	4	2	3	5	1	6	3	3	4	5	2	5
890–895	Accidental poisoning by gases and vapors	31	5	3	9	3	–	–	1	–	–	3	–	7
900–904	Accidental falls	1,087	105	97	113	79	82	95	83	80	79	89	84	101
900–902	Fall from one level to another	318	30	25	22	20	30	44	25	22	23	29	26	22
903	Fall on same level	194	20	19	14	12	17	15	16	21	16	17	7	20
904	Unspecified falls	575	55	53	77	47	35	36	42	37	40	43	51	59
910	Blow from falling object	17	2	1	1	3	–	2	2	2	–	2	1	1

[1] For category titles, see table 10.

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM 256 SELECTED CAUSES, BY MONTHS: 1958.

Detailed Int. List No.	CAUSE OF DEATH.	Total.	MONTHS.											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
912	Accident caused by machinery	12	–	–	–	–	–	–	–	3	1	5	2	1
914	Accident caused by electric current	16	1	–	1	–	3	1	3	1	2	3	1	–
916	Accident caused by fire and explosion, etc.[1]	160	15	23	13	22	13	9	10	4	8	13	10	20
917, 918	Accident caused by hot substance, etc.[1]	11	2	–	1	2	1	–	1	2	–	1	–	1
919	Accident caused by firearms	12	2	2	–	–	–	2	2	2	–	–	1	1
921, 922	Inhalation and ingestion of food or other object	35	3	1	4	2	2	1	1	3	6	7	2	3
929	Accidental drowning	121	11	4	3	5	13	17	31	22	4	5	4	2
931	Excessive heat and insolation	3	–	–	–	–	–	–	2	–	–	–	1	–
940–959	Complications due to non-therapeutic medical and surgical procedures, therapeutic misadventure, etc.[1]	17	1	–	–	1	2	3	–	2	–	5	1	2
Residual[1]	All other accidents	118	10	12	13	9	10	8	2	10	9	13	12	10
963, 970–979	Suicide	420	31	33	36	43	39	34	28	38	48	25	28	37
970–973	Suicide by poisoning	114	9	4	12	8	16	9	7	10	15	7	9	8
974	Suicide by hanging and strangulation	130	5	12	10	16	7	12	10	13	16	5	8	16
976	Suicide by firearms and explosives	99	11	9	7	10	13	7	5	7	10	8	6	6
963, 975, 977–979	Suicide by all other means	77	6	8	7	9	3	6	6	8	7	5	5	7
964, 980–985	Homicide	49	1	5	6	7	1	4	2	6	5	5	3	4
981	Assault by firearms and explosives	16	–	2	4	1	–	3	–	1	2	1	2	–
982	Assault by cutting and piercing instruments	12	–	–	2	3	–	–	2	1	–	2	1	1
964, 980, 983	Assault by other means	20	1	3	–	3	–	1	–	4	3	2	–	3
984	Injury by intervention of police	1	–	–	–	–	1	–	–	–	–	–	–	–
985	Execution	–	–	–	–	–	–	–	–	–	–	–	–	–
965, 990–999	Injury resulting from operations of war	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] For category titles and numbers, see table 10.

Table 12

Detailed Int. List No.	Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from age of decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
	All Causes.	T	54,792	2,536	132	87	92	58	230	132	207	239
		M	28,926	1,470	78	49	51	31	140	83	140	173
		F	25,866	1,066	54	38	41	27	90	49	67	66
I.	Infective and Parasitic Diseases .	T	572	–	–	–	–	–	–	–	–	–
		M	389	15	7	3	1	1	3	1	1	–
		F	183	9	2	1	1	1	5	1	1	5
001–019	Tuberculosis, all forms . . .	T	314	–	–	–	–	–	–	–	–	–
		M	237	–	1	–	–	–	1	–	–	–
		F	77	–	1	–	–	–	1	–	–	1
001–008	Tuberculosis of respiratory system .	T	305	–	–	–	–	–	–	–	–	–
		M	231	–	–	–	–	–	–	–	–	–
		F	74	–	–	–	–	–	1	–	–	1
010	Tuberculosis of meninges and central nervous system . . .	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
011	Tuberculosis of intestines, peritoneum and mesenteric glands .	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
012.0, 013.0	Tuberculosis of vertebral column .	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
012.1–012.3. 013.1–013.3	Tuberculosis of other bones and joints	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
016	Tuberculosis of genito-urinary system	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
014, 015, 017, 018	Tuberculosis of lymphatic system and other organs . . .	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
019	Disseminated tuberculosis . .	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–
020–029	Syphilis and its sequelae . . .	T	82	–	–	–	–	–	–	–	–	–
		M	56	1	–	–	–	–	–	–	–	–
		F	26	–	–	–	–	–	–	–	–	–
020	Congenital syphilis	T	1	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
021	Early syphilis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
022	Aneurysm of aorta	T	50	–	–	–	–	–	–	–	–	–
		M	32	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	–	–	–	–
023	Other cardiovascular syphilis .	T	15	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
024	Tabes dorsalis	T	7	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
025	General paralysis of insane . .	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
026	Other syphilis of central nervous system	T	4	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
027–029	Other syphilis	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
030–035	Gonococcal infection	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
040	Typhoid fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
041	Paratyphoid fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
042	Other Salmonella infections . .	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
043	Cholera	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
	281	407	673	1,088	1,802	2,534	3,569	5,237	6,706	7,520	7,564	6,738	4,532	1,916	454	57	1
	167	240	388	638	1,117	1,597	2,285	3,209	3,917	4,150	3,608	2,825	1,796	657	106	11	–
	114	167	285	450	685	937	1,284	2,028	2,789	3,370	3,956	3,913	2,736	1,259	348	46	1
I.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	6	8	19	23	33	52	51	51	46	31	20	12	1	–	–	–
	6	7	10	11	10	10	12	15	13	21	20	13	7	2	–	–	–
001–019	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	5	5	10	18	22	39	29	29	31	22	15	6	1	–	–	–
	–	6	8	5	8	6	3	5	4	9	10	4	4	2	–	–	–
001–008	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	5	4	10	18	22	38	29	27	31	22	15	6	1	–	–	–
	–	6	8	5	7	6	3	5	4	8	10	4	4	2	–	–	–
010	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
011	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
012.0, 013.0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
012.1–012.3, 013.1–013.3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
016	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
014, 015, 017, 018	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
019	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020–029	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	5	5	16	12	8	5	1	2	–	–	–	–	–
020	–	1	–	1	–	–	4	4	6	5	3	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
022	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	4	3	10	7	4	1	1	1	–	–	–	–
023	–	–	1	–	1	–	–	2	3	4	4	2	1	–	–	–	–
	–	–	–	–	–	1	1	3	3	2	1	–	–	–	–	–	–
024	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–	–	–
025	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
026	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
027–029	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
030–035	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
042	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 12

Detailed Int. List No.	Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from age of decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
044	Brucellosis (undulant fever)	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
045-048	Dysentery, all forms	T	1	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
049	Food poisoning (infection and intoxication)	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
050	Scarlet fever	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
051	Streptococcal sore throat	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
052	Erysipelas	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
053	Septicemia and pyemia	T	71	–	–	–	–	–	–	–	–	–
		M	39	1	1	–	–	–	–	–	1	–
		F	32	4	–	–	–	–	1	–	–	1
055	Diphtheria	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
056	Whooping cough	T	2	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–
057	Meningococcal infections	T	25	–	–	–	–	–	–	–	–	–
		M	14	6	3	–	1	–	–	1	–	–
		F	11	3	–	1	1	–	1	–	–	–
058	Plague	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
059	Tularemia	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
060	Leprosy	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
061	Tetanus	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
062	Anthrax	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
080	Acute poliomyelitis	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	2
081	Late effects of acute poliomyelitis	T	4	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
082	Acute infectious encephalitis	T	6	–	–	–	–	–	–	–	–	–
		M	4	–	1	1	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–
083	Late effects of acute infectious encephalitis	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
084	Smallpox	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
085	Measles	T	4	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	1	–	–	–	–
		F	2	–	1	–	–	1	–	–	–	–
091	Yellow fever	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
092	Infectious hepatitis	T	24	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	1	–
094	Rabies	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
104	Tick-borne typhus	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	Age of decedents (years).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
044										1							
045–048																	
049																	
050					1												
051																	
052																	
053								1		1							
055	1	1			1	2	3	6	2	8	4	2	1				
056					4		3	3		6	5	3	1				
057										3							
058	1	1	1		1		1	1				1					
059							1										
060																	
061																	
062									1								
080																	
081	1			2													
082					1							1					
083	1				1		1										
084																	
085																	
091																	
092				1	4	1	1	3				1	2				
094	2				1		4	3									
104																	

Table 12

Detailed Int. List No.	Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from									
			Total.	Age of decedents (years).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
100–103, 105–108	Typhus, etc.,[1] and other rickettsial diseases	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
110–117	Malaria	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
123	Schistosomiasis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
125	Hydatid disease	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
127	Filariasis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
129	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	Other diseases due to helminths	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
Residual[1]	All other infective and parasitic diseases	T	27	–	–	–	–	–	–	–	–	–
		M	14	4	1	2	–	–	1	–	–	–
		F	13	1	–	–	–	–	2	–	–	1
II.	Neoplasms	T	9,678	–	–	–	–	–	–	–	–	–
		M	4,969	7	4	6	14	12	22	10	15	21
		F	4,709	5	1	6	7	4	18	11	10	15
140–205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	T	9,526	–	–	–	–	–	–	–	–	–
		M	4,897	1	3	6	12	12	22	10	12	18
		F	4,629	4	1	6	7	4	17	10	10	14
140–148	Malignant neoplasm of buccal cavity and pharynx	T	279	–	–	–	–	–	–	–	–	–
		M	219	–	–	–	–	–	–	–	–	–
		F	60	–	–	1	–	–	–	–	–	–
140	Of lip	T	9	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
141	Of tongue	T	78	–	–	–	–	–	–	–	–	–
		M	61	–	–	–	–	–	–	–	–	–
		F	17	–	–	–	–	–	–	–	–	–
142–144	Of other and unspecified parts of buccal cavity	T	82	–	–	–	–	–	–	–	–	–
		M	58	–	–	–	–	–	–	–	–	–
		F	24	–	–	1	–	–	–	–	–	–
145–148	Of pharynx	T	110	–	–	–	–	–	–	–	–	–
		M	91	–	–	–	–	–	–	–	–	–
		F	19	–	–	–	–	–	–	–	–	–
150–156.1, 157–159	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary	T	3,621	–	–	–	–	–	–	–	–	–
		M	1,887	–	–	–	1	–	1	–	2	2
		F	1,734	2	–	–	–	–	–	–	–	1
150	Of esophagus	T	196	–	–	–	–	–	–	–	–	–
		M	156	–	–	–	–	–	–	–	–	–
		F	40	–	–	–	–	–	–	–	–	–
151	Of stomach	T	836	–	–	–	–	–	–	–	–	–
		M	476	–	–	–	–	–	–	–	1	1
		F	360	–	–	–	–	–	–	–	–	–
152, 153	Of intestine, except rectum	T	1,259	–	–	–	–	–	–	–	–	–
		M	593	–	–	–	–	–	1	–	1	–
		F	666	–	–	–	–	–	–	–	–	1
154	Of rectum	T	495	–	–	–	–	–	–	–	–	–
		M	269	–	–	–	–	–	–	–	–	–
		F	226	–	–	–	–	–	–	–	–	–
155	Of biliary passages and of liver (stated to be primary site)	T	196	–	–	–	–	–	–	–	–	–
		M	77	–	–	–	1	–	–	–	–	1
		F	119	1	–	–	–	–	–	–	–	–
156.1	Of liver not specified whether primary or secondary	T	114	–	–	–	–	–	–	–	–	–
		M	68	–	–	–	–	–	–	–	–	–
		F	46	1	–	–	–	–	–	–	–	–
157	Of pancreas	T	436	–	–	–	–	–	–	–	–	–
		M	206	–	–	–	–	–	–	–	–	–
		F	230	–	–	–	–	–	–	–	–	–
158, 159	Of peritoneum and of unspecified digestive organs	T	89	–	–	–	–	–	–	–	–	–
		M	42	–	–	–	–	–	–	–	–	–
		F	47	–	–	–	–	–	–	–	–	–
160–164	Malignant neoplasm of respiratory system, not specified as secondary	T	1,287	–	–	–	–	–	–	–	–	–
		M	1,090	–	–	1	–	1	–	1	–	–
		F	197	–	–	–	–	–	–	1	–	–

[1] For category title and numbers, see table 10.

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
100–103, 105–108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110–117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual[1]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	–	1	1	–	–	–	1	–	–	–	–
II.	1	–	–	1	–	1	–	2	1	1	–	2	–	–	–	–	–
	24	29	54	110	200	331	488	718	813	836	601	400	192	56	6	–	–
	22	48	97	187	253	356	434	583	694	621	538	438	247	98	15	–	1
140–205	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	24	29	50	109	195	327	477	710	802	831	596	397	192	56	6	–	–
	20	44	95	180	248	348	427	572	684	613	535	435	244	96	14	–	1
140–148	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	4	12	29	25	24	41	30	20	21	10	1	2	–	–
	1	–	–	4	5	5	10	–	5	7	10	9	2	1	–	–	–
140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	2	–	2	4	–	–	–	–	–
141	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	3	9	7	9	9	12	6	3	2	–	1	–	–
	–	–	–	1	1	1	3	–	2	1	3	3	1	1	–	–	–
142–144	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	1	10	11	8	8	5	6	4	3	–	–	–	–
	1	–	–	2	2	2	4	–	3	1	4	4	–	–	–	–	–
145–148	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	7	10	7	7	22	13	6	10	5	1	1	–	–
	–	–	–	1	2	2	3	–	–	5	3	2	1	–	–	–	–
150–156.1, 157–159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	10	42	68	96	170	284	330	343	266	160	79	26	2	–	–
	7	9	13	32	61	83	127	213	265	289	224	220	129	50	8	–	1
150	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	10	10	16	26	36	19	20	14	4	1	–	–	–
	–	–	–	–	4	3	2	6	4	6	7	5	3	–	–	–	–
151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	3	10	26	31	41	56	87	90	70	29	23	6	–	–	–
	–	3	4	8	13	14	28	33	50	71	48	48	31	7	2	–	–
152, 153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	19	20	24	55	78	86	105	95	65	28	10	2	–	–
	3	3	7	8	21	32	52	79	109	106	80	88	49	24	4	–	–
154	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	3	7	4	11	17	49	50	57	32	19	12	7	–	–	–
	1	–	1	4	12	14	13	28	26	30	29	35	22	9	1	–	1
155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	3	6	17	16	11	15	4	2	–	–	–	–
	–	1	–	2	4	4	7	19	23	18	21	15	3	1	–	–	–
156.1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	3	2	5	16	8	16	6	7	3	–	–	–	–
	–	–	–	–	1	3	1	7	4	8	7	7	4	3	–	–	–
157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	2	4	13	25	34	37	38	25	18	6	2	–	–	–
	3	1	–	7	2	10	18	35	42	45	27	19	16	5	–	–	–
158, 159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	2	5	8	10	7	3	4	1	–	–	–	–
	–	1	1	3	4	3	6	6	7	5	5	3	1	1	1	–	–
160–164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	6	20	60	90	168	201	198	179	96	46	14	5	–	–	–
	1	1	4	4	16	15	20	26	33	23	26	16	8	3	–	–	–

[1]For category title and numbers, see table 10.

Table 12

Detailed Int. List No.	Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from age of decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
161	Of larynx	T	86	–	–	–	–	–	–	–	–	–
		M	82	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
162	Of bronchus and trachea, and of lung specified as primary	T	323	–	–	–	–	–	–	–	–	–
		M	281	–	–	–	–	–	–	–	–	–
		F	42	–	–	–	–	–	–	–	–	–
163	Of lung unspecified as primary or secondary	T	842	–	–	–	–	–	–	–	–	–
		M	710	–	–	1	–	1	–	1	–	–
		F	132	–	–	–	–	–	–	–	–	–
160, 164	Of other parts of respiratory system	T	36	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	–	–	–
		F	19	–	–	–	–	–	–	1	–	–
170	Malignant neoplasm of breast	T	981	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	969	–	–	–	–	–	–	–	–	1
171–179	Malignant neoplasm of genital organs	T	1,226	–	–	–	–	–	–	–	–	–
		M	479	–	–	–	–	–	–	–	–	3
		F	747	–	–	–	–	–	–	1	2	2
171	Of cervix uteri	T	220	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	220	–	–	–	–	–	–	–	–	–
172–174	Of other and unspecified parts of uterus	T	223	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	223	–	–	–	–	–	–	–	–	–
175	Of ovary, Fallopian tube, and broad ligament	T	280	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	280	–	–	–	–	–	–	1	2	2
176	Of other and unspecified female genital organs	T	24	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	–	–
177	Of prostate	T	452	–	–	–	–	–	–	–	–	–
		M	452	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
178, 179	Of testis, and of other and unspecified male genital organs	T	27	–	–	–	–	–	–	–	–	–
		M	27	–	–	–	–	–	–	–	–	3
		F	–	–	–	–	–	–	–	–	–	–
180, 181	Malignant neoplasm of urinary organs	T	442	–	–	–	–	–	–	–	–	–
		M	287	–	–	1	1	1	1	–	–	1
		F	155	1	1	–	1	–	3	–	–	–
180	Of kidney	T	177	–	–	–	–	–	–	–	–	–
		M	116	–	–	1	1	1	1	–	–	1
		F	61	1	1	–	1	–	2	–	–	–
181	Of bladder and other urinary organs	T	265	–	–	–	–	–	–	–	–	–
		M	171	–	–	–	–	–	–	–	–	–
		F	94	–	–	–	–	–	1	–	–	–
156.2, 165, 190–199	Malignant neoplasm of other and unspecified sites	T	913	–	–	–	–	–	–	–	–	–
		M	478	–	–	3	3	2	5	4	6	4
		F	435	1	–	1	2	2	2	5	3	4
190, 191	Of skin	T	119	–	–	–	–	–	–	–	–	–
		M	68	–	–	–	–	–	–	–	–	1
		F	51	–	–	–	–	–	–	–	–	–
192	Of eye	T	8	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	1	–	–
193	Of brain and other parts of nervous system	T	194	–	–	–	–	–	–	–	–	–
		M	109	–	–	1	3	–	3	–	2	–
		F	85	1	–	1	2	1	2	–	–	3
194	Of thyroid gland	T	30	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	–
		F	15	–	–	–	–	–	–	–	–	–
196	Of bone (including jaw bone)	T	86	–	–	–	–	–	–	–	–	–
		M	45	–	–	1	–	–	2	3	3	1
		F	41	–	–	–	–	1	–	3	3	–
197	Of connective tissue	T	32	–	–	–	–	–	–	–	–	–
		M	18	–	–	1	–	1	–	1	1	1
		F	14	–	–	–	–	–	–	1	–	–
195, 198.0–.8, 199.1	Of other specified sites, not stated to be secondary	T	68	–	–	–	–	–	–	–	–	–
		M	34	–	–	–	–	1	–	–	–	–
		F	34	–	–	–	–	–	–	–	–	1
156.2, 165, 198.9, 199.2	Of unspecified sites	T	376	–	–	–	–	–	–	–	–	–
		M	185	–	–	–	–	–	–	–	–	1
		F	191	–	–	–	–	–	–	–	–	–
204	Leukemia and aleukemia	T	351	–	–	–	–	–	–	–	–	–
		M	210	1	2	1	7	8	14	2	2	2
		F	141	–	–	4	3	2	12	3	3	2

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	Age of decedents (years).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
161	–	–	–	3	2	12	16	11	8	17	10	2	–	1	–	–	–
	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
162	–	1	2	1	18	19	50	50	54	52	21	9	4	–	–	–	–
	–	1	–	1	1	2	5	6	5	8	8	2	3	–	–	–	–
163	–	2	4	16	39	55	102	137	134	108	65	34	9	2	–	–	–
	1	–	4	3	14	9	13	19	24	14	14	13	2	2	–	–	–
160, 164	–	1	–	–	1	4	–	3	2	2	–	1	1	2	–	–	–
	–	–	–	–	–	2	1	1	4	1	4	1	3	1	–	–	–
170	–	–	–	–	–	1	3	2	2	2	1	1	–	–	–	–	–
	–	12	31	57	72	96	103	138	147	106	87	68	38	13	–	–	–
171–179	3	6	4	3	1	6	12	41	63	94	95	86	51	9	2	–	–
	5	9	29	42	53	81	91	100	113	72	77	35	24	9	2	–	–
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	6	15	20	19	24	36	28	34	13	9	5	6	1	1	–	–
172–174	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	4	7	5	15	18	30	42	31	39	15	11	3	1	–	–
175	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	8	14	29	40	37	41	32	25	25	12	5	4	–	–	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	–	2	–	1	5	3	4	3	2	1	–	–	–
177	–	–	–	–	1	5	12	39	63	93	95	82	51	9	2	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
178,179	3	6	4	3	–	1	–	2	–	1	–	4	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180, 181	–	–	4	8	8	15	33	34	50	56	38	20	12	4	–	–	–
	1	–	2	5	1	6	11	13	17	25	34	20	9	5	–	–	–
180	–	–	2	3	3	11	18	18	21	23	5	6	1	–	–	–	–
	1	–	1	1	1	5	5	5	6	11	13	4	1	2	–	–	–
181	–	–	2	5	5	4	15	16	29	33	33	14	11	4	–	–	–
	–	–	1	4	–	1	6	8	11	14	21	16	8	3	–	–	–
156.2	6	3	9	22	24	57	40	54	71	62	45	41	11	6	–	–	–
165, 190–199	3	10	6	15	23	36	37	46	56	50	47	45	24	13	4	–	–
190, 191	–	1	2	2	6	10	3	7	5	7	10	10	1	3	–	–	–
	1	3	–	5	2	2	2	5	5	5	4	8	5	3	1	–	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
193	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	2	2	3	14	3	22	11	14	19	7	2	1	–	–	–	–	–
194	1	2	2	4	8	16	13	9	9	5	4	1	–	1	–	–	–
	–	–	–	–	–	1	–	4	3	4	2	1	–	–	–	–	–
196	–	–	–	–	–	–	–	3	2	4	2	2	2	–	–	–	–
	1	–	–	–	3	2	5	3	5	6	3	5	1	1	–	–	–
197	–	–	–	1	–	1	1	3	4	10	8	4	2	–	–	–	–
	–	–	1	–	2	1	1	–	6	2	–	–	–	–	–	–	–
195, 198.0–.8, 199.1	1	–	1	–	2	3	1	3	3	6	7	3	3	–	–	–	–
	–	1	–	1	1	1	3	1	3	2	7	7	3	1	2	–	–
156.2, 165, 198.9, 199.2	2	–	3	6	10	17	19	20	33	31	17	20	4	2	–	–	–
	1	3	3	4	10	15	17	24	27	21	22	23	12	8	1	–	–
204	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	5	9	2	5	10	10	29	19	36	14	16	8	3	–	–	–
	–	2	5	9	6	8	8	15	13	14	13	12	6	1	–	–	–

Detailed Int. List No.	Table 12 — Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from — Age of Decedents (Years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
200–203, 205	Lymphosarcoma, etc.[1]	T	426	–	–	–	–	–	–	–	–	–
		M	235	–	1	–	–	–	1	3	2	6
		F	191	–	–	–	1	–	–	–	2	4
200	Lymphosarcoma and reticulosarcoma	T	179	–	–	–	–	–	–	–	–	–
		M	96	–	1	–	–	–	1	1	1	3
		F	83	–	–	–	1	–	–	–	1	–
201	Hodgkin's disease	T	120	–	–	–	–	–	–	–	–	–
		M	75	–	–	–	–	–	–	2	1	3
		F	45	–	–	–	–	–	–	–	1	4
202, 203, 205	Other neoplasms of lymphatic and hematopoietic tissues	T	127	–	–	–	–	–	–	–	–	–
		M	64	–	–	–	–	–	–	–	–	–
		F	63	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	T	152	–	–	–	–	–	–	–	–	–
		M	72	6	1	–	2	–	–	1	3	3
		F	80	1	–	–	–	–	1	1	–	1
214–217	Benign neoplasms of female genital organs	T	16	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	16	–	–	–	–	–	–	–	–	–
223	Benign neoplasm of brain and other parts of nervous system	T	25	–	–	–	–	–	–	–	–	–
		M	11	3	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	–	–
210–213, 218–222, 224–229	Other benign neoplasms	T	32	–	–	–	–	–	–	–	–	–
		M	12	2	–	–	1	–	–	–	2	1
		F	20	1	–	–	–	–	–	1	–	1
233–235	Neoplasm of unspecified nature of female genital organs	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
237	Neoplasm of unspecified nature of brain, etc.[1]	T	57	–	–	–	–	–	–	–	–	–
		M	36	1	1	–	1	–	–	–	1	2
		F	21	–	–	–	–	–	1	–	–	–
230–232, 236, 238. 239	Other neoplasms of unspecified nature	T	22	–	–	–	–	–	–	–	–	–
		M	13	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
III.	Allergic, Endocrine System, Metabolic and Nutritional Diseases	T	1,145	–	–	–	–	–	–	–	–	–
		M	469	3	1	2	1	–	2	3	1	4
		F	676	3	–	3	–	–	2	–	2	4
241	Asthma	T	158	–	–	–	–	–	–	–	–	–
		M	93	–	–	1	–	–	–	2	–	2
		F	65	–	–	1	–	–	–	–	2	1
250, 251	Nontoxic goiter	T	5	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
252	Thyrotoxicosis with or without goiter	T	6	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	–	–	–	–	–	1
253, 254	Myxedema, cretinism and other diseases of thyroid gland	T	5	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
260	Diabetes mellitus	T	894	–	–	–	–	–	–	–	–	–
		M	329	1	1	1	1	–	–	–	–	2
		F	565	–	–	–	–	–	2	–	–	2
273	Diseases of thymus gland	T	1	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
274	Diseases of adrenal glands	T	11	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	1	–	–	–
		F	5	1	–	–	–	–	–	–	–	–
281	Pellagra	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
280, 282–286	All other avitaminoses and nutritional deficiency states	T	36	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	–	–	–	–	–
		F	16	–	–	–	–	–	–	–	–	–
Residual[1]	Other allergic, endocrine and metabolic diseases	T	29	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	1	1	1	–
		F	13	1	–	2	–	–	–	–	–	–
IV.	Diseases of the Blood and Blood-forming Organs	T	140	–	–	–	–	–	–	–	–	–
		M	71	–	1	–	1	–	3	1	1	–
		F	69	2	–	–	1	2	2	1	2	1
290–293	Anemias	T	83	–	–	–	–	–	–	–	–	–
		M	39	–	1	–	–	–	1	–	1	–
		F	44	1	–	–	1	2	2	–	2	–
290	Pernicious and other hyperchromic anemias	T	19	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	1	–	1	–

[1] For category titles and numbers, see table 10.

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	Age of decedents (years).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
200–203, 205	9	7	8	8	17	23	16	41	28	29	21	6	7	2	–	–	–
	2	1	5	12	11	18	20	21	35	27	17	10	4	1	–	–	–
200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	2	9	12	6	19	15	12	6	2	2	1	–	–	–
201	–	–	2	7	4	5	8	10	12	16	10	6	1	–	–	–	–
	8	6	4	5	7	5	6	10	6	6	4	1	1	–	–	–	–
202, 203, 205	2	1	2	1	2	5	6	2	8	4	1	4	1	1	–	–	–
	–	1	2	1	1	6	4	12	7	11	11	3	4	1	–	–	–
210–239	–	–	1	4	5	8	6	9	15	7	6	–	2	–	–	–	–
	–	–	4	1	5	4	11	8	11	5	5	3	–	–	–	–	–
214–217	2	4	2	7	5	8	7	11	10	8	3	3	3	2	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
223	1	1	–	2	1	2	–	3	2	2	–	–	–	1	1	–	–
	–	–	1	–	–	1	2	1	1	–	1	1	–	–	–	–	–
210–213, 218–222, 224–229 233–235	–	1	–	2	–	2	4	2	3	–	–	–	–	–	–	–	–
	–	–	1	–	–	1	1	–	1	1	1	–	–	–	–	–	–
237	–	1	1	1	1	2	–	3	3	2	1	–	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
230–232, 236, 238, 239 III.	–	–	2	1	5	2	5	6	6	1	1	1	–	–	–	–	–
	1	1	1	2	3	2	2	3	2	1	1	1	–	–	–	–	–
	–	–	–	–	–	–	3	1	3	3	2	1	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	3	1	2	2	–	–	–	–
	6	14	11	8	15	23	42	60	76	81	57	33	20	6	–	–	–
241	2	9	13	8	21	22	33	85	115	129	97	78	37	11	2	–	–
	–	1	–	1	2	6	13	15	19	13	11	5	2	–	–	–	–
250, 251	2	1	2	3	6	3	2	8	8	6	4	9	5	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
252	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–
	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
253, 254	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	3	–	–	–	1	–	–	–	–
260	5	12	8	6	10	13	26	42	48	62	42	27	16	6	–	–	–
273	–	5	7	5	14	14	29	73	103	121	89	65	26	9	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
274	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
281	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
280, 282–286	–	–	2	–	–	3	1	1	5	4	3	–	1	–	–	–	–
Residual[1]	–	1	–	–	–	2	1	–	1	1	2	2	5	1	–	–	–
	1	–	1	–	1	1	2	1	2	2	1	1	–	–	–	–	–
IV.	–	3	2	–	–	2	–	1	–	1	1	–	–	–	–	–	–
290–293	1	2	1	2	5	6	7	7	7	11	9	5	1	–	–	–	–
	1	2	2	2	2	5	4	7	9	5	5	4	6	3	1	–	–
	–	2	–	1	1	3	4	4	2	7	8	3	1	–	–	–	–
290	–	1	2	–	1	3	4	6	4	3	3	3	3	2	1	–	–
	–	–	–	–	–	–	1	–	–	–	3	–	1	–	–	–	–
	–	–	–	–	–	–	1	3	1	–	2	1	3	–	1	–	–

[1] For category titles and numbers, see table 10.

Table 12

Detailed Int. List No.	Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from Age of Decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
291–293	Anemias of other and unspecified type	T	64	–	–	–	–	–	1	–	1	–
		M	34	–	1	–	–	–	1	–	1	–
		F	30	1	–	–	1	2	1	–	1	–
296	Purpura and other hemorrhagic conditions	T	24	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	1	–	2	–	–	–
		F	13	–	–	–	–	–	–	1	–	1
294, 295, 297–299	All other diseases of blood and blood-forming organs	T	33	–	–	–	–	–	–	–	–	–
		M	21	–	–	–	–	–	–	1	–	–
		F	12	1	–	–	–	–	–	–	–	–
V.	Mental, Psychoneurotic and Personality Disorders	T	133	–	–	–	–	–	–	–	–	–
		M	88	2	–	1	–	–	1	–	2	–
		F	45	2	–	–	–	–	1	–	–	–
304	Senile psychosis	T	5	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
307	Alcoholic psychosis	T	15	–	–	–	–	–	–	–	–	–
		M	12	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
300–303, 305, 306, 308, 309	Other psychoses	T	12	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
322	Alcoholism	T	85	–	–	–	–	–	–	–	–	–
		M	58	–	–	–	–	–	–	–	–	–
		F	27	–	–	–	–	–	–	–	–	–
325	Mental deficiency	T	13	–	–	–	–	–	–	–	–	–
		M	8	2	–	1	–	–	1	–	2	–
		F	5	2	–	–	–	–	1	–	–	–
310–321, 323, 324, 326	Psychoneuroses and other disorders of personality	T	3	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and Sense Organs	T	6,500	–	–	–	–	–	–	–	–	–
		M	2,788	21	10	12	3	–	7	9	9	8
		F	3,712	21	6	3	5	4	8	6	5	8
330–334	Vascular lesions affecting central nervous system	T	6,063	–	–	–	–	–	–	–	–	–
		M	2,556	3	2	1	1	–	4	1	1	3
		F	3,507	2	–	1	–	–	2	2	1	4
330	Subarachnoid hemorrhage	T	177	–	–	–	–	–	–	–	–	–
		M	72	1	1	–	–	–	1	1	–	2
		F	105	–	–	–	–	–	–	2	1	2
331	Cerebral hemorrhage	T	3,466	–	–	–	–	–	–	–	–	–
		M	1,447	1	1	–	–	–	1	–	1	1
		F	2,019	–	–	–	–	–	2	–	–	2
332	Cerebral embolism and thrombosis	T	2,008	–	–	–	–	–	–	–	–	–
		M	859	1	–	–	–	–	–	–	–	–
		F	1,149	–	–	–	–	–	–	–	–	–
333, 334	Other vascular lesions affecting central nervous system	T	412	–	–	–	–	–	–	–	–	–
		M	178	–	–	1	1	–	2	–	–	–
		F	234	2	–	1	–	–	–	–	–	–
340	Meningitis, except meningococcal and tuberculous	T	82	–	–	–	–	–	–	–	–	–
		M	45	15	4	9	1	–	–	1	1	1
		F	37	15	3	2	2	1	1	–	2	–
345	Multiple sclerosis	T	56	–	–	–	–	–	–	–	–	–
		M	20	–	–	–	–	–	–	–	–	–
		F	36	–	–	–	–	1	–	–	–	1
350	Paralysis agitans	T	92	–	–	–	–	–	–	–	–	–
		M	49	–	–	–	–	–	–	–	–	–
		F	43	–	–	–	–	–	–	–	–	–
351	Cerebral spastic infantile paralysis	T	10	–	–	–	–	–	–	–	–	–
		M	9	–	3	–	–	–	–	2	2	–
		F	1	1	–	–	–	–	–	–	–	–
353	Epilepsy	T	66	–	–	–	–	–	–	–	–	–
		M	41	1	–	1	–	–	2	3	2	4
		F	25	–	–	–	–	1	1	1	2	1
370–379	Inflammatory diseases of eye	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
385	Cataract	T	1	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
387	Glaucoma	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
391–393	Otitis media and mastoiditis	T	8	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	–	–
		F	5	–	–	–	1	–	–	–	–	–

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
291–293	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	1	1	3	3	4	2	7	5	3	–	–	–	–	–
	–	1	2	–	1	3	3	3	3	3	1	2	–	2	–	–	–
296	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	1	1	1	–	1	2	–	–	–	–	–	–	–
	–	1	–	2	1	1	–	–	4	1	–	1	–	–	–	–	–
294, 295,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
297–299	1	–	–	–	3	2	2	3	4	2	1	2	–	–	–	–	–
	1	–	–	–	–	1	–	1	1	1	2	–	3	1	–	–	–
V.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	3	7	15	13	15	6	9	3	4	4	–	–	–	–	–
	1	1	5	6	8	3	3	5	4	2	3	1	–	–	–	–	–
304	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
307	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	2	3	2	1	1	2	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
300–303,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
305, 306,	1	–	–	–	1	–	3	1	1	–	–	–	–	–	–	–	–
308, 309,	–	–	1	–	–	–	1	1	–	1	1	–	–	–	–	–	–
322	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	5	11	11	11	3	6	3	4	1	–	–	–	–	–
	1	1	4	5	7	3	1	4	1	–	–	–	–	–	–	–	–
325	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
310–321,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
323, 324,	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
326	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
VI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	14	21	35	62	87	131	240	386	452	504	395	276	87	11	1	–
	8	22	24	38	64	81	129	211	362	505	675	729	510	229	54	5	–
330–334	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	8	16	24	49	76	113	218	361	433	485	386	269	87	11	1	–
	6	11	18	27	44	74	114	201	352	490	654	714	505	226	54	5	–
330	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	5	10	8	6	11	9	5	3	–	1	1	2	–	–	–
	5	4	8	12	10	10	11	8	13	6	7	3	3	–	–	–	–
331	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	2	8	11	33	53	66	142	217	242	268	216	130	45	7	–	–
	1	6	9	13	29	52	86	137	208	280	385	397	263	121	26	2	–
332	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	3	2	6	16	31	64	119	157	179	134	107	33	4	1	–
	–	1	1	1	4	10	17	49	101	179	218	269	188	86	23	2	–
333, 334	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	2	1	5	3	20	31	38	35	31	7	–	–	–
	–	–	–	1	1	2	–	7	30	25	44	45	51	19	5	1	–
340	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	2	2	2	2	1	2	–	–	–	–	–	–
	1	–	2	1	2	1	–	–	2	1	–	–	–	1	–	–	–
345	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	1	–	3	2	2	3	4	1	1	1	–	–	–	–	–
	–	3	2	4	11	2	7	1	1	2	1	–	–	–	–	–	–
350	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	2	4	6	10	11	8	3	3	–	–	–	–
	–	–	–	–	2	–	1	4	4	7	11	10	2	2	–	–	–
351	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
353	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	4	7	4	2	2	1	2	2	1	–	–	–	–	–	–
	1	2	2	3	–	3	3	–	1	2	1	1	–	–	–	–	–
370–379	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
387	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391–393	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	1	1	–	–	–	–	1	–	1	–	–	–	–

Table 12

Detailed Int. List No.	Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from									
				Age of decedents (years).								
			Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
Residual[1]	Other diseases of nervous system and sense organs	T	122	–	–	–	–	–	–	–	–	–
		M	64	2	–	1	1	–	1	2	3	–
		F	58	3	3	–	2	1	4	3	–	2
VII.	Diseases of the Circulatory System	T	25,372	–	–	–	–	–	–	–	–	–
		M	13,588	3	2	2	–	2	5	1	6	9
		F	11,784	4	2	–	–	1	1	2	5	5
400–402	Rheumatic fever	T	13	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	2	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
410–443	Diseases of heart	T	23,175	–	–	–	–	–	–	–	–	–
		M	12,559	3	1	2	–	1	3	1	5	9
		F	10,616	4	2	–	–	1	1	2	3	3
410–416	Chronic rheumatic heart disease	T	653	–	–	–	–	–	–	–	–	–
		M	264	–	–	–	–	–	–	–	2	3
		F	389	–	–	–	–	1	–	1	–	1
410	Diseases of mitral valve	T	231	–	–	–	–	–	–	–	–	–
		M	90	–	–	–	–	–	–	–	2	1
		F	141	–	–	–	–	–	–	1	–	–
411	Diseases of aortic valve specified as rheumatic	T	57	–	–	–	–	–	–	–	–	–
		M	33	–	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	–	–
412	Diseases of tricuspid valve	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
413, 414	Diseases of pulmonary valve, etc.,[1] specified as rheumatic	T	12	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
415, 416	Other diseases of heart specified as rheumatic	T	352	–	–	–	–	–	–	–	–	–
		M	134	–	–	–	–	–	–	–	–	2
		F	218	–	–	–	–	1	–	–	–	1
420	Arteriosclerotic heart disease, including coronary disease	T	18,429	–	–	–	–	–	–	–	–	–
		M	10,592	–	–	–	–	–	–	–	–	3
		F	7,837	–	–	–	–	–	–	–	–	–
.0	Arteriosclerotic heart disease so described	T	7,764	–	–	–	–	–	–	–	–	–
		M	3,733	–	–	–	–	–	–	–	–	1
		F	4,031	–	–	–	–	–	–	–	–	–
.1	Heart disease specified as involving coronary arteries	T	10,637	–	–	–	–	–	–	–	–	–
		M	6,844	–	–	–	–	–	–	–	–	2
		F	3,793	–	–	–	–	–	–	–	–	–
.2	Angina pectoris without mention of coronary disease	T	28	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–	–
421	Chronic endocarditis not specified as rheumatic	T	190	–	–	–	–	–	–	–	–	–
		M	87	–	–	–	–	–	–	–	1	–
		F	103	–	–	–	–	–	–	–	–	–
.0	Of mitral valve, specified as non-rheumatic	T	21	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	14	–	–	–	–	–	–	–	–	–
.1	Of aortic valve, not specified as rheumatic	T	88	–	–	–	–	–	–	–	–	–
		M	51	–	–	–	–	–	–	–	–	–
		F	37	–	–	–	–	–	–	–	–	–
.2–.4	Of other valves, not specfied as rheumatic	T	81	–	–	–	–	–	–	–	–	–
		M	29	–	–	–	–	–	–	–	1	–
		F	52	–	–	–	–	–	–	–	–	–
422	Other myocardial degeneration	T	1,223	–	–	–	–	–	–	–	–	–
		M	525	1	–	–	–	–	–	1	1	1
		F	698	–	1	–	–	–	1	–	1	–
.1	With arteriosclerosis	T	797	–	–	–	–	–	–	–	–	–
		M	326	–	–	–	–	–	–	–	–	1
		F	471	–	–	–	–	–	1	–	–	–
.0, .2	Without mention of arteriosclerosis	T	426	–	–	–	–	–	–	–	–	–
		M	199	1	–	–	–	–	–	1	1	–
		F	227	–	1	–	–	–	–	–	1	–
430–434	Other diseases of heart	T	723	–	–	–	–	–	–	–	–	–
		M	374	2	1	2	–	1	3	–	1	2
		F	349	4	1	–	–	–	–	1	2	2
430	Acute and subacute endocarditis	T	39	–	–	–	–	–	–	–	–	–
		M	26	1	–	1	–	–	–	–	–	–
		F	13	–	–	–	–	–	–	–	–	1
431	Acute myocarditis not specified as rheumatic	T	26	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	–	–	–	–	–	1
		F	17	–	–	–	–	–	–	–	–	–
432	Acute pericarditis specified as non-rheumatic	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

[1] For category titles and numbers, see table 10.

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	Age of decedents (years).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
Residual[1]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	2	4	2	8	10	6	4	7	5	3	–	–	–	–
VII.	–	5	–	2	4	1	4	5	2	3	7	4	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12	48	125	246	510	777	1,169	1,628	1,997	2,146	1,870	1,543	1,003	409	68	7	–
400–402	15	22	49	73	174	304	467	865	1,284	1,701	2,121	2,146	1,546	736	226	35	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	–	4	–	1	–	–	–	–	–	–
410–443	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10	48	118	233	489	743	1,117	1,557	1,871	1,990	1,731	1,363	875	331	53	5	–
410–416	12	17	44	66	156	284	441	818	1,205	1,581	1,929	1,914	1,314	611	182	26	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	13	15	22	23	32	44	39	24	20	10	9	4	–	–	–	–
410	4	4	15	22	42	50	47	64	56	37	24	11	6	1	3	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	5	5	9	7	9	18	13	7	7	2	2	1	–	–	–	–
411	3	3	5	8	19	20	21	17	15	11	10	2	5	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	4	3	6	8	4	–	3	2	–	–	–	–	–	–
412	–	–	1	1	1	6	–	6	2	–	4	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
413, 414	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	1	–	2	1	–	–	–	–	–	–	–
	–	–	–	1	–	1	–	2	–	–	–	–	–	–	1	–	–
415, 416	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	8	8	9	12	15	17	22	15	9	6	7	3	–	–	–	–
420	1	1	9	12	22	23	26	39	39	26	10	6	–	–	2	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	26	84	191	427	639	961	1,355	1,622	1,701	1,441	1,097	729	269	39	5	–
.0	2	8	22	30	73	170	304	591	908	1,221	1,479	1,455	977	444	131	22	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	5	14	28	76	158	302	467	664	689	640	469	187	28	3	–
.1	–	1	2	4	9	37	73	181	353	551	766	929	676	333	97	19	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	24	79	176	398	562	802	1,053	1,151	1,033	751	456	259	82	11	2	–
.2	2	7	20	25	64	133	231	408	554	667	711	524	299	111	34	3	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	1	1	–	4	4	1	1	1	–	–	–	–
421	–	–	–	1	–	–	–	2	1	3	2	2	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	2	–	7	3	7	10	14	14	6	14	4	2	1	–	–
.0	–	–	–	1	1	5	2	2	6	8	19	27	16	13	3	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	–	–	2	–	1	–	2	–	–	–	–	–
.1	–	–	–	–	–	–	–	–	1	1	4	5	3	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	2	–	3	3	5	5	9	9	5	6	1	1	1	–	–
.2–.4	–	–	–	1	1	3	–	2	3	3	5	8	3	7	1	–	–
	–	1	–	–	2	–	2	3	5	4	1	6	3	1	–	–	–
422	–	–	–	–	–	2	2	–	2	4	10	14	10	6	2	–	–
	1	1	2	3	3	12	18	25	35	72	108	104	89	38	10	–	–
.1	–	–	–	–	4	8	12	31	36	81	113	163	134	76	33	4	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	1	2	8	8	13	47	70	67	71	28	9	–	–
.0, .2	–	–	–	–	1	1	1	10	23	50	84	111	102	61	23	3	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	3	2	10	10	17	22	25	38	37	18	10	1	–	–
430–434	–	–	–	–	3	7	11	21	13	31	29	52	32	15	10	1	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	10	7	16	25	35	42	47	60	54	47	7	5	1	–	–
430	5	3	5	5	16	13	20	30	35	47	56	54	32	14	4	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	3	–	4	4	4	3	3	3	2	–	–	–	–	–	–
431	1	–	–	–	1	1	–	–	–	2	6	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	1	–	2	1	2	–	–	–	–	–
432	–	1	–	2	1	–	–	2	1	1	2	5	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] For category titles and numbers, see table 10.

Table 12

Detailed Int. List No.	Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from age of decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
433	Functional disease of heart	T	91	–	–	–	–	–	–	–	–	–
		M	47	–	–	–	–	–	1	–	1	1
		F	44	–	–	–	–	–	–	–	–	–
434	Other and unspecified diseases of heart	T	567	–	–	–	–	–	–	–	–	–
		M	292	1	1	1	–	1	2	–	–	–
		F	275	4	1	–	–	–	–	1	2	1
440–443	Hypertension with heart disease	T	1,957	–	–	–	–	–	–	–	–	–
		M	717	–	–	–	–	–	–	–	–	–
		F	1,240	–	–	–	–	–	–	–	–	–
442	Hypertensive heart disease with arteriolar nephrosclerosis	T	228	–	–	–	–	–	–	–	–	–
		M	94	–	–	–	–	–	–	–	–	–
		F	134	–	–	–	–	–	–	–	–	–
440, 441, 443	Essential hypertension with heart disease, etc.[1]	T	1,729	–	–	–	–	–	–	–	–	–
		M	623	–	–	–	–	–	–	–	–	–
		F	1,106	–	–	–	–	–	–	–	–	–
444–447	Hypertension without mention of heart	T	408	–	–	–	–	–	–	–	–	–
		M	191	–	–	–	–	–	–	–	–	–
		F	217	–	–	–	–	–	–	–	–	–
446	Hypertension with arteriolar nephrosclerosis, etc.[1]	T	257	–	–	–	–	–	–	–	–	–
		M	130	–	–	–	–	–	–	–	–	–
		F	127	–	–	–	–	–	–	–	–	–
444, 445, 447	Essential hypertension, other hypertensive disease, etc.[1]	T	151	–	–	–	–	–	–	–	–	–
		M	61	–	–	–	–	–	–	–	–	–
		F	90	–	–	–	–	–	–	–	–	–
450–456	Diseases of arteries	T	1,503	–	–	–	–	–	–	–	–	–
		M	689	–	–	–	–	1	–	–	1	–
		F	814	–	–	–	–	–	–	–	1	2
450	General arteriosclerosis	T	1,171	–	–	–	–	–	–	–	–	–
		M	477	–	–	–	–	–	–	–	–	–
		F	694	–	–	–	–	–	–	–	–	–
451	Aortic aneurysm specified as non-syphilitic, etc.[1]	T	237	–	–	–	–	–	–	–	–	–
		M	169	–	–	–	–	–	–	–	–	–
		F	68	–	–	–	–	–	–	–	–	–
455	Gangrene of unspecified cause	T	10	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–
452–454, 456	Other arterial diseases	T	85	–	–	–	–	–	–	–	–	–
		M	37	–	–	–	–	1	–	–	1	–
		F	48	–	–	–	–	–	–	–	1	2
460–468	Diseases of veins and other diseases of circulatory system	T	273	–	–	–	–	–	–	–	–	–
		M	140	–	1	–	–	–	–	–	–	–
		F	133	–	–	–	–	–	–	–	1	–
VIII.	Diseases of the Respiratory System	T	2,848	–	–	–	–	–	–	–	–	–
		M	1,670	166	19	3	7	2	11	11	5	4
		F	1,178	119	19	7	8	4	11	5	4	2
470–475	Acute upper respiratory infections	T	21	–	–	–	–	–	–	–	–	–
		M	15	8	2	1	1	–	1	–	–	–
		F	6	3	–	–	–	–	1	–	–	–
480–483	Influenza	T	25	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	–	–
		F	14	1	–	–	–	–	–	–	–	–
490–493	Pneumonia, except pneumonia of newborn	T	2,123	–	–	–	–	–	–	–	–	–
		M	1,160	116	9	2	2	2	4	9	2	4
		F	963	90	18	5	5	3	8	5	3	1
490	Lobar pneumonia	T	309	–	–	–	–	–	–	–	–	–
		M	191	8	3	–	–	–	–	2	1	3
		F	118	5	2	–	–	–	3	–	1	–
491	Bronchopneumonia	T	1,436	–	–	–	–	–	–	–	–	–
		M	760	55	6	–	1	1	4	3	1	1
		F	676	44	12	4	5	1	2	3	2	1
492	Primary atypical pneumonia	T	179	–	–	–	–	–	–	–	–	–
		M	94	42	–	2	–	1	–	2	–	–
		F	85	33	3	1	–	–	2	1	–	–
493	Pneumonia, other and unspecified	T	199	–	–	–	–	–	–	–	–	–
		M	115	11	–	–	1	–	–	2	–	–
		F	84	8	1	–	–	2	1	1	–	–
500	Acute bronchitis	T	30	–	–	–	–	–	–	–	–	–
		M	18	3	3	–	–	–	–	–	–	–
		F	12	2	–	1	1	–	1	–	–	–
501, 502	Bronchitis, chronic and unqualified	T	109	–	–	–	–	–	–	–	–	–
		M	83	2	2	–	–	–	1	–	–	–
		F	26	3	–	–	–	–	–	–	–	–
510	Hypertrophy of tonsils and adenoids	T	8	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	2	–	4	1	–	–
		F	1	–	–	–	1	–	–	–	–	–

[1] For category titles, see table 10.

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	Age of decedents (years).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
433	–	1	1	2	1	–	1	8	5	6	8	6	3	1	1	–	–
	–	–	1	–	1	1	1	1	5	3	9	11	9	1	1	–	–
434	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	5	5	15	21	30	30	39	49	43	39	4	4	–	–	–
440–443	4	2	4	3	13	11	19	27	29	41	39	38	21	12	3	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	5	10	13	32	52	86	129	123	112	92	42	17	2	–	–
442	1	2	2	8	20	38	56	100	164	187	238	204	149	63	8	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	3	4	12	18	10	14	12	12	6	1	–	–
440, 441, 443	–	–	1	–	1	4	4	12	18	24	25	20	13	11	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	4	9	13	29	48	74	111	113	98	80	30	11	1	–	–
	1	2	1	8	19	34	52	88	146	163	213	184	136	52	7	–	–
444–447	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	5	7	10	12	13	21	30	25	31	18	15	–	1	–
	1	1	1	2	6	8	8	11	27	32	37	37	27	16	3	–	–
446	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	–	3	1	5	11	14	25	16	24	15	13	–	1	–
	–	–	1	–	2	3	6	5	16	18	18	23	19	13	3	–	–
444, 445, 447	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	5	4	9	7	2	7	5	9	7	3	2	–	–	–
	1	1	–	2	4	5	2	6	11	14	19	14	8	3	–	–	–
450–456	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	6	6	14	24	44	79	104	99	131	102	61	14	1	–
	2	2	3	3	5	4	9	25	42	69	124	176	193	106	39	9	–
450	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	2	6	18	36	65	71	116	93	53	14	1	–
	–	–	–	–	–	1	2	11	30	54	107	157	180	104	39	9	–
451	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	4	3	8	14	21	38	33	22	12	7	7	–	–	–
	1	–	–	2	–	2	4	8	6	12	12	12	8	1	–	–	–
455	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	3	–	–	1	1	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–
452–454, 456	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	2	4	4	5	4	3	6	3	1	–	–	–	–
	1	2	3	1	5	1	3	6	4	3	5	6	4	1	–	–	–
460–468	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	2	2	8	9	16	14	22	22	14	18	8	2	1	–	–
	–	1	1	2	6	7	9	11	10	18	31	19	12	3	2	–	–
VIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	16	20	26	46	78	113	156	200	212	218	172	123	42	11	3	–
	8	3	12	19	24	29	45	62	92	123	167	149	155	87	21	3	–
470–475	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
480–483	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	1	2	–	2	1	1	–	1	1	–	–	–
490–493	–	–	–	1	–	2	1	–	1	2	1	–	4	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	13	15	20	35	47	71	95	129	131	161	133	109	34	9	3	–
490	4	3	8	16	19	25	34	50	68	97	131	132	136	82	18	2	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	5	9	10	10	20	20	19	19	23	17	13	3	2	–	–
491	1	2	1	5	4	5	5	6	5	16	18	21	14	4	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	9	10	9	20	31	42	60	89	97	112	96	76	27	6	2	–
492	2	1	6	8	12	13	22	35	50	73	97	96	103	66	16	2	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	1	2	3	6	3	10	3	9	4	3	1	–	–	–
493	–	–	–	–	–	4	5	5	3	4	4	4	11	5	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	3	3	3	12	11	12	17	16	17	3	1	1	–
500	1	–	1	3	3	3	2	4	10	4	12	11	8	7	2	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	2	1	1	–	1	2	–	3	–	2	–	–	–
501, 502	–	–	–	–	–	–	–	1	–	1	–	2	1	–	1	1	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	3	7	10	18	11	11	10	4	2	–	–	–
510	–	–	–	–	2	–	1	1	2	3	4	6	2	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 12

Detailed Int. List No.	Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from age of decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
518, 521	Empyema and abscess of lung	T	26	–	–	–	–	–	–	–	–	–
		M	17	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	1
519	Pleurisy	T	3	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
Residual[1]	All other respiratory diseases	T	503	–	–	–	–	–	–	–	–	–
		M	356	37	3	–	2	–	1	1	3	–
		F	147	20	1	1	1	1	1	–	1	–
IX.	Diseases of the Digestive System	T	2,143	–	–	–	–	–	–	–	–	–
		M	1,228	28	4	1	3	1	11	4	1	4
		F	915	22	5	4	1	–	4	4	4	3
530–535	Diseases of teeth and supporting structures	T	4	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
540	Ulcer of stomach	T	193	–	–	–	–	–	–	–	–	–
		M	124	–	–	–	–	–	–	–	–	–
		F	69	–	–	–	–	–	–	–	–	–
541	Ulcer of duodenum	T	197	–	–	–	–	–	–	–	–	–
		M	151	2	–	–	–	–	1	–	–	–
		F	46	–	–	1	–	–	–	1	–	–
543	Gastritis and duodenitis	T	11	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	4		–	–	–	–	–	–	–	–
550–553	Appendicitis	T	60	–	–	–	–	–	–	–	–	–
		M	37	–	–	–	–	–	4	–	–	1
		F	23	1	–	–	–	–	2	1	–	1
560, 561, 570	Hernia and intestinal obstruction	T	302	–	–	–	–	–	–	–	–	–
		M	140	10	1	–	2	–	–	1	1	–
		F	162	10	–	–	–	–	–	–	–	–
571, 572	Gastro-enteritis and colitis, except diarrhea of newborn	T	164	–	–	–	–	–	–	–	–	–
		M	72	10	3	1	–	–	2	–	–	2
		F	92	8	4	–	–	–	–	–	1	1
581	Cirrhosis of liver	T	711	–	–	–	–	–	–	–	–	–
		M	441	–	–	–	–	–	1	–	–	–
		F	270	–	–	–	–	–	–	–	–	1
.0	Without mention of alcoholism	T	499	–	–	–	–	–	–	–	–	–
		M	288	–	–	–	–	–	1	–	–	–
		F	211	–	–	–	–	–	–	–	–	1
.1	With alcoholism	T	212	–	–	–	–	–	–	–	–	–
		M	153	–	–	–	–	–	–	–	–	–
		F	59	–	–	–	–	–	–	–	–	–
584, 585	Cholelithiasis and cholecystitis	T	146	–	–	–	–	–	–	–	–	–
		M	63	–	–	–	–	–	–	–	–	–
		F	83	–	–	–	–	–	–	–	–	–
Residual[1]	Other diseases of digestive system	T	355	–	–	–	–	–	–	–	–	–
		M	192	6	–	–	1	1	3	3	–	1
		F	163	3	1	3	1	–	2	2	3	–
X.	Diseases of the Genito-urinary System	T	839	–	–	–	–	–	–	–	–	–
		M	465	7	–	2	–	–	1	1	6	5
		F	374	2	–	–	1	–	2	4	5	3
590–594	Nephritis and nephrosis	T	359	–	–	–	–	–	–	–	–	–
		M	184	4	–	1	–	–	1	1	4	5
		F	175	–	–	–	1	–	1	4	4	2
590	Acute nephritis	T	21	–	–	–	–	–	–	–	–	–
		M	12	–	–	1	–	–	–	–	2	–
		F	9	–	–	–	1	–	–	–	–	–
591	Nephritis with edema, including nephrosis	T	19	–	–	–	–	–	–	–	–	–
		M	9	2	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	1	–	–	–
592–594	Chronic and unspecified nephritis and other renal sclerosis	T	319	–	–	–	–	–	–	–	–	–
		M	163	2	–	–	–	–	1	1	2	5
		F	156	–	–	–	–	–	–	4	4	2
600	Infections of kidney	T	252	–	–	–	–	–	–	–	–	–
		M	110	–	–	1	–	–	–	–	2	–
		F	142	–	–	–	–	–	–	–	1	1
602, 604	Calculi of urinary system	T	32	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	–	–	–	–	–
		F	18	–	–	–	–	–	1	–	–	–
601, 603, 605–609	Other diseases of urinary system	T	69	–	–	–	–	–	–	–	–	–
		M	40	3	–	–	–	–	–	–	–	–
		F	29	2	–	–	–	–	–	–	–	–
610	Hyperplasia of prostate	T	102	–	–	–	–	–	–	–	–	–
		M	102	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

[1] For category numbers, see table 10.

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	Age of decedents (years).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
518, 521	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	2	2	3	–	3	4	2	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	–	1	1	1	3	–	–	–	–
519	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual[1]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	3	4	6	22	29	51	47	63	43	24	9	3	2	–	–
	4	–	4	2	3	2	7	9	21	18	30	8	9	2	2	–	–
IX.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	21	38	52	93	96	134	180	157	136	110	96	36	13	4	–	–
	6	18	30	45	57	53	72	98	84	97	122	106	60	16	4	–	–
530–535	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
540	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	1	5	10	15	21	16	20	12	17	5	–	–	–	–
	–	1	1	1	2	4	2	4	6	9	13	18	8	–	–	–	–
541	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	8	1	2	9	22	22	24	19	16	13	9	1	–	–	–
	–	1	2	2	3	1	3	7	1	4	5	8	5	2	–	–	–
543	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	1	1	3	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
550–553	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	1	5	3	1	3	1	5	9	2	1	–	–	–	–
	–	–	1	1	1	–	2	1	2	2	3	3	2	–	–	–	–
560, 561, 570	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	1	2	4	5	7	19	16	22	14	22	6	2	2	–	–
	–	1	2	1	3	5	8	12	14	21	32	27	21	4	1	–	–
571, 572	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	4	4	3	7	11	7	7	5	1	2	–	–	–
	2	2	2	4	3	–	3	10	9	9	15	9	4	6	–	–	–
581	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	10	21	38	58	52	58	74	62	31	20	14	1	1	–	–	–
	1	9	16	24	34	34	41	39	22	20	15	6	7	1	–	–	–
.0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	5	10	20	33	26	44	43	47	25	18	14	1	1	–	–	–
	1	5	9	15	26	25	34	28	20	19	14	6	7	1	–	–	–
.1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	5	11	18	25	26	14	31	15	6	2	–	–	–	–	–	–
	–	4	7	9	8	9	7	11	2	1	1	–	–	–	–	–	–
584, 585	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	1	2	5	7	6	13	13	8	2	4	1	–	–
	–	–	–	1	4	1	3	8	7	16	19	14	8	2	–	–	–
Residual[1]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	5	6	8	13	9	23	26	20	16	19	15	11	3	1	–	–
	3	3	6	11	7	8	9	17	23	16	18	18	5	1	3	–	–
X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	11	7	14	14	19	23	37	67	65	69	59	40	13	–	–	–
	4	1	5	15	23	23	16	27	42	49	56	56	27	10	3	–	–
590–594	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	9	7	12	9	12	12	17	27	20	15	9	12	2	–	–	–
	2	–	2	9	10	10	9	11	19	24	24	26	14	2	1	–	–
590	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	1	1	–	–	1	2	–	–	2	–	–	–	–
	–	–	1	–	–	1	1	1	1	1	–	–	2	–	–	–	–
591	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	2	1	–	–	3	–	–	–	–
	–	–	–	1	2	–	–	–	1	3	1	1	–	–	–	–	–
592–594	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	9	6	12	8	10	12	17	24	17	15	9	7	2	–	–	–
	2	–	1	8	8	9	8	10	17	20	23	25	12	2	1	–	–
600	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	–	1	4	4	7	5	21	15	22	14	10	2	–	–	–
	1	1	1	4	8	10	3	14	17	20	22	21	9	7	2	–	–
602, 604	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	1	–	3	2	4	1	1	–	1	–	–	–
	–	–	–	1	1	1	3	–	2	2	5	2	–	–	–	–	–
601, 603, 605–609	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	2	2	8	10	6	6	2	1	–	–	–
	–	–	–	–	2	1	–	2	3	3	4	7	4	1	–	–	–
610	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	1	9	8	14	21	26	14	7	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] For category numbers, see table 10.

Table 12

Detailed Int. List No.	Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from age of decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
611–617	Other diseases of male genital organs	T	15	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
620, 621	Diseases of breast	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
622–637	Diseases of female genital organs	T	10	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	10	–	–	–	–	–	–	–	–	–
XI.	Deliveries and Complications of Pregnancy, Childbirth and the Puerperium	T	24	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	24	–	–	–	–	–	–	–	–	2
640, 641, 681, 682, 684	Sepsis of pregnancy, childbirth and puerperium	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	1
642, 685, 686	Toxemias of pregnancy and puerperium, etc.[1]	T	3	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
643, 644, 670–672	Hemorrhage of pregnancy and childbirth	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
645	Ectopic pregnancy	T	1	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
650	Abortion without mention of sepsis or toxemia	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
651	Abortion with sepsis	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	1
652	Abortion with toxemia, without mention of sepsis	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
Residual[1]	Other complications of pregnancy, childbirth and puerperium	T	11	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	–
XII.	Diseases of the Skin and Cellular Tissue	T	48	–	–	–	–	–	–	–	–	–
		M	18	1	–	1	–	–	1	–	–	–
		F	30	2	–	–	–	–	–	–	2	3
690–698	Infections of skin and subcutaneous tissue	T	16	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–
		F	12	1	–	–	–	–	–	–	–	–
700–716	Other diseases of skin and subcutaneous tissue	T	32	–	–	–	–	–	–	–	–	–
		M	14	1	–	1	–	–	1	–	–	–
		F	18	1	–	–	–	–	–	–	2	3
XIII.	Diseases of the Bones and Organs of Movement	T	87	–	–	–	–	–	–	–	–	–
		M	35	2	–	1	–	–	–	2	4	2
		F	52	–	2	–	–	–	–	–	–	–
720–725	Arthritis and spondylitis	T	32	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	–	–	–	–
		F	25	–	–	–	–	–	–	–	–	–
726, 727	Muscular rheumatism and rheumatism, unspecified	T	2	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–
730	Osteomyelitis and periostitis	T	6	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	–	–	–	–	–	–
737, 745–749	Ankylosis and acquired musculoskeletal deformities	T	2	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–
731–736, 738–744	All other diseases of musculoskeletal system	T	45	–	–	–	–	–	–	–	–	–
		M	26	2	–	1	–	–	–	2	4	2
		F	19	–	1	–	–	–	–	–	–	–
XIV.	Congenital Malformations	T	620	–	–	–	–	–	–	–	–	–
		M	343	249	11	2	2	2	21	9	5	6
		F	277	213	9	3	6	5	12	4	–	1
751	Spina bifida and meningocele	T	43	–	–	–	–	–	–	–	–	–
		M	17	17	–	–	–	–	–	–	–	–
		F	26	24	1	–	–	1	–	–	–	–
752, 753	Congenital hydrocephalus, etc.[1]	T	76	–	–	–	–	–	–	–	–	–
		M	47	33	2	1	–	1	4	2	1	–
		F	29	18	2	–	3	2	3	–	–	–
754	Congenital malformations of circulatory system	T	306	–	–	–	–	–	–	–	–	–
		M	177	121	8	1	2	1	16	5	4	3
		F	129	92	6	2	3	1	7	3	–	1

[1]For category titles and numbers, see table 10.

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	Age of decedents (years).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
611–617	–	–	–	–	–	–	1	1	1	2	4	3	2	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
620, 621	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
622–637	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XI.	1	–	2	1	2	1	1	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 681, 632, 684	7	4	6	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642, 685, 686	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
643, 644, 670–672	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
645	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
650	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
651	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
652	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual[1]	4	2	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–
XII.	1	1	2	1	2	2	1	–	1	3	3	2	–	2	1	–	–
	–	–	–	–	–	–	3	1	1	3	3	4	1	–	–	–	–
690–698	–	–	–	–	1	–	3	–	1	1	–	1	–	1	–	–	–
	–	–	–	–	–	2	1	–	–	1	2	3	1	–	–	–	–
700–716	1	1	2	1	1	–	–	1	1	2	1	1	–	–	–	–	–
	2	–	–	1	1	1	1	2	3	7	3	2	1	–	–	–	–
XIII.	–	–	–	1	2	3	3	6	9	9	6	7	3	1	–	–	–
	–	–	–	–	1	–	–	–	2	2	1	–	1	–	–	–	–
720–725	–	–	–	–	1	1	1	2	3	6	3	6	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
726, 727	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
730	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	2	1	–	–	1	–	–	–
737, 745–749	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
731–736.	2	–	–	1	–	1	1	2	1	3	2	2	–	–	–	–	–
738–744 XIV.	–	–	–	1	–	2	1	4	6	1	2	–	1	–	–	–	–
	4	1	4	9	5	3	6	1	2	1	–	–	–	–	–	–	–
751	1	2	4	1	6	1	2	2	3	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
752, 753	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
754	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	2	6	2	1	2	–	1	–	–	–	–	–	–	–	–
	1	1	4	1	3	–	1	1	1	1	–	–	–	–	–	–	–

[1] For category titles and numbers, see table 10.

Table 12

Detailed Int. List No.	Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from age of decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
750, 755–759	Other congenital malformations	T	195	–	–	–	–	–	–	–	–	–
		M	102	78	1	–	–	–	1	2	–	3
		F	93	79	–	1	–	–	2	1	–	–
XV.	Certain Diseases of Early Infancy	T	1,557	–	–	–	–	–	–	–	–	–
		M	924	924	–	–	–	–	–	–	–	–
		F	633	632	–	–	–	–	1	–	–	–
760, 761	Birth injuries	T	213	–	–	–	–	–	–	–	–	–
		M	104	104	–	–	–	–	–	–	–	–
		F	109	109	–	–	–	–	–	–	–	–
762	Postnatal asphyxia and atelectasis	T	411	–	–	–	–	–	–	–	–	–
		M	253	253	–	–	–	–	–	–	–	–
		F	158	158	–	–	–	–	–	–	–	–
763–768	Infections of newborn	T	107	–	–	–	–	–	–	–	–	–
		M	68	68	–	–	–	–	–	–	–	–
		F	39	39	–	–	–	–	–	–	–	–
770	Hemolytic disease of newborn (erythroblastosis)	T	76	–	–	–	–	–	–	–	–	–
		M	40	40	–	–	–	–	–	–	–	–
		F	36	35	–	–	–	–	1	–	–	–
769,771, 772	All other defined diseases of early infancy	T	39	–	–	–	–	–	–	–	–	–
		M	24	24	–	–	–	–	–	–	–	–
		F	15	15	–	–	–	–	–	–	–	–
773–776	Ill-defined diseases peculiar to early infancy and immaturity unqualified	T	711	–	–	–	–	–	–	–	–	–
		M	414	414	–	–	–	–	–	–	–	–
		F	297	297	–	–	–	–	–	–	–	–
XVI.	Symptoms, Senility and Ill-defined Conditions	T	225	–	–	–	–	–	–	–	–	–
		M	117	9	–	1	1	–	–	–	–	5
		F	108	8	–	–	1	–	–	–	1	–
794	Senility without mention of psychosis	T	14	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–
		F	11	–	–	–	–	–	–	–	–	–
780-793, 795	Symptoms, ill-defined and unknown causes	T	211	–	–	–	–	–	–	–	–	–
		M	114	9	–	1	1	–	–	–	–	5
		F	97	8	–	–	1	–	–	–	1	–
XVII.	Accidents, Poisonings and Violence	T	2,861	–	–	–	–	–	–	–	–	–
		M	1,764	33	19	12	18	11	52	31	84	105
		F	1,087	22	8	11	10	6	23	11	26	14
800–962	Accidents	T	2,392	–	–	–	–	–	–	–	–	–
		M	1,427	32	18	12	18	11	51	29	79	87
		F	965	22	8	10	10	5	23	11	23	11
800–802	Railroad accidents	T	29	–	–	–	–	–	–	–	–	–
		M	25	1	–	–	–	–	3	–	2	–
		F	4	–	–	–	–	–	–	–	–	–
810–835	Motor-vehicle accidents	T	632	–	–	–	–	–	–	–	–	–
		M	451	–	3	2	10	6	16	6	43	57
		F	181	1	3	3	2	1	15	6	13	9
810–825	Motor-vehicle traffic accidents	T	624	–	–	–	–	–	–	–	–	–
		M	447	–	2	2	10	6	16	6	43	57
		F	177	1	1	3	2	1	14	6	13	9
810	Motor-vehicle traffic accident with railroad train	T	7	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	2
		F	3	–	–	–	–	–	–	–	–	1
812	Motor-vehicle traffic accident to pedestrian	T	231	–	–	–	–	–	–	–	–	–
		M	161	–	–	2	9	5	13	3	6	–
		F	70	–	1	2	2	–	10	2	–	–
811, 813–819	Other motor-vehicle traffic accidents, etc.[1]	T	253	–	–	–	–	–	–	–	–	–
		M	185	–	1	–	1	1	2	1	24	28
		F	68	–	–	1	–	–	3	4	8	5
820–824	Motor-vehicle noncollision traffic accidents	T	86	–	–	–	–	–	–	–	–	–
		M	57	–	–	–	–	–	–	2	7	16
		F	29	1	–	–	–	1	1	–	3	2
825	Motor-vehicle traffic accident of unspecified nature	T	47	–	–	–	–	–	–	–	–	–
		M	40	–	1	–	–	–	1	–	6	11
		F	7	–	–	–	–	–	–	–	2	1
830–835	Motor-vehicle nontraffic accidents	T	8	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	–	–	–
		F	4	–	2	–	–	–	1	–	–	–
840–845	Other road-vehicle accidents	T	5	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–
850–858	Water-transport accidents	T	26	–	–	–	–	–	–	–	–	–
		M	26	–	–	–	–	–	–	3	3	4
		F	–	–	–	–	–	–	–	–	–	–
860–866	Aircraft accidents	T	17	–	–	–	–	–	–	–	–	–
		M	16	–	–	–	–	–	–	–	–	6
		F	1	–	–	–	–	–	–	–	–	–

[1] For category titles, see table 10.

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
750, 755–759	2		2	3	3	1	3	1	1	1							
XV.					3	1	1	1	2	1							
760, 761																	
762																	
763–768																	
770																	
769, 771, 772																	
773–776																	
XVI.																	
794	2	2	3	1	9	7	8	12	11	17	9	10	7	3			
	1	1	4	4	3	4	13	8	9	12	12	12	8	2	4	1	
780–793, 795										1		1	1				
XVII.	2	2	3	1	9	7	8	12	11	16	9	9	6	3			
	1	1	4	4	3	4	13	8	9	11	12	11	5	1			
800–962	87	75	93	108	119	121	95	111	137	134	120	84	85	25	5		
	31	26	22	34	36	43	48	53	68	91	131	170	129	64	18	2	
800–802	64	54	69	73	73	81	71	85	115	109	108	77	81	25	5		
	19	14	14	22	17	25	36	45	63	82	126	168	127	64	18	2	
810–835		3	2	3	4	3	2	1	1								
			1			1		1		1							
810–825	41	25	25	27	27	21	22	18	34	25	24	16	2	1			
	12	2	4	10	4	11	13	11	14	14	14	13	3	3			
810	41	25	24	27	26	21	21	18	34	25	24	16	2	1			
	12	2	4	10	4	11	13	11	14	14	14	12	3	3			
812	1		1														
					1				1								
811, 813–819	2	2	4	7	11	9	9	10	23	16	17	10	2	1			
				2	1	8	5	4	10	8	10	3	1	1			
820–824	23	11	10	15	14	11	10	7	10	7	5	4					
	7		3	7	2	2	6	6	3	4	3	4					
825	10	7	7	3		1	2	1		1							
	4	2	1	1			1	1		2	1	5	1	2			
830–835	5	5	2	2	1				1	1	2	2					
	1					1	1						1				
840–845			1		1		1										
												1					
850–858							1					1					
		2	1	1	2	3		2	5								
860–866																	
	2	2	3	1	1		1										

Table 12

Detailed Int. List No.	Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from age of decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
870–888	Accidental poisoning by solid and liquid substances	T	43	–	–	5	1	–	–	–	2	1
		M	28	–	2	2	–	–	1	–	1	–
		F	15	–	–	–	–	–	–	1	1	1
890–895	Accidental poisoning by gases and vapors	T	31	–	–	–	–	–	–	1	1	1
		M	22	–	–	–	–	–	–	–	–	–
		F	9	–	–	–	–	–	–	–	–	–
900–904	Accidental falls	T	1,087	–	–	–	2	–	5	–	6	6
		M	483	1	–	–	1	1	1	–	2	–
		F	604	2	–	–	1	–	1	–	2	5
900–902	Fall from one level to another	T	318	–	–	–	1	–	4	–	2	5
		M	178	–	–	–	–	1	1	–	1	–
		F	140	1	–	–	–	–	–	–	–	–
903	Fall on same level	T	194	–	–	–	–	–	–	–	1	–
		M	72	–	–	–	1	–	–	–	–	–
		F	122	–	–	–	–	–	–	–	–	–
904	Unspecified falls	T	575	–	–	–	1	–	1	–	3	1
		M	233	1	–	–	–	–	–	–	1	–
		F	342	1	–	–	–	–	–	–	–	–
910	Blow from falling object	T	17	–	–	–	–	–	–	–	–	–
		M	17	–	2	–	–	–	–	3	2	1
		F	–	–	–	–	–	–	–	–	–	–
912	Accident caused by machinery	T	12	–	–	–	–	–	–	–	–	1
		M	11	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
914	Accident caused by electric current	T	16	–	–	–	–	–	–	–	–	1
		M	15	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
916	Accident caused by fire and explosion, etc.[1]	T	160	–	–	–	–	–	–	–	–	–
		M	95	2	2	1	1	3	3	1	1	1
		F	65	2	2	3	1	1	3	–	1	2
917, 918	Accident caused by hot substance, etc.[1]	T	11	–	–	–	–	–	–	–	–	–
		M	8	–	2	–	–	–	–	–	–	1
		F	3	–	–	–	–	–	–	–	–	–
919	Accident caused by firearms	T	12	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	–	2	1
		F	1	–	–	–	–	–	–	1	–	–
921, 922	Inhalation and ingestion of food or other object	T	35	–	–	–	–	–	–	–	–	–
		M	23	12	2	–	–	–	1	–	–	1
		F	12	5	–	–	–	–	1	–	–	–
929	Accidental drowning	T	121	–	–	–	–	–	–	–	–	–
		M	103	1	2	4	2	1	20	8	15	4
		F	18	–	–	2	3	1	1	4	3	–
931	Excessive heat and insolation	T	3	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–
940–959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.[1]	T	17	–	–	–	–	–	–	–	–	–
		M	9	–	–	–	1	–	–	–	–	–
		F	8	–	–	–	–	–	–	–	2	–
Residual[1]	All other accidents	T	118	–	–	–	–	–	–	–	–	–
		M	80	15	5	–	1	1	3	7	2	1
		F	38	12	–	–	3	1	1	–	1	–
963, 970–979	Suicide	T	420	–	–	–	–	–	–	–	–	–
		M	303	–	–	–	–	–	–	1	5	15
		F	117	–	–	–	–	–	–	–	1	2
970–973	Suicide by poisoning	T	114	–	–	–	–	–	–	–	–	–
		M	75	–	–	–	–	–	–	–	1	2
		F	39	–	–	–	–	–	–	–	–	1
974	Suicide by hanging and strangulation	T	130	–	–	–	–	–	–	–	–	–
		M	98	–	–	–	–	–	–	1	3	3
		F	32	–	–	–	–	–	–	–	–	1
976	Suicide by firearms and explosives	T	99	–	–	–	–	–	–	–	–	–
		M	90	–	–	–	–	–	–	–	1	9
		F	9	–	–	–	–	–	–	–	1	–
963, 975, 977–979	Suicide by all other means	T	77	–	–	–	–	–	–	–	–	–
		M	40	–	–	–	–	–	–	–	–	1
		F	37	–	–	–	–	–	–	–	–	–
964, 980–985	Homicide	T	49	–	–	–	–	–	–	–	–	–
		M	34	1	1	–	–	–	1	1	–	3
		F	15	–	–	1	–	1	–	–	2	1
981	Assault by firearms and explosives	T	16	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	–	–	–	1	–	1
		F	5	–	–	–	–	–	–	–	1	1
982	Assault by cutting and piercing instruments	T	12	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	–	–

[1] For category titles and numbers, see table 10.

256 Selected Causes, by Age and Sex: 1953.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
870–888	–	–	1	2	1	4	6	1	2	1	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	1	–	2	1	1	–	–	2	–	1	–	–	–	–	–
890–895	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	–	1	2	3	3	2	3	–	1	1	–	–	–	–
	–	1	2	–	1	1	–	1	1	–	1	–	–	–	1	–	–
900–904	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	6	10	18	19	28	13	31	47	62	74	53	72	23	5	–	–
	1	6	2	6	5	6	13	19	40	53	105	142	119	61	17	2	–
900–902	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	5	6	9	14	7	13	18	25	31	11	13	10	2	–	–
	–	4	1	3	4	4	8	6	9	14	20	33	17	11	2	–	–
903	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	2	3	3	2	4	12	6	15	11	12	–	1	–	–
	–	–	–	–	–	–	1	7	10	7	26	26	31	11	2	–	–
904	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	5	5	10	7	11	4	14	17	31	28	31	47	13	2	–	–
	1	2	1	3	1	2	4	6	21	32	59	83	71	39	13	2	–
910	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	3	–	1	–	1	2	1	–	–	–	–	–	–	–	–
912	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	–	1	–	–	2	2	–	–	–	–	–	–	–	–	–
914	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2	4	5	–	1	1	1	–	–	–	–	–	–	–	–	–	–
916	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	7	6	6	7	7	12	8	11	6	1	3	1	–	–	–
917, 918	4	3	–	2	1	4	5	5	6	6	2	7	5	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–
919	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	1	1	–	2	1	1	–	–	–	–	–	–	–	–	–
921, 922	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	1	–	1	–	–	2	–	1	–	–	–	–	–	–
929	–	–	2	1	–	–	1	1	–	–	1	–	–	–	–	–	–
	4	3	6	8	5	6	3	4	3	3	–	1	–	–	–	–	–
931	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
940–959	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	1	–	–	–	4	2	1	–	–	–	–	–	–	–	–
Residual[1]	–	–	–	1	–	–	1	1	–	1	1	1	–	–	–	–	–
	2	4	–	4	5	3	2	6	7	3	3	3	3	–	–	–	–
963, 970–979	1	1	2	2	2	–	2	2	1	3	2	2	–	–	–	–	–
	16	16	23	33	42	36	23	26	21	23	12	7	4	–	–	–	–
970–973	12	11	8	9	15	18	12	8	4	9	4	2	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	4	7	12	13	6	5	7	5	2	2	3	–	–	–	–	–
974	4	5	4	4	7	4	2	1	–	4	1	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	4	11	14	10	9	11	8	13	5	2	–	–	–	–	–
976	–	2	2	2	3	9	5	4	–	2	1	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	5	9	6	13	15	5	2	5	7	5	2	1	–	–	–	–
963, 975, 977–979	3	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	7	3	4	2	5	4	6	3	1	–	–	3	–	–	–	–
964, 980–985	5	3	2	3	3	4	5	2	4	3	2	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	5	1	2	4	4	1	–	1	2	–	–	–	–	–	–	–
981	–	1	–	3	4	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–
982	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	3	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–

[1] For category titles and numbers, see table 10.

Detailed Int. List No.	Table 12 — Cause of Death.	Sex.	Allocated Deaths (Exclusive of Stillbirths) from — Age of decedents (years). Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
964,980, 983	Assault by other means . .	T	20	–	–	–	–	–	–	–	–	–
		M	12	1	1	–	–	–	1	–	–	–
		F	8	–	–	1	–	1	–	–	1	–
984	Injury by intervention of police .	T	1	–	–	–	–	–	–	–	–	1
		M	1	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–
985	Execution	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–
965, 990–999	Injury resulting from operations of war	T	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–

256 Selected Causes, by Age and Sex: 1958.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	94 to 99.	100 and over.	Unknown.
964, 980, 983	1		1		1	3	1			2							
984				1	2				1		1						
985																	
965, 990–999																	

Table 13

DEATHS FROM IMPORTANT CAUSES BY PLACE OF OCCURRENCE AND BY PLACE OF RESIDENCE: 1958.

Abbreviated Int. List No.	CAUSE OF DEATH[1]	Total deaths occurring in State.	Deaths of nonresidents occurring in State.	Deaths of residents occurring out of State.	Total deaths of residents.
	All Causes[2]	**55,575**	**1,539**	**756**	**54,792**
(1)	Tuberculosis of the respiratory system (1–8)	310	7	2	305
(2)	All other forms of tuberculosis (10–19)	9	–	–	9
(3)	Syphilis (20–29)	82	1	1	82
(4)	Typhoid fever (40)	–	–	–	–
(6)	Dysentery, all forms (45–48)	1	–	–	1
(7)	Scarlet fever and streptococcal sore throat (50, 51)	1	–	–	1
(8)	Diphtheria (55)	–	–	–	–
(9)	Whooping cough (56)	2	–	–	2
(10)	Meningococcal infections (57)	26	1	–	25
(12)	Acute poliomyelitis (80)	1	–	1	2
(14)	Measles (85)	3	–	1	4
(16)	Malaria (110–117)	1	–	–	1
(17)	Infectious hepatitis (92)	26	2	–	24
(17)	All other diseases classified as infective and parasitic (residual)	121	5	–	116
(18)	Malignant neoplasms (140–205)	9,784	352	94	9,526
(19)	Benign and unspecified neoplasms (210–239)	161	11	2	152
(20)	Diabetes mellitus (260)	888	10	16	894
(21)	Anemias (290–293)	87	7	3	83
(22)	Vascular lesions affecting central nervous system (330–334)	6,098	107	72	6,063
(23)	Nonmeningococcal meningitis (340)	84	2	–	82
(24)	Rheumatic fever (400–402)	14	1	–	13
(25)	Chronic rheumatic heart disease (410–416)	679	35	9	653
(26)	Arteriosclerotic heart disease, including coronary disease (420)	18,573	367	223	18,429
(26)	Degenerative heart disease (421,422)	1,418	25	20	1,413
(27)	Other diseases of heart (430–434)	730	19	12	723
(28)	Hypertension with heart disease (440–443)	1,967	28	18	1,957
(29)	Hypertension without mention of heart (444–447)	413	10	5	408
(30)	Influenza (480–483)	25	–	–	25
(31)	Pneumonia (490–493)	2,134	30	19	2,123
(32)	Bronchitis (500–502)	143	5	1	139
(33)	Ulcer of stomach and duodenum (540, 541)	402	13	1	390
(34)	Appendicitis (550–553)	62	2	–	60
(35)	Intestinal obstruction and hernia (560, 561, 570)	312	15	5	302
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	176	5	4	175
(37)	Cirrhosis of the liver (581)	731	25	5	711
(38)	Nephritis and nephrosis (590–594)	379	24	4	359
(39)	Hyperplasia of prostate (610)	102	–	–	102
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	24	–	–	24
(41)	Congenital malformations (750–759)	695	78	3	620
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	631	17	10	624
(43)	Infections of the newborn (763–768)	112	5	–	107
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	839	21	8	826
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	163	4	66	225
(46)	Arteriosclerosis (450)	1,174	11	8	1,171
(46)	All other diseases (residual)	3,058	116	38	2,980
(47)	Motor-vehicle accidents (810–835)	649	56	39	632
(48)	Railroad accidents and injuries (800–802)	26	1	4	29
(48)	Air-transport accidents (860–866)	63	49	3	17
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	167	3	7	171
(48)	Accidental drowning (850, 851, 929)	138	13	19	144
(48)	Accidental falls (transport accidents excepted) (900–904)	1,094	24	17	1,087
(48)	All other accidents	313	12	11	312
(49)	Suicide and self-inflicted injury (963, 970–979)	431	16	5	420
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	53	4	–	49

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.
[2] Exclusive of stillbirths.

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from The State.	Barnstable County.	Barnstable.	Bourne.	Brewster.	Chatham.	Dennis.	Eastham.	Falmouth.	Harwich.
	All Causes.[2]	54,792	787	149	86	27	43	54	16	95	84
(1)	Tuberculosis of the respiratory system (1–8)	305	3	–	–	–	–	–	–	1	1
(2)	All other forms of tuberculosis (10–19)	9	–	–	–	–	–	–	–	–	–
(3)	Syphilis (20–29)	82	3	–	1	–	–	–	–	–	1
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45–48)	1	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	1	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	2	–	–	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	25	–	–	–	–	–	–	–	–	–
(12)	Acute poliomyelitis (80)	2	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	4	–	–	–	–	–	–	–	–	–
(16)	Malaria (110–117)	1	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	24	–	–	–	–	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	116	1	–	–	–	–	1	–	–	–
(18)	Malignant neoplasms (140–205)	9,526	147	31	13	9	7	8	3	20	17
(19)	Benign and unspecified neoplasms(210–239)	152	3	–	1	1	–	–	–	–	–
(20)	Diabetes mellitus (260)	894	11	2	–	–	–	–	–	2	5
(21)	Anemias (290–293)	83	1	–	–	–	–	–	–	1	–
(22)	Vascular lesions affecting central nervous system (330–334)	6,063	109	20	13	5	3	15	2	8	14
(23)	Nonmeningococcal meningitis (340)	82	2	–	1	–	–	–	1	–	–
(24)	Rheumatic fever (400–402)	13	–	–	–	–	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410–416)	653	6	2	–	–	–	–	–	–	1
(26)	Arteriosclerotic heart disease, including coronary disease (420)	18,429	248	54	23	6	18	20	5	29	23
(26)	Degenerative heart disease (421, 422)	1,413	16	1	–	–	–	–	–	1	2
(27)	Other diseases of heart (430–434)	723	13	2	1	–	1	1	1	–	1
(28)	Hypertension with heart disease (440–443)	1,957	18	3	2	–	1	1	3	–	–
(29)	Hypertension without mention of heart (444–447)	408	17	1	3	1	–	–	–	1	4
(30)	Influenza (480–483)	25	–	–	–	–	–	–	–	–	–
(31)	Pneumonia (490–493)	2,123	22	4	3	–	2	1	–	5	2
(32)	Bronchitis (500–502)	139	1	–	–	–	–	–	–	1	–
(33)	Ulcer of stomach and duodenum (540, 541)	390	5	–	2	–	–	–	–	–	–
(34)	Appendicitis (550–553)	60	–	–	–	–	–	–	–	–	–
(35)	Intestinal obstruction and hernia (560, 561, 570)	302	14	4	4	–	1	–	–	1	1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	175	–	–	–	–	–	–	–	–	–
(37)	Cirrhosis of the liver (581)	711	8	1	–	–	1	2	–	3	–
(38)	Nephritis and nephrosis (590–594)	359	2	–	–	–	–	–	–	1	–
(39)	Hyperplasia of prostate (610)	102	2	–	–	–	–	1	–	–	1
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	24	1	1	–	–	–	–	–	–	–
(41)	Congenital malformations (750–759)	620	10	2	2	–	1	–	–	2	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	624	8	2	–	–	–	1	–	2	1
(43)	Infections of the newborn (763–768)	107	3	–	1	–	–	–	–	–	–
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	826	15	1	6	–	–	–	–	5	1
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	225	1	–	–	–	1	–	–	–	–
(46)	Arteriosclerosis (450)	1,171	11	7	–	1	–	1	–	–	–
(46)	All other diseases (residual)	2,980	45	6	5	1	3	1	–	4	3
(47)	Motor-vehicle accidents (810–835)	632	8	–	–	–	1	1	–	2	3
(48)	Railroad accidents and injuries (800–802)	29	–	–	–	–	–	–	–	–	–
(48)	Air-transport accidents (860–866)	17	2	–	–	–	–	–	–	2	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	171	3	–	–	1	–	–	–	1	–
(48)	Accidental drowning (850, 851, 929)	144	5	–	1	–	1	–	–	–	1
(48)	Accidental falls (transport accidents excepted) (900–904)	1,087	11	3	2	–	1	–	1	1	–
(48)	All other accidents	312	–	–	–	–	–	–	–	–	–
(49)	Suicide and self-inflicted injury (963, 970–979)	420	11	2	1	2	1	–	–	2	1
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	49	1	–	1	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	Mashpee.	Orleans.	Provincetown.	Sandwich.	Truro.	Wellfleet.	Yarmouth.	BERKSHIRE COUNTY.	Adams.	Alford.	Becket.	Cheshire.	Clarksburg.	Dalton.	Egremont.	Florida.	Great Barrington.	Hancock.	Hinsdale.
	13	31	68	30	6	18	67	1,603	143	4	11	23	21	63	16	8	83	9	21
(1)	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
(2)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(18)	1	3	6	7	–	6	16	296	21	–	2	8	2	15	4	1	17	1	4
(19)	–	–	–	–	–	1	–	7	–	–	–	–	–	–	–	–	1	–	–
(20)	–	–	2	–	–	–	–	28	2	–	–	1	–	1	1	1	1	–	1
(21)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
(22)	1	5	14	–	–	1	8	191	15	1	1	3	4	3	1	–	9	1	2
(23)	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
(24)	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
(25)	–	2	1	–	–	–	–	10	–	–	–	–	–	–	–	–	–	–	–
(26)	4	6	19	11	3	4	23	560	62	1	4	4	11	21	4	4	28	4	7
(26)	–	1	7	1	–	1	2	24	–	–	–	1	–	–	1	–	1	–	1
(27)	–	1	4	–	1	–	–	26	5	–	1	–	–	1	–	–	3	–	1
(28)	1	–	1	2	–	1	3	64	6	2	1	1	–	5	1	–	2	–	–
(29)	–	3	–	1	–	1	2	19	2	–	–	1	1	1	–	1	1	–	–
(30)	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–
(31)	2	–	1	–	–	1	1	45	4	–	–	1	2	1	–	–	2	–	–
(32)	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
(33)	–	–	2	1	–	–	–	10	1	–	–	–	–	–	–	–	1	–	–
(34)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	1	–	2	9	–	–	–	–	–	1	–	–	1	–	1
(36)	–	–	–	–	–	–	–	9	1	–	–	–	–	–	–	–	1	–	–
(37)	–	–	–	–	–	–	1	21	3	–	1	–	–	–	–	–	1	–	–
(38)	–	–	–	1	–	–	–	17	3	–	–	–	1	1	–	–	–	1	–
(39)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(41)	–	–	1	–	–	–	1	15	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	1	–	–	17	2	–	–	1	–	1	–	–	1	1	–
(43)	–	–	–	1	–	–	1	3	–	–	–	–	–	–	–	–	–	–	1
(44)	–	–	–	–	–	–	2	20	1	–	–	–	–	1	–	1	1	–	–
(45)	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	3	–	–
(46)	–	1	1	–	–	–	–	29	5	–	–	–	–	1	–	–	–	–	1
(46)	2	6	6	3	–	1	4	82	5	–	–	1	–	5	1	–	7	–	–
(47)	–	1	–	–	–	–	–	18	1	–	–	–	–	–	1	–	1	–	–
(48)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
(48)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(48)	–	–	1	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–
(48)	–	1	–	1	–	–	–	3	–	–	–	–	–	1	–	–	–	–	–
(48)	1	–	1	–	–	1	–	27	–	–	1	1	–	2	2	–	–	–	2
(48)	–	–	–	–	–	–	–	9	1	–	–	–	–	–	–	–	–	1	–
(49)	–	–	–	1	–	–	1	11	1	–	–	–	–	–	–	–	–	–	–
(50)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Lanesborough.	Lee.	Lenox.	Monterey.	Mount Washington.	New Ashford.	New Marlborough.	North Adams.	Otis.	Peru.
	All Causes.[2]	33	48	48	8	1	–	13	260	12	2
(1)	Tuberculosis of the respiratory system (1–8)	1	–	–	–	–	–	–	–	–	–
(2)	All other forms of tuberculosis (10–19)	–	–	–	–	–	–	–	–	–	–
(3)	Syphilis (20–29)	–	–	1	–	–	–	–	–	–	–
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45–48)	–	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	–	–	–	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	–	–	–	–	–	–	–	–	–	–
(12)	Acute poliomyelitis (80)	–	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	–	–	–	–	–	–	–	–	–	–
(16)	Malaria (110–117)	–	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	–	–	–	–	–	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	–	–	–	–	–	–	–	–	–	–
(18)	Malignant neoplasms (140–205)	3	10	10	1	1	–	4	47	1	–
(19)	Benign and unspecified neoplasms (210–239)	–	–	–	–	–	–	–	1	–	–
(20)	Diabetes mellitus (260)	–	2	–	–	–	–	–	4	–	–
(21)	Anemias (290–293)	–	–	–	–	–	–	–	–	–	–
(22)	Vascular lesions affecting central nervous system (330–334)	4	5	12	–	–	–	1	28	–	–
(23)	Nonmeningococcal meningitis (340)	1	–	–	–	–	–	–	–	–	–
(24)	Rheumatic fever (400–402)	–	–	–	–	–	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410–416)	–	1	1	–	–	–	–	2	–	–
(26)	Arteriosclerotic heart disease, including coronary disease (420)	7	15	12	3	–	–	4	114	4	1
(26)	Degenerative heart disease (421, 422)	1	3	2	1	–	–	–	1	1	–
(27)	Other diseases of heart (430–434)	2	–	–	–	–	–	–	1	–	–
(28)	Hypertension with heart disease (440–443)	1	4	3	–	–	–	1	7	–	–
(29)	Hypertension without mention of heart (444–447)	–	–	1	1	–	–	–	3	–	–
(30)	Influenza (480–483)	–	–	–	–	–	–	–	–	–	–
(31)	Pneumonia (490–493)	1	–	1	1	–	–	–	7	–	–
(32)	Bronchitis (500–502)	–	–	–	–	–	–	–	–	–	–
(33)	Ulcer of stomach and duodenum (540, 541)	–	–	–	–	–	–	–	4	1	–
(34)	Appendicitis (550–553)	–	–	–	–	–	–	–	1	–	–
(35)	Intestinal obstruction and hernia (560, 561, 570)	1	–	–	–	–	–	–	4	–	–
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	–	1	–	–	–	–	2	–	–
(37)	Cirrhosis of the liver (581)	2	–	–	–	–	–	–	2	1	1
(38)	Nephritis and nephrosis (590–594)	–	–	–	–	–	–	–	3	–	–
(39)	Hyperplasia of prostate (610)	–	–	–	–	–	–	–	–	–	–
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	–	–	–	–	–	–	–	–	–	–
(41)	Congenital malformations (750–759)	1	–	–	–	–	–	–	2	–	–
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	1	–	–	–	–	–	–	3	–	–
(43)	Infections of the newborn (763–768)	–	–	–	–	–	–	–	–	–	–
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	1	1	1	–	–	–	–	3	–	–
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	–	–	–	–	–	–	–	–	–	–
(46)	Arteriosclerosis (450)	–	–	–	–	–	–	1	6	–	–
(46)	All other diseases (residual)	1	7	–	–	–	–	2	5	3	–
(47)	Motor-vehicle accidents (810–835)	2	–	2	–	–	–	–	2	–	–
(48)	Railroad accidents and injuries (800–802)	–	–	–	–	–	–	–	–	–	–
(48)	Air-transport accidents (860–866)	–	–	–	–	–	–	–	–	–	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	–	–	–	–	–	–	–	4	–	–
(48)	Accidental drowning (850, 851, 929)	–	–	–	–	–	–	–	–	–	–
(48)	Accidental falls (transport accidents excepted) (900–904)	1	–	1	–	–	–	–	4	1	–
(48)	All other accidents	–	–	–	1	–	–	–	–	–	–
(49)	Suicide and self-inflicted injury (963, 970–979)	–	–	–	–	–	–	–	–	–	–
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	1	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	Pittsfield.	Richmond.	Sandisfield.	Savoy.	Sheffield.	Stockbridge.	Tyringham.	Washington.	West Stockbridge.	Williamstown.	Windsor.	BRISTOL COUNTY.	Acushnet.	Attleboro.	Berkley.	Dartmouth.	Dighton.	Easton.	Fairhaven.
	585	6	13	6	31	30	–	4	10	84	7	4,390	47	291	4	111	39	84	140
(1)	–	–	–	–	–	–	–	–	–	1	–	23	–	1	–	–	1	–	–
(2)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(3)	–	–	–	–	1	–	–	–	–	–	–	6	–	1	–	–	–	–	1
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1
(12)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	–
(17)	1	–	–	–	–	–	–	–	–	–	–	7	–	–	–	2	–	–	–
(18)	106	1	4	1	5	3	–	–	3	19	2	734	4	53	–	18	8	12	27
(19)	4	–	–	–	–	1	–	–	–	–	–	15	–	–	–	–	–	–	–
(20)	7	–	–	–	–	1	–	–	–	5	1	105	–	5	–	3	–	–	3
(21)	2	–	–	–	–	–	–	–	–	–	–	9	–	1	–	–	–	–	–
(22)	82	–	–	–	4	3	–	1	1	10	–	502	6	43	–	19	6	6	10
(23)	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	1	–	–
(24)	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
(25)	4	–	–	–	–	–	–	–	–	2	–	26	–	–	–	2	–	–	–
(26)	184	3	4	2	16	13	–	–	1	24	3	1,520	22	95	3	27	13	25	48
(26)	9	–	–	–	–	–	–	–	1	–	1	100	–	7	–	5	–	11	3
(27)	11	–	1	–	–	–	–	–	–	–	–	77	–	2	–	2	1	1	3
(28)	26	–	–	–	–	–	–	1	–	3	–	226	2	15	–	2	2	3	8
(29)	5	–	–	–	1	–	–	–	–	1	–	58	–	1	–	1	1	1	1
(30)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(31)	17	2	1	1	1	–	–	1	–	2	–	163	3	10	–	6	–	3	5
(32)	2	–	–	–	–	–	–	–	–	1	–	17	1	–	–	–	–	1	–
(33)	3	–	–	–	–	–	–	–	–	–	–	26	–	2	–	–	–	2	1
(34)	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
(35)	1	–	–	–	–	–	–	–	–	–	–	19	–	–	–	–	–	–	1
(36)	1	–	–	–	–	1	–	–	–	1	–	7	1	–	–	–	–	1	–
(37)	8	–	–	–	–	1	–	–	–	1	–	43	–	4	–	1	–	1	2
(38)	6	–	–	1	–	–	–	–	–	1	–	37	1	–	–	–	1	–	–
(39)	1	–	–	1	–	–	–	–	–	–	–	7	–	1	–	–	–	–	–
(40)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(41)	11	–	–	–	–	–	–	–	–	1	–	34	–	3	1	–	–	1	1
(42)	6	–	–	–	–	–	–	–	–	1	–	33	–	1	–	–	–	1	1
(43)	2	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–
(44)	9	–	1	–	–	–	–	–	–	–	–	66	2	3	–	1	1	2	3
(45)	1	–	–	–	2	1	–	–	–	–	–	18	–	1	–	1	–	–	2
(46)	13	–	–	–	–	–	–	–	–	2	–	82	1	7	–	10	–	–	3
(46)	36	–	1	–	–	4	–	–	2	2	–	219	2	21	–	10	1	9	6
(47)	9	–	–	–	–	–	–	–	–	–	–	59	1	5	–	–	–	1	1
(48)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(48)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(48)	1	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	1	–
(48)	–	–	–	–	–	–	–	–	1	1	–	13	–	–	–	–	–	–	1
(48)	9	–	–	–	–	–	–	–	1	2	–	55	–	3	–	1	1	2	5
(48)	4	–	1	–	–	–	–	–	–	1	–	24	–	3	–	–	1	–	1
(49)	3	–	–	–	1	2	–	1	–	3	–	22	1	2	–	–	1	–	2
(50)	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Fall River.	Freetown.	Mansfield.	New Bedford.	North Attleborough	Norton.	Raynham.	Rehoboth.	Seekonk.	Somerset.
	All Causes.[2]	**1,226**	**29**	**93**	**1,339**	**157**	**54**	**30**	**36**	**74**	**90**
(1)	Tuberculosis of the respiratory system (1–8)	10	–	–	7	–	–	1	–	–	–
(2)	All other forms of tuberculosis (10–19)	–	–	–	1	–	–	–	–	–	–
(3)	Syphilis (20–29)	–	–	–	3	–	–	–	–	–	–
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45–48)	–	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	–	–	–	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	1	–	–	–	–	–	–	–	–	–
(12)	Acute poliomyelitis (80)	1	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	–	–	–	1	–	–	–	1	–	–
(16)	Malaria (110–117)	–	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	2	–	–	–	–	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	2	–	–	3	–	–	–	–	–	–
(18)	Malignant neoplasms (140–205)	181	5	14	231	40	10	2	8	14	14
(19)	Benign and unspecified neoplasms (210–239)	6	–	1	3	–	1	–	–	2	–
(20)	Diabetes mellitus (260)	39	–	2	32	2	1	–	–	3	–
(21)	Anemias (290–293)	3	–	–	3	–	–	–	–	2	–
(22)	Vascular lesions affecting central nervous system (330–334)	150	1	12	155	11	6	–	5	5	15
(23)	Nonmeningococcal meningitis (340)	4	–	–	–	–	–	–	–	–	–
(24)	Rheumatic fever (400–402)	2	–	–	1	–	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410–416)	7	–	–	11	–	–	–	–	–	2
(26)	Arteriosclerotic heart disease, including coronary disease (420)	428	11	31	451	58	20	15	10	28	32
(26)	Degenerative heart disease (421, 422)	23	–	3	26	4	1	–	1	1	1
(27)	Other diseases of heart (430–434)	16	1	3	36	3	–	–	2	2	–
(28)	Hypertension with heart disease (440–443)	69	2	2	70	5	4	2	–	–	4
(29)	Hypertension without mention of heart (444–447)	18	1	1	19	1	–	1	1	–	–
(30)	Influenza (480–483)	–	–	–	–	–	–	–	–	–	–
(31)	Pneumonia (490–493)	49	1	5	52	6	2	3	–	5	1
(32)	Bronchitis (500–502)	6	–	–	6	2	–	–	1	–	–
(33)	Ulcer of stomach and duodenum (540, 541)	9	–	–	7	1	–	–	1	–	–
(34)	Appendicitis (550–553)	1	–	–	2	–	–	–	–	–	–
(35)	Intestinal obstruction and hernia (560, 561, 570)	9	1	–	6	–	–	–	–	–	–
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	–	–	2	–	–	–	1	–	–
(37)	Cirrhosis of the liver (581)	15	1	–	15	2	–	–	–	–	1
(38)	Nephritis and nephrosis (590–594)	17	1	–	8	–	–	–	–	–	1
(39)	Hyperplasia of prostate (610)	3	–	–	1	–	–	–	–	–	–
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	–	–	–	–	–	–	–	–	–	–
(41)	Congenital malformations (750–759)	4	–	–	11	1	1	1	1	1	2
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	9	–	3	7	1	–	–	–	1	3
(43)	Infections of the newborn (763–768)	1	–	–	–	–	1	–	–	–	1
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	17	–	2	15	4	1	–	3	2	2
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	6	–	–	8	–	–	–	–	–	–
(46)	Arteriosclerosis (450)	29	–	–	21	1	–	1	–	–	1
(46)	All other diseases (residual)	42	1	8	72	10	2	3	1	3	6
(47)	Motor-vehicle accidents (810–835)	16	1	1	12	1	3	1	–	2	2
(48)	Railroad accidents and injuries (800–802)	–	–	–	–	–	–	–	–	–	–
(48)	Air-transport accidents (860–866)	–	–	–	–	–	–	–	–	–	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	2	–	–	3	1	–	–	–	1	–
(48)	Accidental drowning (850, 851, 929)	5	–	–	5	–	–	–	–	–	–
(48)	Accidental falls (transport accidents excepted) (900–904)	11	1	2	23	2	–	–	–	–	–
(48)	All other accidents	7	1	2	3	–	1	–	–	1	–
(49)	Suicide and self-inflicted injury (963, 970–979)	4	–	1	6	1	–	–	–	1	2
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	1	–	–	1	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	Swansea.	TAUNTON.	Westport.	DUKES COUNTY.	Chilmark.	Edgartown.	Gay Head.	Gosnold.	Oak Bluffs.	Tisbury.	West Tisbury.	ESSEX COUNTY.	Amesbury.	Andover.	BEVERLY.	Boxford.	Danvers.	Essex.	Georgetown.
	81	413	52	82	4	18	2	–	29	25	4	6,440	147	146	307	12	171	23	35
(1)	1	2	–	–	–	–	–	–	–	–	–	28	–	–	–	–	–	–	–
(2)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	1	–	–	–	–	–	–	–	–	–	–	14	–	–	1	–	1	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	5	2	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	1	–	–	–	–	–	–	–	–	3	–	1	1	–	–	–	–
(17)	–	–	–	–	–	–	–	–	–	–	–	16	–	–	1	–	2	–	–
(18)	20	67	6	8	1	4	–	–	2	1	–	1,080	26	27	53	4	23	2	9
(19)	1	1	–	1	–	1	–	–	–	–	–	12	–	1	–	–	2	–	–
(20)	1	12	2	4	–	–	–	–	3	1	–	114	1	3	7	–	3	–	3
(21)	–	–	–	–	–	–	–	–	–	–	–	15	–	2	–	–	1	–	–
(22)	11	34	7	12	–	3	–	–	5	3	1	822	14	18	31	1	22	–	4
(23)	–	–	–	1	–	–	1	–	–	–	–	6	1	–	–	–	–	–	–
(24)	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
(25)	–	2	2	2	–	–	–	–	–	1	1	73	3	–	1	1	–	–	–
(26)	25	158	20	31	2	4	1	–	12	12	–	2,127	50	60	109	3	62	8	8
(26)	2	12	–	2	–	–	–	–	2	–	–	197	5	1	9	–	3	4	2
(27)	1	2	2	1	–	–	–	–	–	1	–	93	–	–	7	–	1	–	–
(28)	6	27	3	3	–	–	–	–	1	2	–	211	3	2	9	–	5	1	2
(29)	1	10	–	–	–	–	–	–	–	–	–	39	1	1	1	–	2	–	–
(30)	–	–	–	–	–	–	–	–	–	–	–	5	2	–	–	–	–	1	–
(31)	2	9	1	1	–	–	–	–	–	1	–	179	6	5	11	–	3	1	–
(32)	–	–	–	–	–	–	–	–	–	–	–	17	1	–	–	–	–	–	–
(33)	–	3	–	–	–	–	–	–	–	–	–	42	3	1	3	–	2	–	–
(34)	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	–
(35)	–	2	–	–	–	–	–	–	–	–	–	30	–	1	1	–	1	–	–
(36)	–	1	–	–	–	–	–	–	–	–	–	8	–	–	–	–	1	–	–
(37)	–	1	–	4	–	2	–	–	–	2	–	86	–	1	5	–	4	–	–
(38)	3	4	1	–	–	–	–	–	–	–	–	51	5	–	–	–	1	1	–
(39)	1	1	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	–	–
(40)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(41)	–	6	–	–	–	–	–	–	–	–	–	71	2	3	2	–	1	–	–
(42)	–	6	–	–	–	–	–	–	–	–	–	71	2	–	2	–	2	–	–
(43)	–	1	–	–	–	–	–	–	–	–	–	5	–	–	1	–	–	–	–
(44)	1	7	–	–	–	–	–	–	–	–	–	72	2	1	3	–	5	1	–
(45)	–	–	–	–	–	–	–	–	–	–	–	31	–	–	–	1	–	–	3
(46)	–	6	2	5	–	2	–	–	2	–	1	247	6	5	8	–	10	1	1
(46)	–	20	2	4	–	2	–	–	–	1	1	320	6	3	17	1	7	3	2
(47)	1	9	2	1	–	–	–	–	1	–	–	57	3	4	6	1	–	–	1
(48)	–	1	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	–
(48)	–	–	–	–	–	–	–	–	–	–	–	6	–	2	–	–	–	–	–
(48)	–	1	1	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	–
(48)	1	1	–	–	–	–	–	–	–	–	–	29	–	–	2	–	–	–	–
(48)	1	3	–	1	–	–	–	–	1	–	–	142	3	1	7	–	5	–	–
(48)	–	4	–	–	–	–	–	–	–	–	–	39	–	2	5	–	1	–	–
(49)	1	–	–	1	1	–	–	–	–	–	–	41	–	–	3	–	1	–	–
(50)	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Gloucester.	Groveland.	Hamilton.	Haverhill.	Ipswich.	Lawrence.	Lynn.	Lynnfield.	Manchester.	Marblehead.
	All Causes.[2]	**357**	**32**	**21**	**610**	**85**	**941**	**1,250**	**57**	**32**	**181**
(1)	Tuberculosis of the respiratory system (1-8)	–	–	–	2	–	1	12	–	–	1
(2)	All other forms of tuberculosis (10-19)	–	–	–	–	–	–	–	–	–	–
(3)	Syphilis (20-29)	–	–	–	1	–	3	2	1	–	–
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45-48)	–	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	–	–	–	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	–	–	–	1	–	–	2	–	–	–
(12)	Acute poliomyelitis (80)	–	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	–	–	–	–	–	–	–	–	–	–
(16)	Malaria (110-117)	–	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	–	–	–	–	1	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	1	–	–	2	–	2	2	1	–	–
(18)	Malignant neoplasms (140-205)	47	1	3	110	12	167	218	18	5	28
(19)	Benign and unspecified neoplasms (210-239)	1	–	–	–	–	–	5	–	–	–
(20)	Diabetes mellitus (260)	7	–	–	13	–	27	20	1	–	1
(21)	Anemias (290-293)	1	–	–	–	–	1	1	–	–	1
(22)	Vascular lesions affecting central nervous system (330-334)	41	9	2	91	14	147	142	2	2	21
(23)	Nonmeningococcal meningitis (340)	–	–	–	–	–	–	3	–	–	–
(24)	Rheumatic fever (400-402)	–	–	–	–	–	–	2	–	–	–
(25)	Chronic rheumatic heart disease (410-416)	5	–	–	7	3	6	16	–	–	3
(26)	Arteriosclerotic heart disease, including coronary disease (420)	119	11	10	175	18	315	415	23	13	67
(26)	Degenerative heart disease (421, 422)	27	–	–	23	6	22	33	2	3	2
(27)	Other diseases of heart (430-434)	–	1	–	8	6	11	22	–	–	2
(28)	Hypertension with heart disease (440-443)	25	–	–	33	2	20	32	4	2	7
(29)	Hypertension without mention of heart (444-447)	1	–	1	1	1	12	6	–	–	–
(30)	Influenza (480-483)	1	–	–	–	–	–	–	–	–	–
(31)	Pneumonia (490-493)	6	–	2	17	2	25	27	–	1	3
(32)	Bronchitis (500-502)	–	–	–	–	–	3	6	–	–	–
(33)	Ulcer of stomach and duodenum (540, 541)	1	–	–	8	1	3	3	–	–	2
(34)	Appendicitis (550-553)	–	–	–	–	1	2	–	–	–	3
(35)	Intestinal obstruction and hernia (560, 561, 570)	3	–	–	2	–	4	11	–	–	1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	–	–	–	–	–	1	2	–	–	–
(37)	Cirrhosis of the liver (581)	2	–	–	11	1	11	17	1	–	2
(38)	Nephritis and nephrosis (590-594)	2	–	–	7	–	11	9	–	–	1
(39)	Hyperplasia of prostate (610)	–	–	–	–	–	2	4	–	–	–
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	–	–	–	–	–	–	–	–	–	–
(41)	Congenital malformations (750-759)	3	–	–	7	1	13	12	–	–	–
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	11	–	–	7	4	10	8	1	1	2
(43)	Infections of the newborn (763-768)	–	–	–	–	–	2	–	–	–	–
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	–	–	4	1	7	19	–	–	2
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	1	3	–	4	–	1	7	–	–	–
(46)	Arteriosclerosis (450)	19	–	–	10	4	42	43	2	2	10
(46)	All other diseases (residual)	15	3	2	31	5	36	74	1	3	14
(47)	Motor-vehicle accidents (810-835)	2	1	–	2	1	9	12	–	–	–
(48)	Railroad accidents and injuries (800-802)	–	–	–	–	–	–	1	–	–	–
(48)	Air-transport accidents (860-866)	1	–	–	1	–	1	–	–	–	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	–	–	–	1	–	1	5	–	–	–
(48)	Accidental drowning (850, 851, 929)	5	–	–	4	1	3	2	–	–	–
(48)	Accidental falls (transport accidents excepted) (900-904)	4	1	–	22	–	13	34	–	–	5
(48)	All other accidents	5	–	–	3	–	2	6	–	–	1
(49)	Suicide and self-inflicted injury (963, 970-979)	–	2	1	2	–	5	14	–	–	2
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	–	–	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	Merrimac.	Methuen.	Middleton.	Nahant.	Newbury.	Newburyport.	North Andover.	Peabody.	Rockport.	Rowley.	Salem.	Salisbury.	Saugus.	Swampscott.	Topsfield.	Wenham.	West Newbury.	Franklin County.	Ashfield.
	38	251	41	36	26	194	117	306	76	20	518	26	173	147	22	19	23	626	14
(1)	1	–	1	–	–	1	–	1	2	–	3	–	1	–	–	1	1	2	–
(2)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	1	1	1	–	1	–	1	–	–	–	–	3	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	1	–	–	–	1	1	–	–	2	–	–	–	–	–	–	1	–
(18)	8	47	10	4	4	27	11	50	12	2	84	4	30	26	4	1	3	95	1
(19)	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
(20)	–	5	–	–	1	3	1	5	1	2	1	–	3	4	1	1	–	6	–
(21)	–	1	–	–	–	–	1	1	–	1	2	1	–	1	–	–	–	1	–
(22)	10	25	2	8	2	26	18	34	5	1	70	7	26	19	5	2	1	97	3
(23)	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(25)	–	3	1	–	1	1	2	2	1	–	12	–	2	3	–	–	–	6	1
(26)	7	84	21	15	5	70	42	95	18	5	178	6	54	43	6	5	7	212	4
(26)	2	8	–	1	1	7	–	4	9	3	5	–	6	5	–	–	4	14	–
(27)	–	3	–	–	1	4	1	7	–	1	11	–	3	4	–	–	–	16	–
(28)	3	5	–	1	1	3	5	13	8	1	10	–	4	6	1	2	1	15	–
(29)	–	–	–	–	1	1	1	1	–	–	3	–	2	2	–	–	1	3	–
(30)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(31)	1	11	–	1	–	8	4	14	1	1	17	1	4	3	–	2	2	15	1
(32)	–	–	–	–	–	1	1	–	–	–	2	–	3	–	–	–	–	2	–
(33)	–	3	–	–	1	4	1	1	1	–	1	1	1	1	–	–	–	6	1
(34)	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–
(35)	–	1	–	–	–	1	–	1	–	–	2	–	1	–	–	–	–	1	–
(36)	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	3	–
(37)	–	2	–	1	2	4	1	9	2	–	5	1	1	1	1	1	–	6	–
(38)	–	4	–	–	–	1	–	3	2	–	2	–	2	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–
(40)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(41)	–	2	–	1	1	1	4	5	–	–	10	–	1	1	–	1	–	5	–
(42)	–	3	–	1	–	2	3	2	1	–	5	1	2	–	1	–	–	13	–
(43)	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
(44)	2	3	2	–	–	3	1	4	–	–	5	–	2	3	–	1	–	6	–
(45)	–	3	–	–	–	1	1	–	–	–	5	–	–	1	–	–	–	3	–
(46)	1	11	–	1	4	6	3	19	2	1	21	–	7	8	–	–	–	23	1
(46)	1	14	–	1	–	9	5	12	3	1	25	3	11	10	–	2	–	25	–
(47)	–	3	–	–	–	2	–	4	1	–	3	–	2	–	–	–	–	12	1
(48)	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
(48)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(48)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
(48)	–	1	1	1	–	1	2	3	–	–	1	–	1	–	1	–	–	3	–
(48)	–	4	1	–	1	3	5	5	2	–	19	–	2	3	–	–	2	19	–
(48)	2	1	1	–	–	2	1	3	–	–	2	–	–	–	1	–	1	5	1
(49)	–	1	–	–	–	1	–	1	2	1	4	–	–	–	1	–	–	4	–
(50)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Bernardston.	Buckland.	Charlemont.	Colrain.	Conway.	Deerfield.	Erving.	Gill.	Greenfield.	Hawley.
	All Causes.[2]	15	21	9	15	9	34	4	8	202	3
(1)	Tuberculosis of the respiratory system (1–8)	–	–	–	–	–	1	–	1	–	–
(2)	All other forms of tuberculosis (10–19)	–	–	–	–	–	–	–	–	–	–
(3)	Syphilis (20–29)	–	–	–	–	–	1	–	–	1	–
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45–48)	–	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	–	–	–	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	–	–	–	–	–	–	–	–	–	–
(12)	Acute poliomyelitis (80)	–	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	–	–	–	–	–	–	–	–	–	–
(16)	Malaria (110–117)	–	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	–	–	–	–	–	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	–	–	–	–	–	–	–	–	–	–
(18)	Malignant neoplasms (140–205)	–	3	2	4	3	7	–	2	32	–
(19)	Benign and unspecified neoplasms (210–239)	–	–	–	–	–	–	–	–	–	–
(20)	Diabetes mellitus (260)	–	–	–	–	–	–	–	–	3	–
(21)	Anemias (290–293)	–	–	–	–	–	–	–	–	–	–
(22)	Vascular lesions affecting central nervous system (330–334)	2	4	2	4	1	4	–	2	35	1
(23)	Nonmeningococcal meningitis (340)	–	–	–	–	–	–	–	–	1	–
(24)	Rheumatic fever (400–402)	–	–	–	–	–	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410–416)	–	–	–	–	–	–	–	–	1	–
(26)	Arteriosclerotic heart disease, including coronary disease (420)	8	4	3	2	5	12	3	1	70	2
(26)	Degenerative heart disease (421, 422)	–	–	–	–	–	–	–	–	2	–
(27)	Other diseases of heart (430–434)	–	–	–	–	–	–	–	–	4	–
(28)	Hypertension with heart disease (440–443)	2	1	–	1	–	–	–	–	2	–
(29)	Hypertension without mention of heart (444–447)	–	–	–	–	–	–	–	–	2	–
(30)	Influenza (480–483)	–	–	–	–	–	–	–	–	–	–
(31)	Pneumonia (490–493)	–	–	–	–	–	–	–	–	8	–
(32)	Bronchitis (500–502)	–	–	–	–	–	–	–	–	–	–
(33)	Ulcer of stomach and duodenum (540, 541)	–	–	–	–	–	1	–	1	–	–
(34)	Appendicitis (550–553)	–	–	–	–	–	1	–	–	–	–
(35)	Intestinal obstruction and hernia (560, 561, 570)	–	–	–	–	–	–	–	–	–	–
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	–	–	–	–	–	–	–	–	1	–
(37)	Cirrhosis of the liver (581)	–	–	–	–	–	–	–	–	–	–
(38)	Nephritis and nephrosis (590–594)	–	–	–	–	–	–	–	–	–	–
(39)	Hyperplasia of prostate (610)	–	–	–	–	–	–	–	–	–	–
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	–	–	–	–	–	–	–	–	–	–
(41)	Congenital malformations (750–759)	–	–	–	–	–	–	–	–	2	–
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	–	–	1	–	–	–	–	–	6	–
(43)	Infections of the newborn (763–768)	–	–	–	–	–	–	–	–	1	–
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	1	–	–	–	–	–	–	–	1	–
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	–	–	–	–	–	1	–	–	2	–
(46)	Arteriosclerosis (450)	–	4	–	2	–	2	–	–	8	–
(46)	All other diseases (residual)	–	3	1	1	–	2	–	–	8	–
(47)	Motor-vehicle accidents (810–835)	–	–	–	–	–	1	1	1	3	–
(48)	Railroad accidents and injuries (800–802)	–	–	–	–	–	–	–	–	–	–
(48)	Air-transport accidents (860–866)	–	–	–	–	–	–	–	–	–	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	–	–	–	–	–	–	–	–	–	–
(48)	Accidental drowning (850, 851, 929)	1	–	–	–	–	1	–	–	–	–
(48)	Accidental falls (transport accidents excepted) (900–904)	–	2	–	1	–	–	–	–	6	–
(48)	All other accidents	–	–	–	–	–	–	–	–	3	–
(49)	Suicide and self-inflicted injury (963, 970–979)	1	–	–	–	–	–	–	–	–	–
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	Heath.	Leverett.	Leyden.	Monroe.	Montague.	New Salem.	Northfield.	Orange.	Rowe.	Shelburne.	Shutesbury.	Sunderland.	Warwick.	Wendell.	Whately.	HAMPDEN COUNTY.	Agawam.	Blandford.	Brimfield.
	3	7	4	1	100	4	29	85	2	23	2	12	5	7	8	4,110	104	6	16
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19	–	–	–
(2)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(3)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(17)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	6	–	–	–
(18)	–	1	1	1	19	–	4	7	–	5	1	–	1	–	1	705	17	2	3
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–
(20)	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	66	–	–	1
(21)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–
(22)	2	–	1	–	11	–	9	12	–	2	–	–	–	–	2	422	10	–	2
(23)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(25)	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	47	–	–	–
(26)	–	2	–	–	33	3	7	32	2	6	–	5	2	3	3	1,413	31	4	4
(26)	–	2	–	–	2	–	–	3	–	1	–	1	1	2	–	87	1	–	–
(27)	–	–	–	–	4	–	3	4	–	1	–	–	–	–	–	36	2	–	–
(28)	–	–	–	–	3	–	2	3	–	1	–	–	–	–	–	127	7	–	1
(29)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	26	1	–	–
(30)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(31)	–	–	–	–	1	1	–	3	–	1	–	–	–	–	–	155	3	–	–
(32)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	8	–	–	–
(33)	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	39	1	–	1
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–
(35)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	31	–	–	–
(36)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	11	–	–	–
(37)	–	–	–	–	2	–	–	2	–	–	–	1	–	1	–	60	1	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34	1	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	2	–	–
(40)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(41)	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	59	4	–	–
(42)	–	–	–	–	2	–	–	1	–	–	1	2	–	–	–	54	2	–	1
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	1	–	–
(44)	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	83	2	–	–
(45)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	44	4	–	–
(46)	–	–	2	–	3	–	–	–	–	–	–	1	–	–	–	67	2	–	–
(46)	–	–	–	–	2	–	1	5	–	1	–	–	–	1	–	202	6	–	1
(47)	–	–	–	–	3	–	–	2	–	–	–	–	–	–	–	53	1	–	1
(48)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(48)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(48)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	12	1	–	–
(48)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	16	1	–	1
(48)	–	–	–	–	4	–	2	2	–	1	–	1	–	–	–	96	1	–	–
(48)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20	1	–	–
(49)	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	49	1	–	–
(50)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Chester.	Chicopee.	East Longmeadow.	Granville.	Hampden.	Holland.	Holyoke.	Longmeadow.	Ludlow.	Monson.
	All Causes.[2]	**11**	**421**	**57**	**4**	**17**	**4**	**707**	**76**	**96**	**47**
(1)	Tuberculosis of the respiratory system (1–8)	1	3	–	–	–	–	2	–	–	–
(2)	All other forms of tuberculosis (10–19)	–	–	–	–	–	–	–	–	–	–
(3)	Syphilis (20–29)	–	1	–	–	–	–	–	–	–	–
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45–48)	–	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	–	–	–	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	–	–	–	–	–	–	–	–	–	–
(12)	Acute poliomyelitis (80)	–	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	–	–	–	–	–	–	–	–	–	–
(16)	Malaria (110–117)	–	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	–	–	–	–	–	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	–	1	–	–	–	–	–	–	–	–
(18)	Malignant neoplasms (140–205)	2	65	11	1	3	–	118	10	19	5
(19)	Benign and unspecified neoplasms (210–239)	–	–	–	–	–	–	1	–	–	–
(20)	Diabetes mellitus (260)	1	5	1	–	–	1	16	1	1	–
(21)	Anemias (290–293)	–	–	–	–	–	–	2	1	–	–
(22)	Vascular lesions affecting central nervous system (330–334)	–	53	4	–	–	1	61	11	14	1
(23)	Nonmeningococcal meningitis (340)	–	–	1	–	–	–	–	–	–	–
(24)	Rheumatic fever (400–402)	–	–	–	–	–	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410–416)	–	5	1	–	–	–	14	2	1	–
(26)	Arteriosclerotic heart disease, including coronary disease (420)	3	152	20	1	6	–	281	25	26	23
(26)	Degenerative heart disease (421, 422)	–	4	1	–	–	–	17	1	6	–
(27)	Other diseases of heart (430–434)	1	2	2	1	–	–	4	1	–	–
(28)	Hypertension with heart disease (440–443)	–	5	1	–	–	–	28	3	5	3
(29)	Hypertension without mention of heart (444–447)	–	3	–	–	–	–	4	–	–	–
(30)	Influenza (480–483)	–	–	–	–	–	–	–	–	–	–
(31)	Pneumonia (490–493)	1	19	1	–	1	2	21	2	2	1
(32)	Bronchitis (500–502)	–	1	–	–	–	–	4	–	–	–
(33)	Ulcer of stomach and duodenum (540, 541)	–	3	–	–	–	–	8	1	2	–
(34)	Appendicitis (550–553)	–	1	–	–	–	–	2	–	–	–
(35)	Intestinal obstruction and hernia (560, 561, 570)	1	3	–	–	–	–	1	3	–	1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	–	–	–	–	–	–	4	–	–	–
(37)	Cirrhosis of the liver (581)	–	9	1	–	–	–	11	1	3	–
(38)	Nephritis and nephrosis (590–594)	–	4	–	–	–	–	5	1	1	–
(39)	Hyperplasia of prostate (610)	–	3	–	–	–	–	2	–	–	–
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	–	–	–	–	–	–	–	–	–	–
(41)	Congenital malformations (750–759)	1	9	1	–	–	–	7	1	4	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	–	3	2	–	–	–	7	1	2	–
(43)	Infections of the newborn (763–768)	–	–	–	–	–	–	2	–	–	–
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	–	12	2	–	–	–	10	1	3	1
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	–	1	–	–	–	–	2	–	–	–
(46)	Arteriosclerosis (450)	–	5	–	–	–	–	10	2	1	1
(46)	All other diseases (residual)	–	21	2	–	1	–	27	7	2	4
(47)	Motor-vehicle accidents (810–835)	–	4	–	–	1	–	5	–	–	2
(48)	Railroad accidents and injuries (800–802)	–	–	–	–	–	–	–	–	–	–
(48)	Air-transport accidents (860–866)	–	1	–	–	–	–	–	–	–	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	–	2	–	–	–	–	2	–	–	–
(48)	Accidental drowning (850, 851, 929)	–	2	–	–	–	–	3	–	1	–
(48)	Accidental falls (transport accidents excepted) (900–904)	–	8	2	–	2	–	18	–	1	3
(48)	All other accidents	–	3	2	–	–	–	1	1	1	–
(49)	Suicide and self-inflicted injury (963, 970–979)	–	8	2	1	–	–	4	–	1	1
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	–	–	–	–	3	–	3	–	–	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	Montgomery.	Palmer.	Russell.	Southwick.	Springfield.	Tolland.	Wales.	West Springfield.	Westfield.	Wilbraham.	Hampshire County.	Amherst.	Belchertown.	Chesterfield.	Cummington.	Easthampton.	Goshen.	Granby.	Hadley.
	1	**111**	**18**	**38**	**1,837**	**–**	**10**	**211**	**262**	**56**	**895**	**84**	**29**	**6**	**9**	**115**	**3**	**21**	**43**
(1)	–	–	1	1	10	–	–	–	1	–	8	1	–	–	–	1	–	–	–
(2)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	–	–	5	–	–	–	–	–	1	–	–	–	–	–	–	–	1
(18)	–	19	4	8	330	–	2	43	35	8	143	10	7	–	2	19	–	5	6
(19)	–	–	–	–	7	–	–	–	1	–	5	–	–	–	–	1	–	1	–
(20)	–	1	1	–	20	–	–	5	11	1	11	–	–	–	–	1	–	–	–
(21)	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(22)	1	8	3	2	199	–	1	19	26	6	104	12	2	1	2	13	–	1	4
(23)	–	1	–	–	2	–	–	–	–	–	3	–	–	–	–	–	–	–	–
(24)	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(25)	–	2	–	–	16	–	1	2	2	1	9	1	–	–	–	3	–	–	–
(26)	–	41	6	11	599	–	3	71	87	19	320	29	10	2	–	44	1	7	12
(26)	–	3	1	–	45	–	–	4	3	1	18	4	–	–	–	3	–	1	2
(27)	–	–	–	–	18	–	–	2	2	1	13	–	–	–	1	3	–	1	–
(28)	–	3	–	3	51	–	–	5	11	1	37	3	2	–	–	5	–	1	1
(29)	–	–	–	–	14	–	–	1	2	1	7	–	–	–	–	–	–	–	1
(30)	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(31)	–	4	1	6	75	–	1	3	8	4	34	2	1	1	1	1	1	1	3
(32)	–	–	–	–	2	–	–	1	–	–	2	–	–	–	–	–	–	–	–
(33)	–	1	–	–	19	–	–	2	1	–	8	2	–	–	–	1	–	–	1
(34)	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(35)	–	1	–	–	14	–	–	–	6	1	4	–	–	–	–	–	–	–	1
(36)	–	–	–	–	4	–	–	1	1	1	2	–	–	–	–	–	–	1	–
(37)	–	1	–	–	27	–	1	3	2	–	9	1	1	–	–	1	–	–	–
(38)	–	–	–	–	17	–	–	1	3	1	6	1	1	1	–	1	–	–	1
(39)	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	–	2	–	–	1	–	–	2	–	–	–	–	–	–	–	–
(41)	–	2	–	1	19	–	–	3	6	–	4	1	1	–	–	–	–	–	–
(42)	–	–	–	–	24	–	–	6	5	1	8	3	–	–	–	–	–	–	–
(43)	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(44)	–	9	1	1	32	–	–	3	4	2	8	2	–	–	–	1	–	–	–
(45)	–	–	–	–	36	–	–	1	–	–	2	–	–	–	–	1	–	–	–
(46)	–	2	–	1	36	–	1	2	2	2	11	3	–	–	–	1	–	–	–
(46)	–	4	–	2	93	–	–	14	18	–	44	1	2	1	–	10	–	1	4
(47)	–	4	–	–	24	–	–	4	6	1	14	4	–	–	–	–	–	1	1
(48)	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
(48)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
(48)	–	–	–	–	7	–	–	–	–	–	4	–	–	–	–	–	–	–	1
(48)	–	1	–	–	5	–	–	–	2	–	1	1	–	–	–	–	–	–	–
(48)	–	1	–	1	42	–	–	6	9	2	26	1	1	–	1	1	–	–	2
(48)	–	2	–	–	6	–	–	–	1	2	10	–	1	–	–	2	1	–	1
(49)	–	1	–	1	18	–	–	7	4	–	10	1	–	–	2	1	–	–	1
(50)	–	–	–	–	5	–	–	1	–	–	1	–	–	–	–	–	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Hatfield.	Huntington.	Middlefield.	Northampton.	Pelham.	Plainfield.	South Hadley.	Southampton.	Ware.	Westhampton.
	All Causes.[2]	**27**	**20**	**5**	**291**	**8**	**–**	**98**	**14**	**91**	**3**
(1)	Tuberculosis of the respiratory system (1–8)	–	–	–	3	–	–	1	–	1	–
(2)	All other forms of tuberculosis (10–19)	–	–	–	–	–	–	–	–	–	–
(3)	Syphilis (20–29)	–	–	–	1	–	–	–	–	–	–
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45–48)	–	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	–	–	–	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	–	–	–	–	–	–	–	–	–	–
(12)	Acute poliomyelitis (80)	–	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	–	–	–	–	–	–	–	–	–	–
(16)	Malaria (110–117)	–	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	–	–	–	–	–	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	–	–	–	–	–	–	–	–	–	–
(18)	Malignant neoplasms (140–205)	7	2	–	50	–	–	11	2	17	–
(19)	Benign and unspecified neoplasms (210–239)	1	–	–	–	–	–	1	–	1	–
(20)	Diabetes mellitus (260)	–	1	–	5	–	–	1	–	3	–
(21)	Anemias (290–293)	–	–	–	1	–	–	–	–	–	–
(22)	Vascular lesions affecting central nervous system (330–334)	4	7	–	41	–	–	7	–	5	–
(23)	Nonmeningococcal meningitis (340)	–	–	–	2	–	–	1	–	–	–
(24)	Rheumatic fever (400–402)	–	–	–	–	–	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410–416)	1	–	–	1	–	–	–	1	1	1
(26)	Arteriosclerotic heart disease, including coronary disease (420)	6	4	2	95	2	–	47	6	39	2
(26)	Degenerative heart disease (421, 422)	–	–	1	4	1	–	1	–	1	–
(27)	Other diseases of heart (430–434)	–	–	–	6	–	–	1	–	1	–
(28)	Hypertension with heart disease (440–443)	1	1	–	10	–	–	5	–	7	–
(29)	Hypertension without mention of heart (444–447)	–	–	–	3	–	–	2	–	1	–
(30)	Influenza (480–483)	–	–	–	–	–	–	–	–	–	–
(31)	Pneumonia (490–493)	2	–	1	11	1	–	4	–	3	–
(32)	Bronchitis (500–502)	–	2	–	–	–	–	–	–	–	–
(33)	Ulcer of stomach and duodenum (540, 541)	–	–	–	2	–	–	2	–	–	–
(34)	Appendicitis (550–553)	–	–	–	–	–	–	1	–	–	–
(35)	Intestinal obstruction and hernia (560, 561, 570)	–	–	–	2	–	–	–	1	–	–
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	–	–	–	–	–	–	1	–	–	–
(37)	Cirrhosis of the liver (581)	–	–	–	5	–	–	1	–	–	–
(38)	Nephritis and nephrosis (590–594)	–	–	–	–	1	–	–	–	–	–
(39)	Hyperplasia of prostate (610)	–	–	–	–	–	–	–	–	–	–
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	–	–	–	–	–	–	–	1	–	–
(41)	Congenital malformations (750–759)	–	–	–	1	–	–	1	–	–	–
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	1	1	–	2	–	–	1	–	–	–
(43)	Infections of the newborn (763–768)	–	–	–	–	–	–	–	–	–	–
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	1	–	–	3	–	–	–	–	1	–
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	–	–	–	1	–	–	–	–	–	–
(46)	Arteriosclerosis (450)	–	–	–	4	–	–	1	1	1	–
(46)	All other diseases (residual)	1	2	1	9	3	–	2	–	5	–
(47)	Motor-vehicle accidents (810–835)	1	–	–	4	–	–	–	–	3	–
(48)	Railroad accidents and injuries (800–802)	–	–	–	1	–	–	–	–	–	–
(48)	Air-transport accidents (860–866)	–	–	–	–	–	–	–	–	–	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	–	–	–	3	–	–	–	–	–	–
(48)	Accidental drowning (850, 851, 929)	–	–	–	–	–	–	–	–	–	–
(48)	Accidental falls (transport accidents excepted) (900–904)	1	–	–	15	–	–	3	1	–	–
(48)	All other accidents	–	–	–	3	–	–	1	–	1	–
(49)	Suicide and self-inflicted injury (963, 970–979)	–	–	–	2	–	–	2	1	–	–
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	–	–	–	1	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	Williamsburg.	Worthington.	MIDDLESEX COUNTY.	Acton.	Arlington.	Ashby.	Ashland.	Ayer.	Bedford.	Belmont.	Billerica.	Boxborough.	Burlington.	CAMBRIDGE.	Carlisle.	Chelmsford.	Concord.	Dracut.	Dunstable.
	18	10	12,055	48	506	18	44	55	59	327	138	5	59	1,233	8	128	80	109	3
(1)	1	–	42	–	–	–	1	–	–	–	–	–	–	11	–	–	–	1	–
(2)	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	16	–	3	–	–	–	–	–	–	–	–	3	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	23	–	1	–	–	1	–	–	–	–	–	4	–	–	–	–	–
(18)	3	2	2,211	11	99	2	7	16	13	75	16	2	12	234	1	20	16	21	1
(19)	–	–	31	–	1	–	–	–	–	–	1	–	–	5	–	–	1	–	–
(20)	–	–	171	–	6	–	1	–	–	2	1	–	–	26	–	3	1	4	–
(21)	–	–	14	–	–	–	–	–	–	–	2	–	1	2	–	–	–	–	–
(22)	1	4	1,327	8	65	2	3	1	8	48	12	–	5	114	1	10	10	6	–
(23)	–	–	16	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(25)	–	–	167	–	6	–	2	–	–	3	3	–	2	15	1	2	2	1	–
(26)	8	4	4,028	13	161	4	15	17	22	102	51	1	19	358	4	49	25	39	–
(26)	–	–	301	–	8	–	1	1	–	6	4	–	1	20	–	4	2	2	–
(27)	–	–	113	–	5	–	–	1	–	–	1	–	2	19	–	–	–	1	–
(28)	1	–	462	3	25	1	–	2	–	14	6	1	2	58	–	1	–	4	–
(29)	–	–	95	1	4	–	1	1	–	1	3	–	–	6	–	2	–	–	–
(30)	–	–	6	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
(31)	1	–	454	5	16	2	3	1	2	10	3	–	3	55	–	9	3	6	–
(32)	–	–	35	–	1	–	–	–	1	3	1	–	–	3	–	1	–	1	–
(33)	–	–	96	1	3	–	–	1	–	4	2	–	1	14	–	1	1	–	–
(34)	–	–	9	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
(35)	–	–	59	1	2	–	–	–	–	2	–	–	–	12	–	1	–	1	–
(36)	–	–	37	–	–	–	–	–	–	1	1	–	–	6	–	–	1	–	–
(37)	–	–	122	–	2	–	–	–	–	2	3	–	–	10	–	2	1	–	–
(38)	–	–	78	1	3	1	–	–	–	1	1	–	–	7	–	–	1	–	–
(39)	–	–	27	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(40)	1	–	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(41)	–	–	171	1	4	–	3	3	1	4	2	–	3	14	–	1	–	4	–
(42)	–	–	150	–	10	–	–	1	–	1	4	–	1	14	1	3	–	2	–
(43)	–	–	28	–	2	–	–	–	–	2	–	–	1	4	–	–	–	1	–
(44)	–	–	207	1	4	1	1	2	2	2	5	1	1	29	–	3	2	2	–
(45)	–	–	30	–	2	–	–	–	1	–	–	–	–	5	–	–	–	1	–
(46)	–	–	250	–	19	1	1	2	–	7	1	–	–	29	–	2	6	3	1
(46)	2	–	642	2	26	1	2	3	2	17	6	–	1	94	–	4	6	1	1
(47)	–	–	121	–	1	1	1	–	2	2	3	–	1	12	–	3	–	2	–
(48)	–	–	8	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–
(48)	–	–	3	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
(48)	–	–	35	–	2	–	2	–	–	–	–	–	–	4	–	–	–	1	–
(48)	–	–	25	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
(48)	–	–	263	–	11	–	–	1	–	11	2	–	–	26	–	4	–	3	–
(48)	–	–	73	–	2	1	–	1	2	–	1	–	2	5	–	–	–	1	–
(49)	–	–	82	–	5	–	–	–	3	3	–	–	1	7	–	2	1	1	–
(50)	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Everett.	Framingham.	Groton.	Holliston.	Hopkinton.	Hudson.	Lexington.	Lincoln.	Littleton.	Lowell.
	All Causes.[2]	**490**	**357**	**36**	**39**	**51**	**104**	**186**	**21**	**37**	**1,246**
(1)	Tuberculosis of the respiratory system (1-8)	1	1	–	–	–	–	–	–	–	9
(2)	All other forms of tuberculosis (10-19)	–	–	–	–	–	–	–	–	–	–
(3)	Syphilis (20-29)	–	–	–	–	–	1	1	–	–	1
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45-48)	–	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	–	–	–	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	–	–	–	–	–	–	–	–	–	2
(12)	Acute poliomyelitis (80)	1	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	–	–	–	–	–	–	–	–	–	–
(16)	Malaria (110-117)	–	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	2	–	–	–	–	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	1	–	–	–	–	–	1	–	–	–
(18)	Malignant neoplasms (140-205)	81	57	6	10	12	15	34	1	7	197
(19)	Benign and unspecified neoplasms (210-239)	2	2	–	–	1	–	–	–	1	1
(20)	Diabetes mellitus (260)	11	9	1	–	2	1	3	–	–	16
(21)	Anemias (290-293)	2	–	–	–	–	–	–	–	–	2
(22)	Vascular lesions affecting central nervous system (330-334)	60	36	3	8	4	13	20	2	6	128
(23)	Nonmeningococcal meningitis (340)	–	2	–	–	–	–	–	–	–	–
(24)	Rheumatic fever (400-402)	–	–	–	–	–	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410-416)	10	5	–	–	–	3	6	–	1	11
(26)	Arteriosclerotic heart disease, including coronary disease (420)	150	111	13	5	15	40	54	11	11	444
(26)	Degenerative heart disease (421, 422)	21	6	2	1	2	4	5	1	–	33
(27)	Other diseases of heart (430-434)	3	3	–	–	1	–	–	–	–	12
(28)	Hypertension with heart disease (440-443)	35	12	–	3	5	4	3	1	–	44
(29)	Hypertension without mention of heart (444-447)	6	2	–	–	–	1	1	–	–	20
(30)	Influenza (480-483)	–	–	–	–	–	–	–	–	–	–
(31)	Pneumonia (490-493)	16	16	4	1	4	2	8	1	2	66
(32)	Bronchitis (500-502)	–	2	–	–	–	1	–	–	–	4
(33)	Ulcer of stomach and duodenum (540, 541)	6	4	–	–	–	–	3	–	–	6
(34)	Appendicitis (550-553)	–	–	–	–	–	–	–	–	–	–
(35)	Intestinal obstruction and hernia (560, 561, 570)	–	3	1	–	–	1	–	–	–	8
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	3	3	–	–	–	–	1	–	–	1
(37)	Cirrhosis of the liver (581)	9	4	–	1	–	1	2	–	–	22
(38)	Nephritis and nephrosis (590-594)	7	1	–	1	–	–	1	–	–	10
(39)	Hyperplasia of prostate (610)	1	1	–	2	–	–	–	–	–	1
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	–	–	–	–	–	–	1	–	–	–
(41)	Congenital malformations (750-759)	5	6	–	1	2	1	9	–	–	18
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	11	2	–	–	1	3	–	3	5
(43)	Infections of the newborn (763-768)	2	–	–	–	–	–	2	–	–	2
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	12	6	1	–	–	2	5	2	1	18
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	1	1	–	–	–	–	–	–	–	4
(46)	Arteriosclerosis (450)	5	9	1	2	1	2	4	–	1	27
(46)	All other diseases (residual)	18	28	1	–	–	2	8	–	1	52
(47)	Motor-vehicle accidents (810-835)	–	1	–	2	–	3	4	1	1	15
(48)	Railroad accidents and injuries (800-802)	–	–	–	–	–	–	–	–	–	–
(48)	Air-transport accidents (860-866)	–	–	–	–	–	–	–	–	–	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	2	–	–	–	–	–	–	–	–	4
(48)	Accidental drowning (850, 851, 929)	–	–	–	–	–	1	–	–	–	3
(48)	Accidental falls (transport accidents excepted) (900-904)	7	7	–	1	2	2	4	–	–	41
(48)	All other accidents	3	2	–	–	–	1	3	–	2	12
(49)	Suicide and self-inflicted injury (963, 970-979)	3	6	1	1	–	2	–	1	–	5
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	–	–	–	–	–	–	–	–	–	2

[1] The numbers of the titles of the Detailed International List included in each title of the Abbreviated List appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	MALDEN.	MARLBOROUGH.	Maynard.	MEDFORD.	MELROSE.	Natick.	NEWTON.	North Reading.	Pepperell.	Reading.	Sherborn.	Shirley.	SOMERVILLE.	Stoneham.	Stow.	Sudbury.	Tewksbury.	Townsend.	Tyngsborough.
	690	183	91	672	310	216	906	53	48	147	11	38	1,080	176	24	35	88	27	29
(1)	1	–	–	4	–	2	3	–	1	–	–	–	4	–	–	–	2	–	–
(2)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	1	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(17)	3	–	–	3	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–
(18)	122	23	18	125	58	39	184	8	9	32	3	7	194	32	5	7	12	6	4
(19)	1	–	–	1	1	–	2	–	–	2	–	–	1	–	1	–	–	–	–
(20)	6	–	3	5	5	3	13	–	–	–	–	2	19	1	–	1	2	–	–
(21)	–	–	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
(22)	76	20	14	86	42	26	103	2	6	14	–	5	116	11	2	1	4	1	4
(23)	2	–	–	1	–	1	1	–	–	1	–	–	1	–	–	–	–	–	–
(24)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(25)	7	3	1	11	1	3	17	2	–	1	–	–	18	2	–	–	1	2	–
(26)	255	77	34	264	114	57	318	19	10	54	4	6	347	58	9	10	29	6	9
(26)	16	7	5	8	5	10	18	2	4	2	1	–	40	10	–	–	2	1	2
(27)	13	1	1	7	2	3	9	–	1	2	–	1	8	1	–	1	1	1	1
(28)	18	5	–	17	14	7	28	3	2	2	–	–	52	10	–	2	2	2	3
(29)	8	3	–	2	4	2	4	1	1	2	–	–	6	2	–	–	–	–	–
(30)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(31)	36	3	4	15	6	7	36	1	1	3	1	–	35	6	–	–	6	2	–
(32)	1	3	–	1	–	1	3	–	1	–	–	1	2	–	–	–	–	–	–
(33)	7	1	–	5	4	1	5	–	1	–	–	–	9	2	–	1	–	–	–
(34)	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–
(35)	3	–	–	4	–	–	5	–	–	1	–	1	5	1	–	–	–	–	–
(36)	–	–	1	1	1	1	3	–	–	–	–	–	2	–	–	–	1	–	–
(37)	7	2	–	4	2	4	8	1	–	2	1	–	12	–	–	–	1	–	–
(38)	6	1	–	4	1	1	4	–	–	–	–	–	10	1	1	1	1	–	–
(39)	1	2	–	1	1	2	2	–	–	–	–	–	3	1	1	–	2	1	–
(40)	–	–	–	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
(41)	4	2	–	5	4	3	2	4	2	–	1	2	14	5	1	2	3	–	1
(42)	8	1	–	10	2	6	4	1	–	3	–	3	17	3	–	2	3	–	–
(43)	1	–	–	2	–	–	1	–	–	1	–	2	1	–	–	–	–	–	–
(44)	5	5	1	10	4	6	10	1	–	3	–	–	16	3	–	–	2	1	–
(45)	1	1	–	3	2	–	2	–	–	2	–	–	1	1	–	–	–	1	–
(46)	16	5	3	7	5	2	15	–	–	4	–	2	29	4	–	–	1	–	–
(46)	37	9	3	36	17	13	61	6	2	8	–	1	52	9	2	2	8	1	2
(47)	4	3	1	7	1	4	14	1	2	2	–	1	3	1	–	1	2	1	2
(48)	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
(48)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(48)	5	1	–	–	–	1	3	–	–	–	–	2	4	1	–	–	–	–	–
(48)	2	–	–	1	–	–	2	–	1	–	–	–	3	–	–	–	–	1	1
(48)	10	3	–	12	9	3	18	1	2	5	–	–	24	10	1	–	2	–	–
(48)	3	–	–	2	1	3	2	–	2	1	–	1	8	–	–	3	–	–	–
(49)	1	1	1	3	3	4	3	–	–	–	–	1	8	1	–	1	–	–	–
(50)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Wakefield.	Waltham.	Watertown.	Wayland.	Westford.	Weston.	Wilmington.	Winchester.	Woburn.	Nantucket County.
	All Causes.[2]	224	535	418	70	37	49	93	180	238	40
(1)	Tuberculosis of the respiratory system (1–8)	–	1	–	–	–	–	–	–	–	–
(2)	All other forms of tuberculosis (10–19)	–	1	–	–	1	–	–	–	–	–
(3)	Syphilis (20–29)	1	1	–	–	–	–	–	–	–	–
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45–48)	–	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	–	–	–	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	–	–	–	–	–	–	–	–	–	–
(12)	Acute poliomyelitis (80)	–	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	–	–	–	–	–	–	–	–	–	–
(16)	Malaria (110–117)	–	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	–	–	–	–	–	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	1	1	1	–	–	–	–	1	1	–
(18)	Malignant neoplasms (140–205)	45	95	83	7	5	10	20	41	51	6
(19)	Benign and unspecified neoplasms (210–239)	2	3	1	–	–	–	–	–	1	–
(20)	Diabetes mellitus (260)	6	6	7	–	–	1	1	1	2	1
(21)	Anemias (290–293)	–	–	1	–	–	–	–	–	–	–
(22)	Vascular lesions affecting central nervous system (330–334)	31	67	38	9	4	6	10	21	35	4
(23)	Nonmeningococcal meningitis (340)	1	1	1	–	–	–	–	–	–	–
(24)	Rheumatic fever (400–402)	–	–	–	–	–	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410–416)	4	7	7	–	–	–	–	4	3	–
(26)	Arteriosclerotic heart disease, including coronary disease (420)	73	166	149	23	15	20	34	59	75	11
(26)	Degenerative heart disease (421, 422)	4	14	10	–	2	–	1	5	8	2
(27)	Other diseases of heart (430–434)	2	3	3	2	–	–	1	1	–	2
(28)	Hypertension with heart disease (440–443)	5	21	14	8	3	–	2	9	9	3
(29)	Hypertension without mention of heart (444–447)	1	6	2	–	–	–	–	1	1	–
(30)	Influenza (480–483)	–	–	2	–	–	–	–	–	–	1
(31)	Pneumonia (490–493)	7	16	18	1	1	–	–	4	7	–
(32)	Bronchitis (500–502)	–	3	1	–	–	–	–	–	–	–
(33)	Ulcer of stomach and duodenum (540, 541)	2	6	4	–	–	1	–	–	–	1
(34)	Appendicitis (550–553)	–	1	–	–	–	–	–	–	–	1
(35)	Intestinal obstruction and hernia (560, 561, 570)	–	1	3	–	–	–	–	1	2	–
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	3	4	1	–	–	1	–	–	–
(37)	Cirrhosis of the liver (581)	3	6	2	–	1	1	1	3	2	–
(38)	Nephritis and nephrosis (590–594)	3	2	3	–	–	–	1	3	–	–
(39)	Hyperplasia of prostate (610)	–	1	–	2	–	1	–	–	–	–
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	–	–	–	–	–	–	–	–	–	–
(41)	Congenital malformations (750–759)	4	10	5	2	–	2	3	3	5	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	4	4	5	–	–	–	1	3	4	1
(43)	Infections of the newborn (763–768)	–	–	1	–	–	–	–	–	3	–
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	2	9	9	6	1	1	3	1	5	–
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	–	–	–	–	–	–	1	–	–	1
(46)	Arteriosclerosis (450)	5	10	6	1	–	–	–	4	7	1
(46)	All other diseases (residual)	10	34	26	1	2	2	4	8	10	–
(47)	Motor-vehicle accidents (810–835)	–	5	–	–	–	1	4	1	5	–
(48)	Railroad accidents and injuries (800–802)	–	1	–	–	–	–	–	–	–	–
(48)	Air-transport accidents (860–866)	–	–	–	–	–	–	–	–	–	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	–	–	–	2	–	–	1	–	–	–
(48)	Accidental drowning (850, 851, 929)	2	2	–	2	–	–	–	–	–	–
(48)	Accidental falls (transport accidents excepted) (900–904)	3	20	11	–	2	–	2	2	1	3
(48)	All other accidents	2	3	1	–	–	–	1	1	1	–
(49)	Suicide and self-inflicted injury (963, 970–979)	–	5	–	3	–	1	1	3	–	1
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	–	–	–	–	–	2	–	–	–	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	Norfolk County.	Avon.	Bellingham.	Braintree.	Brookline.	Canton.	Cohasset.	Dedham.	Dover.	Foxborough.	Franklin.	Holbrook.	Medfield.	Medway.	Millis.	Milton.	Needham.	Norfolk.
	4,698	**30**	**48**	**221**	**829**	**97**	**70**	**216**	**14**	**76**	**75**	**76**	**34**	**53**	**25**	**272**	**224**	**19**
(1)	15	–	–	–	3	–	–	–	–	–	–	1	–	–	–	1	–	–
(2)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	3	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	11	–	–	–	1	–	–	–	–	–	1	–	–	–	–	2	1	–
(18)	847	7	6	44	155	19	15	42	1	7	15	12	9	10	4	67	42	1
(19)	10	–	–	–	3	–	–	–	–	–	–	–	2	–	–	1	1	–
(20)	71	–	–	3	10	2	1	4	–	–	2	–	–	–	1	1	7	–
(21)	11	–	–	–	3	–	1	–	–	2	–	–	–	–	–	1	–	1
(22)	577	7	6	24	98	16	12	27	4	6	7	6	5	5	4	32	26	1
(23)	9	–	–	1	1	1	–	–	–	1	–	1	–	–	–	2	–	–
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(25)	57	–	–	3	10	–	–	1	–	1	2	–	1	–	–	6	1	1
(26)	1,567	6	19	73	306	24	18	56	5	31	20	22	7	18	12	93	66	8
(26)	126	4	2	12	17	4	4	9	–	2	3	4	4	1	–	3	7	–
(27)	63	1	2	4	10	3	–	2	–	1	1	1	–	–	–	5	4	–
(28)	140	–	1	9	20	4	2	4	–	1	3	4	1	4	–	9	3	1
(29)	30	–	1	–	5	1	1	3	–	1	1	–	–	–	–	–	2	–
(30)	3	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
(31)	165	1	2	2	41	4	3	8	–	4	3	6	–	2	–	6	7	1
(32)	11	–	–	–	2	–	–	1	–	1	1	–	–	–	–	–	1	–
(33)	28	–	–	3	4	–	–	2	–	–	2	–	–	–	2	1	–	1
(34)	9	–	–	–	1	–	–	2	–	–	–	1	–	–	–	1	1	–
(35)	31	–	–	1	1	–	–	4	1	1	1	–	–	1	–	–	2	–
(36)	22	–	–	1	4	1	–	–	–	–	–	–	–	–	–	2	2	1
(37)	48	–	–	4	7	–	1	3	–	–	2	1	–	1	–	3	4	–
(38)	35	–	–	3	3	–	–	–	1	1	–	–	–	1	–	1	2	1
(39)	11	–	–	2	1	–	–	–	–	–	–	1	–	1	–	–	1	–
(40)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(41)	56	–	2	4	3	1	2	1	–	1	–	1	–	–	–	1	3	–
(42)	46	1	–	4	6	1	–	3	–	1	1	2	–	1	1	2	1	–
(43)	16	–	–	–	1	–	–	1	–	–	–	1	–	1	–	1	1	–
(44)	72	–	1	2	1	5	3	4	–	5	–	3	–	–	–	1	3	–
(45)	14	–	–	1	1	–	–	–	–	1	2	–	–	–	–	–	1	–
(46)	86	1	–	4	14	2	1	11	–	–	3	–	2	–	–	6	5	–
(46)	246	–	3	9	52	2	3	12	1	6	3	2	3	2	1	14	14	2
(47)	73	–	–	4	18	3	–	5	–	1	–	2	–	2	–	1	3	–
(48)	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(48)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(48)	13	–	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–
(48)	9	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
(48)	77	1	1	–	10	2	1	3	–	–	1	2	–	1	–	3	8	–
(48)	37	–	1	1	6	1	–	2	–	–	–	1	–	–	–	2	1	–
(49)	38	–	1	1	7	–	–	3	–	–	–	1	–	1	–	3	4	–
(50)	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Norwood.	Plainville.	Quincy.	Randolph.	Sharon.	Stoughton.	Walpole.	Wellesley.	Westwood.	Weymouth.
	All Causes.[2]	**212**	**37**	**910**	**116**	**61**	**143**	**121**	**199**	**64**	**399**
(1)	Tuberculosis of the respiratory system (1–8)	–	–	8	–	–	–	–	–	–	2
(2)	All other forms of tuberculosis (10–19)	1	–	–	–	–	–	–	–	–	–
(3)	Syphilis (20–29)	–	1	1	–	–	1	–	–	–	–
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45–48)	–	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	–	–	1	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	–	–	–	–	–	–	–	–	–	–
(12)	Acute poliomyelitis (80)	–	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	–	–	–	–	–	–	–	–	–	–
(16)	Malaria (110–117)	–	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	1	–	–	–	–	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	1	–	2	–	–	1	–	–	–	2
(18)	Malignant neoplasms (140–205)	36	8	152	17	8	24	18	43	9	69
(19)	Benign and unspecified neoplasms (210–239)	–	1	1	–	1	–	–	–	–	–
(20)	Diabetes mellitus (260)	7	–	14	3	–	2	1	2	–	9
(21)	Anemias (290–293)	1	–	1	–	–	–	1	–	–	–
(22)	Vascular lesions affecting central nervous system (330–334)	28	9	116	14	8	16	12	28	10	39
(23)	Nonmeningococcal meningitis (340)	1	–	1	–	–	–	–	–	–	–
(24)	Rheumatic fever (400–402)	–	–	–	–	–	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410–416)	2	–	13	3	2	1	1	2	1	6
(26)	Arteriosclerotic heart disease, including coronary disease (420)	60	9	338	30	20	49	43	58	19	138
(26)	Degenerative heart disease (421, 422)	4	–	21	5	–	3	2	7	–	6
(27)	Other diseases of heart (430–434)	7	1	6	2	–	2	2	3	1	3
(28)	Hypertension with heart disease (440–443)	6	2	29	3	3	6	4	4	1	14
(29)	Hypertension without mention of heart (444–447)	4	–	4	1	–	–	–	4	1	1
(30)	Influenza (480–483)	–	–	–	–	–	–	–	–	–	–
(31)	Pneumonia (490–493)	8	–	20	7	6	4	6	5	3	12
(32)	Bronchitis (500–502)	1	–	3	–	–	–	–	1	–	–
(33)	Ulcer of stomach and duodenum (540, 541)	1	–	4	1	–	–	2	1	1	3
(34)	Appendicitis (550–553)	–	–	2	1	–	–	–	–	–	–
(35)	Intestinal obstruction and hernia (560, 561, 570)	1	–	10	2	–	–	1	1	–	3
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	–	–	5	–	–	2	–	1	–	3
(37)	Cirrhosis of the liver (581)	3	–	11	–	1	1	1	1	–	4
(38)	Nephritis and nephrosis (590–594)	3	1	7	1	1	1	4	–	–	3
(39)	Hyperplasia of prostate (610)	1	–	1	1	–	1	–	–	–	1
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	–	–	–	–	–	–	–	–	–	–
(41)	Congenital malformations (750–759)	6	1	10	3	–	4	1	3	2	6
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	–	1	9	2	1	1	3	1	1	3
(43)	Infections of the newborn (763–768)	1	–	2	2	–	2	1	1	–	1
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	1	–	17	3	–	3	3	1	2	13
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	1	–	4	–	–	–	–	2	–	1
(46)	Arteriosclerosis (450)	2	–	22	2	2	–	1	2	1	4
(46)	All other diseases (residual)	15	1	39	4	–	8	9	14	4	23
(47)	Motor-vehicle accidents (810–835)	1	–	9	3	6	3	–	3	4	4
(48)	Railroad accidents and injuries (800–802)	–	–	1	–	–	–	1	–	–	–
(48)	Air-transport accidents (860–866)	–	–	–	–	–	–	–	–	–	1
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	–	–	2	2	–	1	–	2	–	2
(48)	Accidental drowning (850, 851, 929)	–	–	3	–	–	–	–	–	–	2
(48)	Accidental falls (transport accidents excepted) (900–904)	3	–	12	3	1	5	–	7	–	13
(48)	All other accidents	4	1	4	–	–	1	–	2	2	7
(49)	Suicide and self-inflicted injury (963, 970–979)	1	1	5	1	1	1	4	–	1	1
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	–	–	–	–	–	–	–	–	1	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	Wrentham.	PLYMOUTH COUNTY.	Abington.	Bridgewater.	BROCKTON	Carver.	Duxbury.	East Bridgewater.	Halifax.	Hanover.	Hanson.	Hingham.	Hull.	Kingston.	Lakeville.	Marion.	Marshfield.	Mattapoisett.	Middleborough.
	57	2,716	85	90	944	20	59	57	14	34	50	111	59	39	29	41	67	35	138
(1)	–	8	–	–	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–
(2)	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	5	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	5	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	7	466	19	11	154	1	7	7	4	8	10	22	15	8	2	4	14	7	28
(19)	–	8	–	1	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(20)	2	49	1	–	17	1	–	5	–	–	1	–	1	–	1	–	3	–	3
(21)	–	3	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(22)	11	353	14	13	122	5	15	6	1	6	7	15	3	1	3	7	9	8	9
(23)	–	5	1	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(25)	–	28	1	–	11	–	–	–	–	–	1	1	–	–	1	2	–	–	1
(26)	19	889	29	27	303	6	20	14	6	11	12	34	20	18	11	10	21	12	59
(26)	2	82	2	5	37	–	1	2	1	3	–	3	2	2	–	–	–	1	–
(27)	2	43	1	2	20	1	2	2	–	1	1	1	3	–	1	–	–	–	1
(28)	2	87	1	2	30	1	1	4	–	–	3	7	–	3	1	2	1	–	9
(29)	–	28	–	1	7	–	–	–	–	–	–	2	–	–	–	2	–	–	2
(30)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(31)	4	102	5	4	50	–	1	2	–	1	1	2	3	–	1	1	–	1	4
(32)	–	5	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1
(33)	–	17	–	1	3	–	–	–	–	–	1	1	–	1	–	1	1	–	–
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	1	23	1	1	3	2	–	1	–	–	–	2	–	1	–	1	2	–	–
(36)	–	11	–	–	6	–	–	–	–	–	–	1	–	–	–	1	–	–	1
(37)	–	23	–	–	10	–	2	–	–	–	–	1	–	1	1	–	1	–	–
(38)	1	10	1	–	4	–	–	1	–	–	–	–	–	–	–	–	1	–	1
(39)	–	5	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(40)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(41)	1	31	3	1	7	–	–	–	1	–	–	3	–	1	–	–	–	–	3
(42)	–	26	–	–	7	–	1	2	–	–	3	2	2	–	–	–	1	1	–
(43)	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(44)	1	41	1	2	13	–	–	1	–	1	–	2	1	–	–	2	3	–	2
(45)	–	8	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	1	–
(46)	1	44	–	8	13	–	–	–	–	1	–	–	–	–	–	2	2	–	1
(46)	–	144	1	6	58	–	4	6	1	1	4	4	4	1	4	4	3	3	1
(47)	1	50	–	–	15	–	–	1	–	–	2	1	1	1	1	–	3	–	4
(48)	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(48)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(48)	–	10	–	–	2	3	–	–	–	1	1	1	–	–	–	–	–	–	–
(48)	–	7	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
(48)	–	43	1	–	15	–	1	1	–	–	1	2	–	–	1	2	–	1	4
(48)	1	15	–	–	4	–	1	1	–	–	–	–	–	–	–	–	–	–	–
(49)	1	26	2	2	10	–	1	–	–	–	–	1	1	1	–	–	1	1	1
(50)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Norwell.	Pembroke.	Plymouth.	Plympton.	Rochester.	Rockland.	Scituate.	Wareham.	West Bridgewater.	Whitman.
	All Causes.[2]	41	48	203	15	17	140	91	120	61	108
(1)	Tuberculosis of the respiratory system (1–8)	–	–	1	1	–	1	–	–	–	–
(2)	All other forms of tuberculosis (10–19)	–	–	–	–	–	–	–	–	–	–
(3)	Syphilis (20–29)	–	–	–	–	–	–	–	–	–	–
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45–48)	–	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	–	–	–	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	–	–	–	–	–	1	–	1	–	–
(12)	Acute poliomyelitis (80)	–	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	–	–	–	–	–	–	–	–	–	–
(16)	Malaria (110–117)	–	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	–	–	–	–	–	–	–	1	–	–
(17)	All other diseases classified as infective and parasitic (residual)	–	–	–	–	–	1	1	–	–	1
(18)	Malignant neoplasms (140–205)	6	6	36	1	5	23	14	24	9	21
(19)	Benign and unspecified neoplasms (210–239)	–	1	–	–	–	–	–	–	–	–
(20)	Diabetes mellitus (260)	–	–	1	–	–	4	2	6	–	3
(21)	Anemias (290–293)	–	–	1	–	–	–	–	–	–	–
(22)	Vascular lesions affecting central nervous system (330–334)	6	4	21	4	–	20	14	15	6	19
(23)	Nonmeningococcal meningitis (340)	–	–	–	1	–	–	–	–	–	–
(24)	Rheumatic fever (400–402)	–	–	–	–	–	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410–416)	1	–	2	–	–	3	1	2	1	–
(26)	Arteriosclerotic heart disease, including coronary disease (420)	13	19	80	7	6	43	24	31	22	31
(26)	Degenerative heart disease (421, 422)	2	2	4	–	–	6	4	2	2	2
(27)	Other diseases of heart (430–434)	1	–	1	–	–	–	1	1	1	2
(28)	Hypertension with heart disease (440–443)	–	3	5	–	–	2	3	4	1	4
(29)	Hypertension without mention of heart (444–447)	–	–	2	1	–	1	2	4	3	1
(30)	Influenza (480–483)	–	–	–	–	–	–	–	–	–	–
(31)	Pneumonia (490–493)	2	1	8	–	–	10	1	–	2	2
(32)	Bronchitis (500–502)	–	–	–	–	–	1	–	–	–	–
(33)	Ulcer of stomach and duodenum (540, 541)	2	2	1	–	–	1	–	1	1	–
(34)	Appendicitis (550–553)	–	–	–	–	–	–	–	–	–	–
(35)	Intestinal obstruction and hernia (560, 561, 570)	–	1	2	–	–	4	–	–	1	1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	–	–	–	–	1	–	–	–	1	–
(37)	Cirrhosis of the liver (581)	–	2	1	–	–	3	1	–	–	–
(38)	Nephritis and nephrosis (590–594)	–	–	1	–	–	–	1	–	–	–
(39)	Hyperplasia of prostate (610)	–	–	–	–	–	1	–	–	–	–
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	–	–	–	–	–	–	1	–	–	–
(41)	Congenital malformations (750–759)	1	–	1	–	1	–	3	4	1	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	1	1	–	–	–	1	1	3	–	–
(43)	Infections of the newborn (763–768)	1	–	–	–	–	–	1	1	–	1
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	2	–	1	–	2	2	2	4	–	–
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	–	–	2	–	–	–	–	–	1	–
(46)	Arteriosclerosis (450)	1	1	6	–	–	1	1	1	1	5
(46)	All other diseases (residual)	–	1	11	–	1	5	10	1	3	7
(47)	Motor-vehicle accidents (810–835)	–	2	3	–	1	2	2	6	–	5
(48)	Railroad accidents and injuries (800–802)	–	–	–	–	–	–	–	–	–	–
(48)	Air-transport accidents (860–866)	–	–	–	–	–	–	–	–	–	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	1	–	–	–	–	–	–	1	–	–
(48)	Accidental drowning (850, 851, 929)	–	1	2	–	–	–	–	1	–	–
(48)	Accidental falls (transport accidents excepted) (900–904)	–	–	6	–	–	1	–	5	2	–
(48)	All other accidents	–	1	1	–	–	2	1	–	2	2
(49)	Suicide and self-inflicted injury (963, 970–979)	1	–	2	–	–	–	–	1	1	–
(50)	Homicide and operations of war (964, 965, 980–935, 990–999)	–	–	1	–	–	1	–	–	–	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	SUFFOLK COUNTY.	BOSTON.	CHELSEA.	REVERE.	Winthrop.	WORCESTER COUNTY.	Ashburnham.	Athol.	Auburn.	Barre.	Berlin.	Blackstone.	Bolton.	Boylston.	Brookfield.	Charlton.	Clinton.	Douglas.
	10,333	**9,310**	**425**	**380**	**218**	**6,017**	**33**	**155**	**92**	**55**	**10**	**43**	**8**	**19**	**20**	**20**	**158**	**30**
(1)	124	115	6	3	–	31	–	–	–	–	–	–	–	–	–	–	1	1
(2)	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	20	19	–	–	1	6	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	5	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(16)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	4	2	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–
(17)	31	27	2	2	–	13	–	–	–	–	–	–	–	–	–	–	3	–
(18)	1,800	1,608	87	71	34	988	3	25	22	8	1	3	–	4	4	5	24	6
(19)	40	34	3	1	2	11	–	–	–	–	–	–	–	–	–	–	–	–
(20)	174	149	12	10	3	83	–	–	1	2	–	1	–	–	–	1	1	–
(21)	13	13	–	–	–	9	–	–	1	–	–	–	–	–	–	–	–	–
(22)	904	807	39	42	16	639	6	13	6	1	2	8	–	2	2	2	17	1
(23)	14	12	2	–	–	14	–	1	–	–	–	–	–	–	–	–	3	–
(24)	2	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(25)	159	149	4	3	3	63	1	–	1	3	–	–	–	1	–	–	1	–
(26)	3,279	2,943	134	118	84	2,224	18	58	26	20	5	20	3	7	4	8	53	11
(26)	272	244	5	12	11	172	–	5	1	5	–	4	–	–	–	2	9	1
(27)	152	142	6	3	1	75	–	–	4	1	–	–	1	–	1	–	2	–
(28)	400	355	18	13	14	164	–	4	4	2	–	1	–	–	2	–	6	–
(29)	51	42	1	3	5	35	–	2	1	–	–	–	–	–	1	–	–	–
(30)	3	2	1	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–
(31)	540	492	20	18	10	248	1	6	2	5	1	1	–	–	–	–	5	–
(32)	26	25	–	1	–	12	–	1	–	1	–	–	–	–	–	–	2	–
(33)	70	61	1	6	2	42	–	–	1	–	–	–	–	–	–	–	1	–
(34)	14	11	1	2	–	8	–	–	–	–	–	–	–	–	–	–	–	–
(35)	44	43	–	–	1	37	–	3	–	–	–	–	–	–	–	–	–	–
(36)	37	33	3	–	1	28	1	–	–	–	–	–	–	–	–	–	1	–
(37)	223	205	8	6	4	58	–	–	–	–	–	–	–	–	–	–	2	1
(38)	56	48	3	4	1	33	–	1	1	–	–	–	–	–	–	–	1	–
(39)	15	14	–	–	1	13	–	–	–	–	–	–	–	–	–	–	1	–
(40)	7	7	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
(41)	96	83	4	8	1	67	–	1	2	–	–	1	–	–	1	–	1	–
(42)	129	117	4	6	2	68	–	1	1	1	–	–	–	–	–	–	–	1
(43)	30	29	–	–	1	7	–	–	–	–	–	–	–	–	–	–	1	–
(44)	130	119	6	4	1	106	–	3	2	–	1	–	1	1	1	1	1	1
(45)	53	52	–	–	1	13	–	–	–	–	–	–	–	–	–	–	–	–
(46)	188	174	3	6	5	127	1	4	4	–	–	2	–	–	1	–	3	4
(46)	710	654	30	17	9	297	1	12	4	1	–	–	1	1	2	–	10	2
(47)	99	89	2	5	3	67	–	1	1	2	–	1	2	–	–	1	1	1
(48)	4	2	1	1	–	4	–	–	–	–	–	–	–	–	–	–	–	–
(48)	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(48)	60	54	1	5	–	10	–	1	–	1	–	–	–	–	–	–	–	–
(48)	16	13	2	1	–	17	1	2	2	2	–	–	–	–	–	–	1	–
(48)	187	175	8	3	1	137	–	6	2	–	–	1	–	2	–	–	6	–
(48)	50	47	2	1	–	30	–	2	1	–	–	–	–	1	–	–	–	–
(49)	75	69	2	4	–	49	–	2	2	–	–	–	–	–	1	–	–	–
(50)	19	17	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Dudley.	East Brookfield.	Fitchburg.	Gardner.	Grafton.	Hardwick.	Harvard.	Holden.	Hopedale.	Hubbardston.
	All Causes.[2]	52	13	530	223	83	17	18	69	39	9
(1)	Tuberculosis of the respiratory system (1–8)	1	–	3	2	1	–	1	–	–	–
(2)	All other forms of tuberculosis (10–19)	–	–	–	–	–	–	–	–	–	–
(3)	Syphilis (20–29)	–	–	2	–	–	–	–	–	–	–
(4)	Typhoid fever (40)	–	–	–	–	–	–	–	–	–	–
(6)	Dysentery, all forms (45–48)	–	–	–	–	–	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–	–	–	–	–	–
(9)	Whooping cough (56)	–	–	–	–	–	–	–	–	–	–
(10)	Meningococcal infections (57)	–	–	–	–	–	–	–	–	–	–
(12)	Acute poliomyelitis (80)	–	–	–	–	–	–	–	–	–	–
(14)	Measles (85)	–	–	–	–	–	–	–	–	–	–
(16)	Malaria (110–117)	–	–	–	–	–	–	–	–	–	–
(17)	Infectious hepatitis (92)	–	–	–	–	–	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	–	–	1	–	–	–	–	–	1	–
(18)	Malignant neoplasms (140–205)	8	3	95	34	18	1	4	9	5	–
(19)	Benign and unspecified neoplasms (210–239)	–	–	–	–	–	–	–	–	–	–
(20)	Diabetes mellitus (260)	2	1	4	3	1	1	–	1	–	–
(21)	Anemias (290–293)	–	1	1	1	–	–	–	–	–	–
(22)	Vascular lesions affecting central nervous system (330–334)	5	–	56	21	6	1	1	8	5	2
(23)	Nonmeningococcal meningitis (340)	–	–	–	–	–	1	–	–	–	–
(24)	Rheumatic fever (400–402)	–	–	–	–	–	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410–416)	1	–	8	4	1	–	–	3	1	–
(26)	Arteriosclerotic heart disease, including coronary disease (420)	24	3	174	87	26	10	8	27	18	1
(26)	Degenerative heart disease (421, 422)	–	1	16	7	5	–	1	–	2	1
(27)	Other diseases of heart (430–434)	–	–	6	–	1	–	–	–	1	–
(28)	Hypertension with heart disease (440–443)	1	–	16	9	3	–	–	3	1	–
(29)	Hypertension without mention of heart (444–447)	–	–	3	2	–	–	–	1	–	–
(30)	Influenza (480–483)	–	–	1	–	–	–	–	–	–	–
(31)	Pneumonia (490–493)	2	1	22	14	7	–	–	5	–	–
(32)	Bronchitis (500–502)	–	–	–	–	–	–	–	–	–	1
(33)	Ulcer of stomach and duodenum (540, 541)	–	–	6	1	–	–	–	–	–	–
(34)	Appendicitis (550–553)	–	–	–	–	–	–	–	–	–	–
(35)	Intestinal obstruction and hernia (560, 561, 570)	–	–	3	3	–	1	–	1	1	1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	–	4	1	–	–	–	–	–	–
(37)	Cirrhosis of the liver (581)	–	–	7	2	1	–	–	–	–	–
(38)	Nephritis and nephrosis (590–594)	2	1	2	3	–	–	–	1	–	1
(39)	Hyperplasia of prostate (610)	–	–	1	1	–	–	–	–	–	–
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	–	–	–	–	–	–	–	–	–	–
(41)	Congenital malformations (750–759)	–	–	4	1	1	–	–	1	–	–
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	2	–	3	2	1	–	–	2	–	–
(43)	Infections of the newborn (763–768)	–	–	2	–	–	–	–	–	–	–
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	–	–	16	–	1	–	1	–	–	–
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	–	–	–	–	–	–	–	–	–	–
(46)	Arteriosclerosis (450)	–	–	14	3	4	–	1	1	1	1
(46)	All other diseases (residual)	1	2	31	9	4	1	–	3	3	1
(47)	Motor-vehicle accidents (810–835)	–	–	5	4	1	1	–	1	–	–
(48)	Railroad accidents and injuries (800–802)	–	–	–	–	–	–	–	–	–	–
(48)	Air-transport accidents (860–866)	–	–	–	–	–	–	–	–	–	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	–	–	–	–	–	–	–	–	–	–
(48)	Accidental drowning (850, 851, 929)	–	–	1	–	–	–	–	–	–	–
(48)	Accidental falls (transport accidents excepted) (900–904)	–	–	15	6	1	–	–	–	–	–
(48)	All other accidents	1	–	–	1	–	–	–	–	–	–
(49)	Suicide and self-inflicted injury (963, 970–979)	1	–	8	2	–	–	1	2	–	–
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	Lancaster.	Leicester.	Leominster	Lunenburg.	Mendon.	Milford.	Millbury.	Millville.	New Braintree.	North Brookfield.	Northborough.	Northbridge.	Oakham.	Oxford.	Paxton.	Petersham.	Phillipston.	Princeton.	Royalston.
	31	72	251	38	21	156	99	17	3	46	48	96	4	59	18	11	6	13	6
(1)	–	–	2	–	–	2	1	–	–	–	–	1	–	1	–	–	–	–	–
(2)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(18)	1	15	28	8	4	17	13	4	1	8	6	12	1	8	3	–	–	5	2
(19)	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(20)	1	–	6	1	–	4	–	–	–	1	–	–	–	2	–	1	–	–	–
(21)	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
(22)	9	8	27	9	2	26	12	2	–	4	4	9	1	8	2	1	2	2	3
(23)	–	–	1	–	–	1	2	–	–	–	1	–	–	–	1	–	–	–	–
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(25)	–	1	1	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–
(26)	13	24	100	10	5	63	40	5	1	14	13	40	1	19	9	4	2	5	–
(26)	–	1	5	2	2	5	2	2	–	3	1	8	–	–	–	–	1	–	–
(27)	–	–	4	–	–	2	2	–	–	3	–	–	–	1	–	–	–	–	–
(28)	–	2	9	–	2	8	2	–	–	–	2	2	–	2	–	–	–	1	–
(29)	–	1	1	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	1
(30)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(31)	1	1	8	–	1	–	2	–	1	2	4	2	–	2	–	–	–	–	–
(32)	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
(33)	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
(34)	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(35)	–	–	4	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
(37)	–	1	4	–	1	–	–	–	–	–	1	–	–	2	–	–	–	–	–
(38)	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
(40)	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(41)	–	2	3	–	1	1	–	–	–	–	1	–	–	2	–	1	–	–	–
(42)	1	3	2	–	–	1	1	1	–	–	2	–	–	–	1	2	–	–	–
(43)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(44)	–	1	6	–	–	1	3	–	–	2	3	–	–	1	1	–	–	–	–
(45)	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(46)	1	1	4	–	2	8	2	1	–	1	2	6	–	–	–	–	–	–	–
(46)	3	3	11	2	–	3	3	1	–	2	5	8	–	6	–	–	1	–	–
(47)	–	1	3	1	1	4	1	–	–	–	1	–	–	–	1	–	–	–	–
(48)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(48)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(48)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(48)	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(48)	–	2	10	2	–	2	2	–	–	–	–	3	–	1	–	1	–	–	–
(48)	–	2	3	–	–	–	1	–	–	2	1	1	–	–	–	–	–	–	–
(49)	1	1	1	1	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
(50)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 14

Abbreviated Int. List No.	Cause of Death.[1]	Deaths from Rutland.	Shrewsbury.	Southborough.	Southbridge.	Spencer.
	All Causes.[2]	**18**	**105**	**28**	**158**	**95**
(1)	Tuberculosis of the respiratory system (1–8)	3	–	1	–	–
(2)	All other forms of tuberculosis (10–19)	–	–	–	–	–
(3)	Syphilis (20–29)	–	–	–	–	–
(4)	Typhoid fever (40)	–	–	–	–	–
(6)	Dysentery, all forms (45–48)	–	–	–	–	–
(7)	Scarlet fever and streptococcal sore throat (50, 51)	–	–	–	–	–
(8)	Diphtheria (55)	–	–	–	–	–
(9)	Whooping cough (56)	–	–	–	–	–
(10)	Meningococcal infections (57)	–	–	–	–	–
(12)	Acute poliomyelitis (80)	–	–	–	–	–
(14)	Measles (85)	–	–	–	–	–
(16)	Malaria (110–117)	–	–	–	–	–
(17)	Infectious hepatitis (92)	–	–	–	–	–
(17)	All other diseases classified as infective and parasitic (residual)	–	1	–	1	–
(18)	Malignant neoplasms (140–205)	5	21	3	31	17
(19)	Benign and unspecified neoplasms (210–239)	–	–	–	–	2
(20)	Diabetes mellitus (260)	–	2	1	5	1
(21)	Anemias (290–293)	–	–	–	–	–
(22)	Vascular lesions affecting central nervous system (330–334)	1	10	5	5	10
(23)	Nonmeningococcal meningitis (340)	–	–	–	–	–
(24)	Rheumatic fever (400–402)	–	–	–	–	–
(25)	Chronic rheumatic heart disease (410–416)	–	2	–	3	–
(26)	Arteriosclerotic heart disease, including coronary disease (420)	7	33	11	68	30
(26)	Degenerative heart disease (421, 422)	–	2	–	4	3
(27)	Other diseases of heart (430–434)	–	3	–	1	7
(28)	Hypertension with heart disease (440–443)	–	2	–	1	2
(29)	Hypertension without mention of heart (444–447)	–	–	–	4	–
(30)	Influenza (480–483)	–	–	–	–	–
(31)	Pneumonia (490–493)	–	4	1	5	5
(32)	Bronchitis (500–502)	–	–	–	–	–
(33)	Ulcer of stomach and duodenum (540, 541)	–	2	–	1	1
(34)	Appendicitis (550–553)	–	–	–	–	1
(35)	Intestinal obstruction and hernia (560, 561, 570)	–	–	–	–	1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	–	1	1	–	–
(37)	Cirrhosis of the liver (581)	–	1	–	2	2
(38)	Nephritis and nephrosis (590–594)	–	–	–	1	–
(39)	Hyperplasia of prostate (610)	–	–	–	–	1
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	–	–	–	–	–
(41)	Congenital malformations (750–759)	–	–	1	2	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	1	1	2	2	3
(43)	Infections of the newborn (763–768)	–	–	–	–	–
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	–	2	–	3	1
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	–	–	–	1	–
(46)	Arteriosclerosis (450)	–	4	–	5	–
(46)	All other diseases (residual)	1	10	1	4	6
(47)	Motor-vehicle accidents (810–835)	–	2	–	1	–
(48)	Railroad accidents and injuries (800–802)	–	–	–	–	–
(48)	Air-transport accidents (860–866)	–	–	–	–	–
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	–	–	–	–	–
(48)	Accidental drowning (850, 851, 929)	–	–	–	1	–
(48)	Accidental falls (transport accidents excepted) (900–904)	–	1	–	7	–
(48)	All other accidents	–	1	1	–	1
(49)	Suicide and self-inflicted injury (963, 970–979)	–	–	–	–	–
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	–	–	–	–	–

[1] The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

[2] Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1958.

Abbreviated Int. List No.	Sterling.	Sturbridge.	Sutton.	Templeton.	Upton.	Uxbridge.	Warren.	Webster.	West Boylston.	West Brookfield.	Westborough.	Westminster.	Winchendon.	Worcester.
	27	**34**	**38**	**47**	**38**	**72**	**56**	**155**	**33**	**30**	**58**	**23**	**81**	**2,230**
(1)	–	–	–	–	–	–	–	1	–	–	–	–	–	9
(2)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	2
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(9)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(10)	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(16)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(17)	–	–	–	–	–	–	1	–	–	–	1	–	–	3
(18)	6	4	8	9	9	13	5	36	10	6	13	3	13	358
(19)	–	–	–	–	–	–	–	1	–	–	–	–	–	6
(20)	–	1	–	2	–	–	–	6	–	–	–	1	2	27
(21)	–	–	–	–	–	–	–	–	–	1	–	–	–	1
(22)	1	2	3	8	4	11	4	13	5	1	5	3	4	248
(23)	–	–	–	–	–	–	–	–	–	–	–	–	–	3
(24)	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(25)	–	2	–	–	–	–	–	–	–	–	–	–	3	22
(26)	10	13	18	13	16	24	30	57	9	13	17	12	34	830
(26)	1	–	1	2	–	5	2	3	–	–	1	2	4	50
(27)	1	1	–	–	–	–	1	3	–	1	1	–	2	25
(28)	1	1	1	1	–	5	2	3	–	2	4	–	2	55
(29)	–	–	–	–	–	–	2	–	–	–	–	–	–	13
(30)	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(31)	1	1	–	1	2	4	–	2	4	–	2	1	3	116
(32)	–	–	–	–	–	–	–	–	–	–	–	–	–	5
(33)	–	–	–	1	–	1	2	1	–	–	3	–	–	18
(34)	–	–	–	–	–	–	–	2	–	–	–	–	–	3
(35)	–	1	–	1	1	–	–	–	–	–	–	–	–	12
(36)	–	–	–	–	–	–	–	–	–	1	–	–	–	14
(37)	–	–	–	1	–	–	–	2	–	–	–	–	2	26
(38)	–	–	–	1	–	–	1	–	–	–	1	–	–	12
(39)	–	–	–	–	–	–	–	1	–	–	–	–	3	3
(40)	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(41)	1	1	–	–	1	–	1	2	–	–	2	–	–	31
(42)	–	2	–	–	1	2	–	–	1	–	1	–	–	25
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	2
(44)	2	–	4	–	2	2	1	2	1	1	–	–	1	36
(45)	–	–	–	–	–	–	–	–	–	–	–	–	2	8
(46)	–	–	–	–	–	1	–	7	1	–	–	–	1	36
(46)	1	–	2	4	1	2	1	7	1	3	3	–	2	111
(47)	1	2	–	2	–	2	–	3	–	–	–	–	–	19
(48)	–	–	–	–	–	–	–	–	–	–	–	–	–	3
(48)	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(48)	1	–	–	–	–	–	–	–	–	–	–	–	–	7
(48)	–	–	–	–	–	–	–	–	–	–	–	–	–	5
(48)	–	2	–	1	–	–	3	–	1	–	2	1	2	55
(48)	–	–	–	–	–	–	–	–	–	1	1	–	–	9
(49)	–	–	1	–	1	–	–	3	–	–	1	–	1	16
(50)	–	–	–	–	–	–	–	–	–	–	–	–	–	1

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES BY PLACE OF OCCURRENCE: 1958.

MUNICIPALITIES.[1]	Total.	Suicide and self-inflicted injury, 963, 970–979.	Homicide, 964, 980–985.	Transportation accidents except motor-vehicle, 800–802, 840–866.	Motor-vehicle accidents, 810–835.	Accidental poisoning by solid and liquid substances, gases and vapors, 870–888, 890–895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900–904.	All others.
The State.	**2,934**	**431**	**53**	**119**	**649**	**74**	**167**	**28**	**117**	**1,094**	**202**
BARNSTABLE COUNTY	53	11	1	7	15	1	3	–	5	9	1
Barnstable	13	2	–	3	5	–	–	–	–	3	–
Bourne	7	2	1	1	1	–	–	–	1	1	–
Brewster	4	2	–	–	1	–	1	–	–	–	–
Chatham	4	–	–	–	1	1	–	–	1	1	–
Dennis	–	–	–	–	–	–	–	–	–	–	–
Eastham	1	–	–	–	–	–	–	–	–	1	–
Falmouth	7	1	–	–	3	–	1	–	1	–	1
Harwich	1	1	–	–	–	–	–	–	–	–	–
Mashpee	2	1	–	–	–	–	–	–	–	1	–
Orleans	2	–	–	–	1	–	–	–	1	–	–
Provincetown	1	–	–	–	–	–	1	–	–	–	–
Sandwich	1	1	–	–	–	–	–	–	–	–	–
Truro	2	–	–	2	–	–	–	–	–	–	–
Wellfleet	3	–	–	1	1	–	–	–	1	–	–
Yarmouth	5	1	–	–	2	–	–	–	–	2	–
BERKSHIRE COUNTY	72	11	2	4	16	–	5	3	3	22	6
Adams	1	1	–	–	–	–	–	–	–	–	–
Alford	–	–	–	–	–	–	–	–	–	–	–
Becket	2	–	–	–	1	–	–	–	–	1	–
Cheshire	5	–	–	–	5	–	–	–	–	–	–
Clarksburg	–	–	–	–	–	–	–	–	–	–	–
Dalton	3	–	–	–	–	–	–	–	1	2	–
Egremont	1	–	–	–	–	–	–	–	–	1	–
Florida	–	–	–	–	–	–	–	–	–	–	–
Great Barrington	7	1	1	1	1	–	–	–	–	3	–
Hancock	2	2	–	–	–	–	–	–	–	–	–
Hinsdale	1	–	–	–	–	–	–	–	–	1	–
Lanesborough	2	–	–	–	1	–	–	–	–	1	–
Lee	1	–	–	–	1	–	–	–	–	–	–
Lenox	1	–	–	–	–	–	–	–	–	1	–
Monterey	1	–	–	–	–	–	–	–	1	–	–
Mount Washington	2	–	–	–	–	–	–	–	1	1	–
New Ashford	–	–	–	–	–	–	–	–	–	–	–
New Marlborough	–	–	–	–	–	–	–	–	–	–	–
NORTH ADAMS	8	1	–	–	–	–	4	–	1	2	–
Otis	2	–	–	–	–	–	–	–	–	1	1
Peru	1	–	–	–	–	–	–	–	–	–	1
PITTSFIELD	19	–	1	–	4	–	1	2	–	8	3
Richmond	1	–	–	–	1	–	–	–	–	–	–
Sandisfield	1	–	–	–	–	–	–	–	–	–	1
Savoy	–	–	–	–	–	–	–	–	–	–	–
Sheffield	2	1	–	–	1	–	–	–	–	–	–
Stockbridge	3	3	–	–	–	–	–	–	–	–	–
Tyringham	–	–	–	–	–	–	–	–	–	–	–
Washington	1	1	–	–	–	–	–	–	–	–	–
West Stockbridge	–	–	–	–	–	–	–	–	–	–	–
Williamstown	5	1	–	3	1	–	–	–	–	–	–
Windsor	–	–	–	–	–	–	–	–	–	–	–
BRISTOL COUNTY	174	21	2	4	59	4	9	–	11	57	7
Acushnet	3	1	–	1	–	–	–	–	–	1	–
ATTLEBORO	7	2	–	–	3	–	1	–	–	2	–
Berkley	–	–	–	–	–	–	–	–	–	–	–
Dartmouth	19	–	–	1	16	–	1	–	1	–	–
Dighton	2	1	–	–	–	–	–	–	–	1	–
Easton	5	–	–	–	2	–	1	–	–	2	–
Fairhaven	6	2	–	–	–	–	–	–	1	3	–
FALL RIVER	22	3	1	–	7	1	2	–	2	2	4
Freetown	2	–	–	–	1	–	–	–	1	–	–
Mansfield	4	1	–	–	1	–	–	–	–	1	1
NEW BEDFORD	36	5	1	–	8	–	3	–	2	17	–
North Attleborough	3	1	–	–	–	1	1	–	–	–	–
Norton	4	–	–	–	4	–	–	–	–	–	–
Raynham	5	–	–	–	3	–	–	–	–	–	2
Rehoboth	–	–	–	–	–	–	–	–	–	–	–
Seekonk	2	1	–	–	1	–	–	–	–	–	–
Somerset	4	2	–	–	2	–	–	–	–	–	–
Swansea	4	1	–	–	2	–	–	–	1	–	–
TAUNTON	40	–	–	1	7	2	1	–	1	28	–
Westport	6	1	–	1	2	–	–	–	2	–	–

[1] Counties and cities are printed in small capitals.

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES BY PLACE OF OCCURRENCE: 1958.

MUNICIPALITIES.[1]	Total.	Suicide and self-inflicted injury, 963, 970–979.	Homicide, 964, 980–985.	Transportation accidents except motor-vehicle, 800–802, 840–866.	Motor-vehicle accidents, 810–835.	Accidental poisoning by solid and liquid substances, gases and vapors, 870–888, 890–895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900–904.	All others.
DUKES COUNTY	2	1	–	–	1	–	–	–	–	–	–
Chilmark	1	1	–	–	–	–	–	–	–	–	–
Edgartown	–	–	–	–	–	–	–	–	–	–	–
Gay Head	–	–	–	–	–	–	–	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–	–	–
Oak Bluffs	1	–	–	–	1	–	–	–	–	–	–
Tisbury	–	–	–	–	–	–	–	–	–	–	–
West Tisbury	–	–	–	–	–	–	–	–	–	–	–
ESSEX COUNTY	325	40	2	7	67	8	8	3	26	141	23
Amesbury	6	–	–	–	2	–	–	–	1	2	1
Andover	8	–	–	–	5	–	–	–	–	1	2
BEVERLY	12	3	–	–	4	–	–	–	–	4	1
Boxford	3	–	–	–	2	–	–	–	1	–	–
Danvers	38	1	–	–	1	–	–	–	–	35	1
Essex	1	–	–	–	1	–	–	–	–	–	–
Georgetown	2	–	–	–	2	–	–	–	–	–	–
GLOUCESTER	13	–	–	2	1	–	–	1	4	2	3
Groveland	–	–	–	–	–	–	–	–	–	–	–
Hamilton	3	1	–	–	–	2	–	–	–	–	–
HAVERHILL	28	1	–	–	4	–	–	–	2	18	3
Ipswich	4	–	1	–	2	–	–	–	1	–	–
LAWRENCE	29	6	–	1	8	1	1	–	1	10	1
LYNN	57	11	1	1	10	1	4	–	2	27	–
Lynnfield	2	–	–	–	–	–	–	–	2	–	–
Manchester	–	–	–	–	–	–	–	–	–	–	–
Marblehead	7	2	–	–	–	–	–	–	–	5	–
Merrimac	3	–	–	–	–	–	1	–	–	1	1
Methuen	9	2	–	–	2	–	–	–	1	4	–
Middleton	1	–	–	–	–	–	–	–	1	–	–
Nahant	1	–	–	–	–	–	–	–	–	1	–
Newbury	3	–	–	–	2	–	–	–	–	1	–
NEWBURYPORT	11	2	–	1	4	–	–	–	1	2	1
North Andover	7	–	–	–	–	–	–	–	2	4	1
PEABODY	19	1	–	–	6	–	–	1	3	3	5
Rockport	7	3	–	–	2	–	1	–	1	–	–
Rowley	1	1	–	–	–	–	–	–	–	–	–
SALEM	29	4	–	2	1	–	–	1	1	17	3
Salisbury	1	–	–	–	1	–	–	–	–	–	–
Saugus	8	1	–	–	3	1	–	–	1	2	–
Swampscott	3	–	–	–	–	–	1	–	–	2	–
Topsfield	5	1	–	–	2	1	–	–	1	–	–
Wenham	2	–	–	–	2	–	–	–	–	–	–
West Newbury	2	–	–	–	–	2	–	–	–	–	–
FRANKLIN COUNTY	39	3	–	5	9	–	1	1	1	15	4
Ashfield	1	–	–	–	–	–	–	–	–	–	1
Bernardston	2	1	–	–	–	–	–	–	–	–	1
Buckland	–	–	–	–	–	–	–	–	–	–	–
Charlemont	–	–	–	–	–	–	–	–	–	–	–
Colrain	1	–	–	–	–	–	–	–	–	1	–
Conway	–	–	–	–	–	–	–	–	–	–	–
Deerfield	–	–	–	–	–	–	–	–	–	–	–
Erving	6	–	–	4	2	–	–	–	–	–	–
Gill	1	–	–	1	–	–	–	–	–	–	–
Greenfield	8	–	–	–	2	–	–	1	–	4	1
Hawley	–	–	–	–	–	–	–	–	–	–	–
Heath	1	–	–	–	–	–	–	–	–	–	1
Leverett	–	–	–	–	–	–	–	–	–	–	–
Leyden	–	–	–	–	–	–	–	–	–	–	–
Monroe	1	–	–	–	–	–	–	–	1	–	–
Montague	8	1	–	–	3	–	1	–	–	3	–
New Salem	1	–	–	–	1	–	–	–	–	–	–
Northfield	2	–	–	–	1	–	–	–	–	1	–
Orange	2	–	–	–	–	–	–	–	–	2	–
Rowe	–	–	–	–	–	–	–	–	–	–	–
Shelburne	3	–	–	–	–	–	–	–	–	3	–
Shutesbury	–	–	–	–	–	–	–	–	–	–	–
Sunderland	2	1	–	–	–	–	–	–	–	1	–
Warwick	–	–	–	–	–	–	–	–	–	–	–
Wendell	–	–	–	–	–	–	–	–	–	–	–
Whately	–	–	–	–	–	–	–	–	–	–	–
HAMPDEN COUNTY	265	50	12	24	53	2	11	1	13	84	15

[1] Counties and cities are printed in small capitals.

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES BY PLACE OF OCCURRENCE: 1958.

MUNICIPALITIES.[1]	Total.	Suicide and self-inflicted injury, 963, 970–979.	Homicide, 964, 980–985.	Transportation accidents except motor-vehicle, 800–802, 840–866.	Motor-vehicle accidents, 810–835.	Accidental poisoning by solid and liquid substances, gases and vapors, 870–888, 890–895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900–904.	All others.
Agawam	6	1	–	–	–	–	1	–	1	1	2
Blandford	–	–	–	–	–	–	–	–	–	–	–
Brimfield	2	–	–	–	1	–	–	–	1	–	–
Chester	–	–	–	–	–	–	–	–	–	–	–
CHICOPEE	45	9	–	18	4	–	2	–	1	7	4
East Longmeadow	2	1	–	–	1	–	–	–	–	–	–
Granville	2	1	–	–	–	–	–	–	1	–	–
Hampden	4	–	3	–	–	–	–	–	–	1	–
Holland	3	1	–	–	2	–	–	–	–	–	–
HOLYOKE	30	4	3	1	3	–	2	–	–	15	2
Longmeadow	3	–	–	3	–	–	–	–	–	–	–
Ludlow	3	–	–	–	–	–	–	–	2	–	1
Monson	6	1	–	–	–	–	–	–	–	5	–
Montgomery	–	–	–	–	–	–	–	–	–	–	–
Palmer	10	1	–	–	5	–	–	1	2	1	–
Russell	–	–	–	–	–	–	–	–	–	–	–
Southwick	6	1	–	–	4	–	–	–	–	1	–
SPRINGFIELD	101	22	6	1	18	2	6	–	3	40	3
Tolland	–	–	–	–	–	–	–	–	–	–	–
Wales	1	–	–	1	–	–	–	–	–	–	–
West Springfield	13	4	–	–	5	–	–	–	1	2	1
WESTFIELD	23	4	–	–	8	–	–	–	1	10	–
Wilbraham	5	–	–	–	2	–	–	–	–	1	2
HAMPSHIRE COUNTY	84	12	1	–	16	1	4	1	5	39	5
Amherst	3	–	–	–	2	–	–	–	–	1	–
Belchertown	4	–	–	–	3	–	–	1	–	–	–
Chesterfield	–	–	–	–	–	–	–	–	–	–	–
Cummington	3	2	–	–	–	–	–	–	–	1	–
Easthampton	4	1	–	–	1	–	–	–	1	–	1
Goshen	–	–	–	–	–	–	–	–	–	–	–
Granby	3	–	–	–	3	–	–	–	–	–	–
Hadley	7	1	–	–	1	–	1	–	2	2	–
Hatfield	2	–	–	–	1	–	–	–	–	1	–
Huntington	–	–	–	–	–	–	–	–	–	–	–
Middlefield	–	–	–	–	–	–	–	–	–	–	–
NORTHAMPTON	42	4	1	–	–	1	3	–	–	30	3
Pelham	–	–	–	–	–	–	–	–	–	–	–
Plainfield	–	–	–	–	–	–	–	–	–	–	–
South Hadley	7	2	–	–	1	–	–	–	1	3	–
Southampton	3	2	–	–	–	–	–	–	–	1	–
Ware	5	–	–	–	3	–	–	–	1	–	1
Westhampton	–	–	–	–	–	–	–	–	–	–	–
Williamsburg	1	–	–	–	1	–	–	–	–	–	–
Worthington	–	–	–	–	–	–	–	–	–	–	–
MIDDLESEX COUNTY	570	72	5	12	131	12	33	6	16	248	35
Acton	1	–	–	–	1	–	–	–	–	–	–
Arlington	22	5	–	2	1	–	2	–	–	11	1
Ashby	3	–	–	–	2	–	–	–	–	1	–
Ashland	1	–	–	–	1	–	–	–	–	–	–
Ayer	2	–	–	–	1	–	–	–	–	1	–
Bedford	7	2	–	–	1	–	–	–	–	2	2
Belmont	11	2	–	–	–	1	–	–	1	6	1
Billerica	8	–	–	–	3	–	–	1	1	3	–
Boxborough	–	–	–	–	–	–	–	–	–	–	–
Burlington	5	1	–	–	2	1	–	–	–	–	1
CAMBRIDGE	58	5	–	1	14	2	4	2	–	28	2
Carlisle	–	–	–	–	–	–	–	–	–	–	–
Chelmsford	8	1	–	1	3	–	–	–	–	3	–
Concord	3	1	–	1	–	–	–	–	1	–	–
Dracut	6	–	–	–	3	–	1	–	–	1	1
Dunstable	1	–	–	–	–	–	–	–	–	–	1
EVERETT	11	2	–	–	2	–	2	–	–	4	1
Framingham	18	8	–	–	4	–	–	–	–	6	–
Groton	1	1	–	–	–	–	–	–	–	–	–
Holliston	4	–	–	–	3	–	–	–	–	1	–
Hopkinton	2	–	–	–	1	–	–	–	–	1	–
Hudson	5	2	–	–	2	1	–	–	–	–	–
Lexington	24	–	–	–	8	1	–	–	–	14	1
Lincoln	3	1	–	–	2	–	–	–	–	–	–
Littleton	3	–	–	–	1	2	–	–	–	–	–
LOWELL	66	5	2	1	8	1	3	–	2	39	5
MALDEN	23	2	–	–	6	–	5	–	1	8	1

[1] Counties and cities are printed in small capitals.

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES BY PLACE OF OCCURRENCE: 1958.

MUNICIPALITIES.[1]	Total.	Suicide and self-inflicted injury, 963, 970–979.	Homicide, 964, 980–985.	Transportation accidents except motor-vehicle, 800–802, 840–866.	Motor-vehicle accidents, 810–835.	Accidental poisoning by solid and liquid substances, gases and vapors, 870–888, 890–895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900–904.	All others.
MARLBOROUGH	10	1	–	1	2	–	1	–	1	4	–
Maynard	1	1	–	–	–	–	–	–	–	–	–
MEDFORD	18	2	–	–	8	–	1	–	1	6	–
MELROSE	9	2	–	–	1	1	–	–	–	5	–
Natick	12	4	–	–	5	–	1	–	–	–	2
NEWTON	41	1	–	–	18	–	2	–	–	18	2
North Reading	4	–	–	–	2	–	–	–	–	1	1
Pepperell	4	–	–	–	–	–	–	1	1	2	–
Reading	5	–	–	–	1	–	–	–	–	3	1
Sherborn	–	–	–	–	–	–	–	–	–	–	–
Shirley	6	1	1	–	1	–	2	–	–	–	1
SOMERVILLE	35	6	–	1	1	2	4	–	1	18	2
Stoneham	12	1	–	–	2	–	1	–	–	8	–
Stow	–	–	–	–	–	–	–	–	–	–	–
Sudbury	4	–	–	–	1	–	–	2	–	–	1
Tewksbury	6	1	–	–	4	–	–	–	–	1	–
Tewksbury Hospital	18	1	–	–	–	–	1	–	–	14	2
Townsend	3	–	–	1	1	–	–	–	1	–	–
Tyngsborough	2	–	–	–	1	–	–	–	1	–	–
Wakefield	4	–	–	–	–	–	–	–	–	3	1
WALTHAM	32	5	–	1	3	–	–	–	1	18	4
Watertown	10	–	–	–	–	–	–	–	–	10	–
Wayland	9	4	–	–	1	–	2	–	2	–	–
Westford	2	–	–	–	–	–	–	–	–	2	–
Weston	6	1	2	–	3	–	–	–	–	–	–
Wilmington	6	–	–	–	4	–	1	–	–	1	–
Winchester	8	3	–	1	–	–	–	–	1	3	–
WOBURN	7	–	–	1	3	–	–	–	–	2	1
NANTUCKET COUNTY	28	1	–	25	–	–	–	–	–	2	–
Nantucket	28	1	–	25	–	–	–	–	–	2	–
NORFOLK COUNTY	231	43	2	3	60	9	12	3	7	71	21
Avon	1	–	–	–	–	–	–	–	–	1	–
Bellingham	1	1	–	–	–	–	–	–	–	–	–
Braintree	7	1	–	–	3	1	–	–	–	1	1
Brookline	32	7	1	–	11	2	–	2	1	7	1
Canton	7	–	–	–	1	–	4	–	–	1	1
Cohasset	3	–	–	2	1	–	–	–	–	–	–
Dedham	14	3	–	–	8	–	–	–	–	2	1
Dover	1	–	–	–	–	–	1	–	–	–	–
Foxborough	5	2	–	–	1	–	–	–	–	2	–
Franklin	1	–	–	–	–	–	–	–	–	1	–
Holbrook	3	1	–	–	1	–	–	–	–	1	–
Medfield	13	2	–	–	–	–	–	–	–	10	1
Medway	5	1	–	–	2	–	1	–	–	1	–
Millis	1	–	–	–	1	–	–	–	–	–	–
Milton	7	4	–	–	–	1	–	–	–	1	1
Needham	13	3	–	–	3	–	–	–	1	5	1
Norfolk	1	1	–	–	–	–	–	–	–	–	–
Norwood	8	–	–	–	–	1	–	–	–	4	3
Plainville	1	–	–	–	–	–	–	–	–	–	1
QUINCY	32	5	–	1	7	2	2	–	3	9	3
Randolph	4	1	–	–	3	–	–	–	–	–	–
Sharon	8	1	–	–	7	–	–	–	–	2	–
Stoughton	11	3	–	–	4	1	1	–	–	1	–
Walpole	5	4	–	–	–	–	–	–	–	8	2
Wellesley	13	–	–	–	2	–	1	–	–	–	1
Westwood	3	1	1	–	–	–	–	–	–	14	3
Weymouth	24	1	–	–	2	–	2	1	1	–	1
Wrentham	7	1	–	–	3	1	–	–	1	30	7
PLYMOUTH COUNTY	156	23	4	5	62	2	11	3	9	–	–
Abington	2	2	–	–	–	–	–	–	–	–	–
Bridgewater	4	1	–	–	3	–	–	–	–	12	–
BROCKTON	37	8	1	1	11	1	3	1	–	–	–
Carver	3	–	–	–	–	–	–	–	1	–	1
Duxbury	7	2	–	2	1	–	–	–	–	1	–
East Bridgewater	3	–	–	–	1	1	–	–	–	–	–
Halifax	1	–	–	–	1	–	1	–	–	–	–
Hanover	3	–	1	–	1	–	–	–	–	–	–
Hanson	2	–	–	–	2	–	1	–	1	1	–
Hingham	5	1	–	–	1	–	–	–	2	–	–
Hull	3	–	–	–	1	–	–	–	–	1	–
Kingston	2	–	–	–	–	–	1	–	–	–	–

[1] Counties and cities are printed in small capitals.

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES BY PLACE OF OCCURRENCE: 1958.

MUNICIPALITIES.[1]	Total.	Suicide and self-inflicted injury, 963, 970–979.	Homicide, 964, 980–985.	Transportation accidents except motor-vehicle, 800–802, 840–866.	Motor-vehicle accidents, 810–835.	Accidental poisoning by solid and liquid substances, gases and vapors, 870–888, 890–895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900–904.	All others.
Lakeville	2	–	–	–	–	–	–	–	1	–	1
Marion	2	–	–	–	2	–	–	–	–	–	–
Marshfield	10	1	–	–	9	–	–	–	–	–	–
Mattapoisett	4	2	1	–	1	–	–	–	–	–	–
Middleborough	12	1	–	–	8	–	–	–	–	3	–
Norwell	4	1	–	–	1	–	1	–	–	1	–
Pembroke	4	–	–	–	2	–	–	1	1	–	–
Plymouth	16	2	1	2	2	–	1	–	2	5	1
Plympton	–	–	–	–	–	–	–	–	–	–	–
Rochester	4	–	–	–	4	–	–	–	–	–	–
Rockland	4	–	–	–	1	–	–	1	–	1	1
Scituate	4	–	–	–	2	–	–	–	1	–	1
Wareham	9	1	–	–	4	–	1	–	–	3	–
West Bridgewater	7	1	–	–	2	–	–	–	–	2	2
Whitman	2	–	–	–	2	–	–	–	–	–	–
SUFFOLK COUNTY	433	84	19	13	73	21	55	1	9	143	15
BOSTON	393	78	17	11	65	19	49	–	8	132	14
CHELSEA	18	2	1	1	2	2	1	–	–	9	–
REVERE	20	4	1	1	5	–	5	1	1	1	1
Winthrop	2	–	–	–	1	–	–	–	–	1	–
WORCESTER COUNTY	336	52	1	6	70	3	13	5	12	151	23
Ashburnham	2	–	–	–	1	–	–	–	1	–	–
Athol	11	2	–	–	1	–	1	1	1	4	1
Auburn	10	2	–	1	3	–	–	–	1	2	1
Barre	–	–	–	–	–	–	–	–	–	–	–
Berlin	2	–	–	–	1	–	–	–	1	–	–
Blackstone	–	–	–	–	–	–	–	–	–	–	–
Bolton	1	–	–	–	1	–	–	–	–	–	–
Boylston	1	–	–	–	–	–	–	–	–	1	–
Brookfield	1	1	–	–	–	–	–	–	–	–	–
Charlton	4	–	–	–	4	–	–	–	–	–	–
Clinton	6	–	–	–	1	–	–	–	–	3	2
Douglas	1	1	–	–	–	–	–	–	–	–	–
Dudley	1	1	–	–	–	–	–	–	–	–	–
East Brookfield	1	–	–	–	1	–	–	–	–	–	–
FITCHBURG	27	7	–	–	2	–	2	–	–	15	1
GARDNER	17	3	–	–	1	–	1	–	–	9	3
Grafton	10	1	–	2	–	–	–	1	–	6	–
Hardwick	–	–	–	–	–	–	–	–	–	–	–
Harvard	1	1	–	–	–	–	–	–	–	–	–
Holden	6	2	–	–	2	–	1	–	–	1	–
Hopedale	1	–	–	–	1	–	–	–	–	–	–
Hubbardston	1	–	–	–	1	–	–	–	–	–	–
Lancaster	–	–	–	–	–	–	–	–	–	–	–
Leicester	3	1	–	–	–	–	–	–	–	1	1
LEOMINSTER	13	1	–	–	3	1	–	–	–	7	1
Lunenburg	4	2	–	–	–	–	–	–	1	1	–
Mendon	2	–	–	–	1	–	–	–	1	–	–
Milford	2	–	–	–	1	–	–	–	–	1	–
Millbury	4	–	–	–	1	–	–	–	1	1	1
Millville	–	–	–	–	–	–	–	–	–	–	–
New Braintree	1	–	–	–	–	–	–	–	–	–	1
North Brookfield	2	–	–	–	–	1	–	–	–	–	1
Northborough	3	1	–	–	–	–	–	1	–	1	–
Northbridge	4	–	–	–	–	–	–	–	–	3	1
Oakham	–	–	–	–	–	–	–	–	–	–	–
Oxford	2	1	–	–	–	–	–	–	–	1	–
Paxton	–	–	–	–	–	–	–	–	–	–	–
Petersham	2	1	–	–	1	–	–	–	–	–	–
Phillipston	–	–	–	–	–	–	–	–	–	–	–
Princeton	–	–	–	–	–	–	–	–	–	–	–
Royalston	2	–	–	–	2	–	–	–	–	–	–
Rutland	4	2	–	–	2	–	–	–	–	–	–
Shrewsbury	6	–	–	–	4	–	1	–	1	–	–
Southborough	–	–	–	–	–	–	–	–	–	–	–
Southbridge	6	–	–	–	–	–	–	–	1	5	–
Spencer	1	–	–	–	1	–	–	–	–	–	–
Sterling	6	1	–	1	3	–	1	–	–	–	–
Sturbridge	5	–	–	–	3	–	–	–	–	2	–
Sutton	2	1	–	–	1	–	–	–	–	–	–

[1] Counties and cities are printed in small capitals.

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES BY PLACE OF OCCURRENCE: 1958.

MUNICIPALITIES.[1]	Total.	Suicide and self-inflicted injury, 963, 970–979.	Homicide, 964, 980–985.	Transportation accidents except motor-vehicle, 800–802, 840–866.	Motor-vehicle accidents, 810–835.	Accidental poisoning by solid and liquid substances, gases and vapors. 870–888, 890–895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900–904.	All others.
Templeton	4	–	–	1	2	–	–	–	–	1	–
Upton	2	–	–	–	2	–	–	–	–	–	–
Uxbridge	4	–	–	–	4	–	–	–	–	–	–
Warren	4	–	–	–	1	–	–	–	–	3	–
Webster	3	2	–	–	–	–	–	1	–	–	–
West Boylston	1	1	–	–	–	–	–	–	–	–	–
West Brookfield	1	–	–	–	–	–	–	–	1	–	–
Westborough	20	1	–	–	2	–	–	1	–	15	1
Westminster	2	–	–	–	–	–	–	–	–	2	–
Winchendon	5	1	–	–	2	–	–	–	–	2	–
WORCESTER	112	15	1	1	14	1	6	–	2	64	8
Other States	28	1	1	1	14	1	–	–	–	7	3
Out of the Country	5	–	–	3	1	–	–	–	–	1	–
Place Not Stated	133	6	1	–	2	10	2	1	–	74	37

[1] Counties and cities are printed in small capitals.

Table 16

Line No.	Type of Accident.	Accidental Deaths,[1] According to Months										
		Total			January		February		March		April	
			M	F	M	F	M	F	M	F	M	F
1	**GRAND TOTAL**	**2,392**	**1,427**	**965**	**130**	**92**	**105**	**87**	**127**	**71**	**117**	**78**
2	Work Total	73	73	–	6	–	4	–	3	–	3	–
3	Agriculture	7	7	–	–	–	–	–	–	–	1	–
4	Mining, quarrying, oil and gas wells	–	–	–	–	–	–	–	–	–	–	–
5	Manufacturing	12	12	–	1	–	2	–	–	–	–	–
6	Construction	18	18	–	2	–	1	–	1	–	1	–
7	Transportation	6	6	–	1	–	–	–	–	–	–	–
8	Public utilities	3	3	–	–	–	–	–	–	–	–	–
9	Trade	1	1	–	–	–	–	–	–	–	–	–
10	Service	20	20	–	2	–	1	–	1	–	1	–
11	Other specified industry	5	5	–	–	–	–	–	1	–	–	–
12	Unspecified industry	1	1	–	–	–	–	–	–	–	–	–
13	Home Total	876	413	463	44	53	35	53	54	44	38	37
14	Poisonings (gas excepted)	27	17	10	1	–	1	–	3	–	2	1
15	Poisonings by gases and vapors	27	19	8	4	1	2	1	6	3	3	–
16	Fire, explosion of combustible material	131	75	56	8	3	11	12	7	4	13	8
17	Hot substance, corrosive liquid and steam	6	5	1	1	–	–	–	1	–	1	1
18	Mechanical suffocation	25	17	8	1	–	–	–	2	–	–	2
19	Firearms	5	4	1	1	–	1	–	–	–	–	–
20	Falls on same level	88	23	65	2	9	1	9	2	6	2	2
21	Falls to different level or unspecified	502	210	292	20	36	16	29	29	25	14	23
22	Other specified home accidents	41	28	13	3	3	1	2	3	3	1	–
23	Unspecified home accidents	24	15	9	3	1	2	–	1	3	2	–
24	Motor-vehicle Total[2]	633	452	181	37	19	34	9	27	8	37	19
25	Injury to pedestrian	236	163	73	18	13	9	4	13	2	12	4
26	Collision with other motor vehicle	143	99	44	9	1	13	5	2	4	7	3
27	Collision with railroad train	7	4	3	–	–	–	–	1	–	2	1
28	Collision with streetcar	–	–	–	–	–	–	–	–	–	–	–
29	Injury to rider of bicycle	3	2	1	1	–	–	–	–	–	–	–
30	Collision with animal-drawn vehicle or animal	–	–	–	–	–	–	–	–	–	–	–
31	Collision with fixed object	107	84	23	5	1	7	–	3	–	3	1
32	Non-collision	88	58	30	4	3	4	–	5	1	8	10
33	Other and unspecified accident	49	42	7	–	1	1	–	3	1	5	–
34	Public Nonmotor-vehicle Total[3]	626	380	246	31	17	24	22	28	15	34	13
35	Railroad — not with motor vehicle	26	22	4	2	1	2	–	1	–	2	1
36	Streetcar — not with motor vehicle	2	–	2	–	–	–	–	–	–	–	–
37	Other vehicle — not with motor vehicle	3	2	1	–	–	–	–	1	–	1	–
38	Water transportation	22	22	–	–	–	1	–	–	–	3	–
39	Air transportation	15	14	1	2	–	–	–	–	–	1	–
40	Fire, explosion of combustible material	14	8	6	1	–	–	–	1	–	–	–
41	Hot substance, corrosive liquid and steam	2	–	2	–	–	–	–	–	–	–	–
42	Drowning	111	94	17	4	4	4	–	3	–	5	–
43	Firearms	7	7	–	1	–	1	–	–	–	–	–
44	Falls on same level	99	44	55	5	4	3	5	3	3	3	4
45	Falls to different level or unspecified	271	128	143	13	7	9	17	17	11	15	8
46	Other specified public accidents	39	25	14	3	–	1	–	1	1	3	–
47	Unspecified public accidents	15	14	1	–	1	3	–	1	–	1	–
48	Type of Accident Unknown	184	109	75	12	3	8	3	15	4	5	9

[1] Allocated.
[2] Includes 8 nontraffic accidents and 11 persons gainfully employed.
[3] Transportation accidents include 7 persons gainfully employed.

TYPE OF ACCIDENT, BY MONTHS AND SEX: 1958.

Line No.	Months															
	May		June		July		August		September		October		November		December	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	119	69	126	88	142	71	122	74	101	60	122	84	88	87	128	104
2	13	–	7	–	3	–	8	–	5	–	11	–	9	–	1	–
3	1	–	1	–	–	–	–	–	–	–	3	–	1	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	1	–	–	–	–	–	–	–	3	–	4	–	1	–
6	2	–	3	–	1	–	2	–	2	–	2	–	1	–	–	–
7	–	–	–	–	–	–	3	–	1	–	–	–	1	–	–	–
8	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	5	–	2	–	2	–	2	–	1	–	2	–	1	–	–	–
11	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
13	35	24	29	35	25	30	21	31	30	25	39	43	25	36	38	52
14	–	–	2	1	1	2	1	1	–	–	3	2	1	–	2	3
15	–	–	–	–	1	–	–	–	–	–	1	2	–	–	2	1
16	5	3	4	2	5	3	–	1	4	2	2	9	3	5	13	4
17	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
18	–	1	–	–	–	1	4	1	2	1	2	–	4	1	2	1
19	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
20	2	5	1	7	2	6	4	5	2	2	3	6	–	1	2	7
21	24	14	19	24	14	16	8	22	16	19	21	23	14	28	15	33
22	1	1	1	–	2	1	1	1	5	–	5	–	3	–	2	2
23	2	–	2	–	–	1	1	–	1	1	1	1	–	1	–	1
24	38	15	40	19	49	16	34	14	31	9	37	14	32	19	56	20
25	9	5	8	9	16	5	13	2	14	4	12	5	15	10	24	10
26	12	4	14	3	11	6	2	5	5	1	10	6	1	–	13	6
27	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31	3	1	10	6	13	3	9	3	6	4	6	1	9	2	10	1
32	4	5	4	1	7	2	5	3	3	–	6	1	2	3	6	1
33	10	–	4	–	1	–	5	–	3	–	2	1	5	4	3	–
34	31	22	41	22	57	18	41	26	28	19	29	21	18	24	20	27
35	2	–	3	–	2	–	2	–	2	1	3	–	2	–	1	1
36	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
37	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
38	2	–	3	–	5	–	2	–	5	–	1	–	–	–	–	–
39	1	–	3	–	–	–	5	1	–	–	1	–	1	–	–	–
40	1	3	1	–	1	–	–	–	–	2	1	–	–	1	2	–
41	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
42	9	3	16	–	26	3	17	4	3	–	4	1	2	2	1	–
43	–	–	1	–	2	–	–	–	–	–	–	–	1	–	1	–
44	3	7	2	4	6	2	4	7	7	5	3	4	1	3	4	7
45	10	8	8	14	13	12	6	12	8	10	11	10	10	17	8	17
46	1	1	3	2	2	–	2	–	2	1	3	6	1	1	3	2
47	2	–	1	–	–	–	3	–	1	–	2	–	–	–	–	–
48	2	8	9	12	8	7	18	3	7	7	7	6	5	8	13	5

Table 17

Line No.	Type of Accident.	Accidental Deaths,[1] According to Age of Decedents (years)												
		Total			Under 1		1 to 4		5 to 14		15 to 19		20 to 24	
			M	F	M	F	M	F	M	F	M	F	M	F
1	GRAND TOTAL	2,392	1,427	965	32	22	59	33	80	34	79	23	87	11
2	Work Total	73	73	–	–	–	–	–	–	–	4	–	8	–
3	Agriculture	7	7	–	–	–	–	–	–	–	–	–	1	–
4	Mining, quarrying, oil and gas wells	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Manufacturing	12	12	–	–	–	–	–	–	–	–	–	1	–
6	Construction	18	18	–	–	–	–	–	–	–	1	–	1	–
7	Transportation	7	7	–	–	–	–	–	–	–	–	–	2	–
8	Public utilities	3	3	–	–	–	–	–	–	–	–	–	–	–
9	Trade	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Service	20	20	–	–	–	–	–	–	–	1	–	2	–
11	Other specified industry	5	5	–	–	–	–	–	–	–	1	–	1	–
12	Unspecified industry	1	1	–	–	–	–	–	–	–	1	–	–	–
13	Home Total	876	413	463	29	16	25	13	16	7	4	3	3	1
14	Poisonings (gas excepted)	27	17	10	–	–	5	2	–	–	2	1	1	–
15	Poisonings by gases and vapors	27	19	8	–	–	–	–	1	–	1	–	–	–
16	Fire, explosion of combustible material	131	75	56	2	1	7	6	4	3	–	1	1	1
17	Hot substance, corrosive liquid and steam	6	5	1	–	–	2	–	–	–	–	–	–	–
18	Mechanical suffocation	25	17	8	11	7	2	–	2	–	–	–	–	–
19	Firearms	5	4	1	–	–	–	–	–	1	1	–	–	–
20	Falls on same level	88	23	65	–	–	–	–	–	–	–	–	–	–
21	Falls to different level or unspecified	502	210	292	1	1	1	1	4	1	–	1	–	–
22	Other specified home accidents	41	28	13	11	4	5	1	2	2	–	–	1	–
23	Unspecified home accidents	24	15	9	4	3	3	3	3	–	–	–	–	–
24	Motor-vehicle Total[2]	633	452	181	–	1	21	9	22	21	43	13	57	9
25	Injury to pedestrian	236	163	73	–	–	17	7	16	13	6	–	–	–
26	Collision with other motor vehicle	143	99	44	–	–	1	1	1	4	9	3	15	3
27	Collision with railroad train	7	4	3	–	–	–	–	–	–	–	–	2	1
28	Collision with streetcar	–	–	–	–	–	–	–	–	–	–	–	–	–
29	Injury to rider of bicycle	3	2	1	–	–	–	–	2	1	–	–	–	–
30	Collision with animal-drawn vehicle or animal	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Collision with fixed object	107	84	23	–	–	2	–	–	2	15	5	13	2
32	Noncollision	88	58	30	–	1	–	1	2	1	7	3	16	2
33	Other and unspecified accident	49	42	7	–	–	1	–	1	–	6	2	11	1
34	Public Nonmotor-vehicle Total[3]	626	380	246	2	2	9	9	42	6	23	5	15	1
35	Railroad—not with motor vehicle	26	22	4	–	–	1	–	3	–	2	–	–	–
36	Streetcar—not with motor vehicle	2	–	2	–	–	–	–	–	–	–	–	–	–
37	Other vehicle—not with motor vehicle	3	2	1	–	–	–	–	–	–	–	–	–	–
38	Water transportation	22	22	–	–	–	–	–	3	–	2	–	4	–
39	Air transportation	15	14	1	–	–	–	–	–	–	–	–	5	–
40	Fire, explosion of combustible material	14	8	6	–	–	–	1	–	–	–	–	–	1
41	Hot substance, corrosive liquid and steam	2	–	2	–	–	–	–	–	–	–	–	–	–
42	Drowning	111	94	17	–	–	6	6	28	5	14	3	3	–
43	Firearms	7	7	–	–	–	–	–	–	–	1	–	1	–
44	Falls on same level	99	44	55	–	–	–	1	–	–	1	–	–	–
45	Falls to different level or unspecified	271	128	143	–	1	–	–	1	–	2	–	1	–
46	Other specified public accidents	39	25	14	2	1	2	–	3	1	–	2	1	–
47	Unspecified public accidents	15	14	1	–	–	–	1	4	–	1	–	–	–
48	Type of Accident Unknown	184	109	75	1	3	4	2	–	–	5	2	4	–

[1] Allocated.
[2] Includes 8 nontraffic accidents and 11 persons gainfully employed.
[3] Transportation accidents include 7 persons gainfully employed.

TYPE OF ACCIDENT, BY AGE AND SEX: 1958.

Line No.	AGE OF DECEDENTS (YEARS)																	
	25 to 29		30 to 34		35 to 39		40 to 44		45 to 49		50 to 54		55 to 59		60 to 64		65 and over	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	64	19	54	14	69	14	73	22	73	17	81	25	71	36	85	45	520	650
2	7	–	8	–	10	–	7	–	6	–	7	–	4	–	6	–	6	–
3	1	–	–	–	2	–	–	–	–	–	–	–	1	–	2	–	–	–
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	–	–	2	–	1	–	1	–	1	–	2	–	1	–	–	–	3	–
6	2	–	2	–	1	–	3	–	1	–	3	–	–	–	3	–	1	–
7	1	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–
8	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	3	–	4	–	2	–	2	–	1	–	1	–	2	–	1	–	1	–
11	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–
12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	4	3	5	7	13	4	12	6	11	7	22	9	20	19	20	15	229	353
14	–	1	–	–	–	1	1	–	1	2	2	–	2	1	–	–	3	2
15	1	–	–	1	1	2	–	–	–	–	2	1	3	–	3	1	7	3
16	2	2	1	3	5	–	4	2	5	–	6	4	6	5	7	4	25	24
17	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1
18	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–
19	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	23	64
21	–	–	–	3	4	1	5	2	5	3	11	4	7	11	8	7	164	257
22	–	–	2	–	3	–	1	1	–	1	–	–	–	1	1	2	2	1
23	–	–	1	–	–	–	–	1	–	–	1	–	–	1	–	–	3	1
24	41	12	25	2	25	4	28	10	26	4	21	11	22	13	18	11	103	61
25	2	–	2	–	4	–	8	2	11	1	9	8	9	5	10	4	69	33
26	11	4	4	–	4	3	6	3	9	1	8	2	7	5	6	5	18	10
27	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31	12	3	7	–	6	–	9	4	5	1	3	–	3	1	1	1	8	4
32	10	4	7	2	8	1	3	1	–	–	1	–	2	1	1	1	1	12
33	5	1	5	–	2	–	2	–	1	–	–	1	1	1	–	–	7	1
34	8	2	14	2	18	2	21	5	22	4	22	5	20	2	24	16	140	185
35	–	–	3	–	2	1	2	–	3	–	3	1	2	–	1	1	–	1
36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
37	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1
38	–	–	2	–	–	–	1	–	1	–	3	–	–	–	2	–	4	–
39	2	–	2	–	2	–	1	–	1	1	–	–	1	–	–	–	–	–
40	1	2	–	–	1	–	–	–	–	–	1	–	–	–	2	1	3	1
41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
42	4	–	3	1	6	–	6	–	5	–	6	1	2	–	4	1	7	–
43	–	–	–	–	1	–	1	–	–	–	2	–	–	–	1	–	–	–
44	–	–	–	–	–	–	2	–	3	–	2	–	2	1	2	6	32	47
45	–	–	3	1	2	–	5	3	8	2	3	2	3	1	11	4	89	129
46	1	–	1	–	4	1	2	2	–	1	2	1	7	–	–	1	–	4
47	–	–	–	–	–	–	1	–	1	–	–	–	2	–	1	–	4	–
48	4	2	2	3	3	4	5	1	8	2	9	–	5	2	17	3	42	51

Table 18 — Deaths[1] Produced by External Causes: 1934 to 1958.

Years.	Total Accidents.	Traumatism by fall.	Automobile (including railroad and street-car collisions).	Drowning.	Burns.[2]	Absorption of poisonous gas.	Excessive heat.	Excessive cold.	Suicide.	Homicide.
1934	3,142	982	1,016	238	137	71	24	28	598	93
1935	3,006	1,109	824	232	143	72	21	28	570	74
1936	3,035	1,130	866	188	135	83	13	15	555	72
1937	3,014	1,037	864	265	113	67	72	19	642	85
1938	2,943	1,207	658	295	116	79	11	13	586	61
1939	2,750	1,206	630	211	123	72	14	12	570	61
1940	2,677	1,137	646	201	129	67	3	8	570	69
1941	2,806	1,178	727	155	133	64	12	6	545	65
1942	3,129	1,173	542	186	120	61	5	20	505	57
1943	3,111	1,323	485	199	144	108	35	19	444	33
1944	2,804	1,107	503	196	134	107	40	16	440	55
1945	2,820	1,221	513	170	129	109	2	17	483	58
1946	2,836	1,234	575	148	92	111	8	19	465	68
1947	2,803	1,257	531	166	103	84	10	16	508	66
1948	2,674	1,289	459	144	89	79	55	11	478	53
1949	2,509	1,204	497	166	153	101	29	10	521	48
1950	2,467	1,163	573	141	132	98	–	8	504	62
1951	2,553	1,242	561	193	142	67	–	8	464	48
1952	2,447	1,153	549	185	206	48	20	7	419	47
1953	2,626	1,163	610	185	179	43	10	3	365	57
1954	2,523	1,262	586	146	158	31	2	11	382	45
1955	2,477	1,185	640	136	178	31	6	9	416	56
1956	2,497	1,242	605	121	178	34	4	11	417	60
1957	2,401	1,182	549	130	181	28	3	2	398	66
1958	2,392	1,087	661	137	171	31	3	2	420	49

[1] Allocated since 1935.
[2] Conflagration excepted up to and including 1948.

Table 19 — Death Rates per 100,000 Population based on Annual Average Number of Deaths for the Five-year Period of which the Census Year is the Median Year[1]: Census Years 1930 to 1955.

Years.	All causes.[2]	Scarlet fever.	Diphtheria and croup.	Tuberculosis of the respiratory system.	Measles.	Cancer.	Diabetes.	Heart Disease.	Nephritis.
1930	1,181.9	2.4	4.3	56.5	3.0	136.9	24.5	279.0	85.6
1935	1,167.2	1.5	1.0	42.5	1.0	149.9	30.9	347.8	75.6
1940	1,150.1	.4	.3	34.5	.3	163.3	34.9	403.0	65.1
1945	1,150.3	.2	.4	35.3	.3	170.9	35.2	429.2	50.7
1950	1,100.2	–[3]	.4	20.4	.2	182.8	25.5	463.9	23.7
1955	1,085.5	–[3]	–[3]	9.0	.1	191.7	19.9	461.7	9.8

[1] This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of one per 100,000 population.

Abbreviated List No.	Table 20 — Cause of Death.[1]	Number of Allocated Deaths.[2] 1958.	1957.	1956.	1955.	1954.
	All Causes.	54,792	54,658	52,757	53,386	51,253
(1)	Tuberculosis of the respiratory system (1–8)	305	371	402	455	460
(2)	All other forms of tuberculosis (10–19)	9	15	16	15	39
(3)	Syphilis (20–29)	82	95	80	77	55
(4)	Typhoid fever (40)	–	–	1	1	–
(6)	Dysentery (45–48)	1	2	1	6	13
(7)	Scarlet fever and streptococcal sore throat (50, 51)	1	3	4	2	4
(8)	Diphtheria (55)	–	1	3	1	1
(9)	Whooping cough (56)	2	1	2	–	1
(10)	Meningococcal infections (57)	25	20	18	19	31
(12)	Acute poliomyelitis (80)	2	3	6	175	18
(14)	Measles (85)	4	5	1	19	6
(16)	Malaria (110–117)	1	–	2	3	1
(17)	Infectious hepatitis (92)	24	25	22	29	26
(17)	All other diseases classified as infective and parasitic (residual)	116	102	106	83	58
(18)	Malignant neoplasms (140–205)	9,526	9,634	9,376	9,475	9,243
(19)	Benign and unspecified neoplasms (210–239)	152	161	124	151	145
(20)	Diabetes mellitus (260)	894	814	887	1,047	1,038
(21)	Anemias (290–293)	83	78	91	101	100
(22)	Vascular lesions affecting central nervous system (330–334)	6,063	5,911	5,672	5,773	3,569
(23)	Nonmeningococcal meningitis (340)	82	70	57	54	43
(24)	Rheumatic fever (400–402)	13	15	25	33	14
(25)	Chronic rheumatic heart disease (410–416)	653	738	683	742	743
(26)	Arteriosclerotic and degenerative heart disease (420–422)	19,842	19,716	18,995	19,025	18,237
(27)	Other diseases of heart (430–434)	723	633	694	631	639
(28)	Hypertension with heart disease (440–443)	1,957	1,937	1,939	2,051	2,282
(29)	Hypertension without mention of heart (444–447)	408	292	299	308	316
(30)	Influenza (480–483)	25	83	14	28	14
(31)	Pneumonia (490–493)	2,123	2,055	1,586	1,337	1,074
(32)	Bronchitis (500–502)	139	121	114	137	67
(33)	Ulcer of stomach and duodenum (540, 541)	390	390	395	406	410
(34)	Appendicitis (550–553)	60	52	57	68	76
(35)	Intestinal obstruction and hernia (560, 561, 570)	302	283	275	345	329
(36)	Gastritis, duodenitis, enteritis, and colitis except diarrhea of newborn (543, 571, 572)	175	156	176	199	178
(37)	Cirrhosis of the liver (581)	711	801	782	727	679
(38)	Nephritis and nephrosis (590–594)	359	427	463	485	490
(39)	Hyperplasia of prostate (610)	102	101	112	157	115
(40)	Complications of pregnancy, childbirth and the puerperium (640–652, 660, 670–689)	24	10	22	31	36
(41)	Congenital malformations (750–759)	620	596	567	556	562
(42)	Birth injuries, postnatal asphyxia and atelectasis (760–762)	624	649	636	721	726
(43)	Infections of the newborn (763–768)	107	119	100	76	97
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769–776)	826	928	824	751	784
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780–795)	225	215	165	189	235
(46)	Arteriosclerosis (450)	1,171	1,106	1,116	1,145	1,153
(46)	All other diseases (residual)	2,980	3,057	2,868	2,803	2,396
(47)	Motor-vehicle accidents (810–835)	632	549	603	627	557
(48)	Railroad accidents and injuries (800–802)	29	22	31	13	29
(48)	Air-transport accidents (860–866)	17	26	21	13	30
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915–917)	171	181	178	178	158
(48)	Accidental drowning (850, 851, 929)	144	132	121	136	146
(48)	Accidental falls (transport accidents excepted) (900–904)	1,087	1,182	1,242	1,185	1,262
(48)	All other accidents	312	309	301	325	341
(49)	Suicide and self-inflicted injury (963, 970–979)	420	398	417	416	382
(50)	Homicide and operations of war (964, 965, 980–985, 990–999)	49	68	65	56	45

[1] The title or titles of the Detailed International List that are included under each heading are shown by numbers in parentheses.

Abbreviated List No.	Death Rates[2] per 100,000 Population.					Per Cent Distribution.				
	1958.	1957.	1956.	1955.	1954.	1958.	1957.	1956.	1955.	1954.
	1,107.8	1,112.0	1,080.2	1,100.0	1,056.9	100.0	100.0	100.0	100.0	100.0
(1)	6.2	7.5	8.2	9.4	9.5	.6	.7	.8	.9	.9
(2)	.2	.3	.3	.3	.8	[4]	[4]	[4]	[4]	.1
(3)	1.6	1.9	1.6	1.6	1.1	.1	.2	.2	.1	.1
(4)	–	–	[3]	[3]	–	–	–	–	–	–
(6)	[3]	[3]	[3]	.1	.3	[4]	–	–	[4]	[4]
(7)	[3]	.1	.1	[3]	.1	[4]	–	–	–	[4]
(8)	–	[3]	.1	[3]	[3]	–	–	–	–	[4]
(9)	[3]	[3]	[3]	–	[3]	[4]	–	–	–	[4]
(10)	.5	.4	.4	.4	.6	[4]	[4]	[4]	[4]	.1
(12)	[3]	.1	.1	3.6	.4	[4]	–	–	.3	[4]
(14)	.1	.1	[3]	.4	.1	[4]	–	–	[4]	[4]
(16)	[3]	–	[3]	.1	[3]	[4]	–	–	–	[4]
(17)	.5	.5	.5	.6	.5	[4]	.1	[4]	.1	.1
(17)	2.3	2.1	2.2	1.7	1.2	.2	.2	.2	.2	.1
(18)	192.6	196.0	192.0	195.2	190.6	17.4	17.6	17.8	17.7	18.0
(19)	3.1	3.3	2.5	3.1	3.0	.3	.3	.2	.3	.3
(20)	18.1	16.6	18.2	21.6	21.4	1.6	1.5	1.7	2.0	2.0
(21)	1.7	1.6	1.9	2.1	2.1	.2	.1	.2	.2	.2
(22)	122.6	120.3	116.1	119.0	110.7	11.1	10.8	10.8	10.8	10.5
(23)	1.6	1.4	1.2	1.1	.9	.1	.1	.1	.1	.1
(24)	.3	.3	.5	.7	.3	.2	[4]	.1	.1	[4]
(25)	13.2	15.0	14.2	15.3	15.3	1.2	1.4	1.3	1.4	1.4
(26)	401.2	401.1	388.9	392.0	376.1	36.2	36.1	36.0	35.6	35.6
(27)	14.6	12.9	14.2	13.0	13.2	1.3	1.2	1.3	1.2	1.2
(28)	39.6	39.4	39.7	42.3	47.0	3.6	3.5	3.7	3.8	4.5
(29)	8.2	5.9	6.1	6.3	6.5	.7	.5	.6	.6	.6
(30)	.5	1.7	.3	.6	.3	–	.2	[4]	.1	[4]
(31)	42.9	41.8	32.4	27.5	22.1	3.9	3.8	3.0	2.5	2.1
(32)	2.8	2.5	2.3	2.8	1.4	.3	.2	.2	.3	.1
(33)	7.9	7.9	8.1	8.4	8.5	.7	.7	.8	.8	.8
(34)	1.2	1.1	1.2	1.4	1.6	.1	.1	.1	.1	.2
(35)	6.1	5.8	5.6	7.1	6.8	.6	.5	.5	.6	.6
(36)	3.5	3.2	3.6	4.1	3.7	.3	.3	.3	.4	.3
(37)	14.4	16.3	16.0	15.0	14.0	1.3	1.5	1.5	1.4	1.3
(38)	7.3	8.7	9.5	10.0	10.1	.7	.8	.9	.9	1.0
(39)	2.1	2.0	2.3	3.2	2.4	.2	.2	.2	.3	.2
(40)	.5	.2	.5	.6	.7	[4]	[4]	[4]	.1	.1
(41)	12.5	12.1	11.6	11.5	11.6	1.1	1.1	1.1	1.0	1.1
(42)	12.6	13.2	13.0	14.9	15.0	1.1	1.2	1.2	1.4	1.4
(43)	2.2	2.4	2.1	1.6	2.0	.2	.2	.2	.1	.2
(44)	16.7	18.9	16.9	15.5	16.2	1.5	1.7	1.6	1.4	1.5
(45)	4.5	4.4	3.4	3.9	4.8	.4	.4	.3	.4	.5
(46)	23.7	22.5	22.8	23.6	23.8	2.1	2.0	2.1	2.1	2.2
(46)	60.3	62.2	58.8	57.8	49.4	5.4	5.6	5.4	5.3	4.7
(47)	12.8	11.2	12.3	12.9	11.5	1.2	1.0	1.1	1.2	1.1
(48)	.6	.4	.6	.3	.6	[4]	[4]	.1	[4]	.1
(48)	.3	.5	.4	.3	.6	[4]	.1	[4]	[4]	.1
(48)	3.5	3.7	3.6	3.7	3.3	.3	.3	.3	.3	.3
(48)	2.9	2.7	2.5	2.8	3.0	.3	.2	.2	.2	.3
(48)	22.0	24.0	25.4	24.4	26.0	2.0	2.2	2.4	2.2	2.5
(48)	6.3	6.3	6.2	6.7	7.0	.6	.6	.6	.6	.7
(49)	8.5	8.1	8.5	8.6	7.9	.8	.7	.8	.8	.7
(50)	1.0	1.4	1.3	1.2	.9	.1	.1	.1	.1	.1

[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.
[4] Less than one-tenth of 1 per cent.

Table 21

DEATHS AND DEATH RATES

NUMBER OF DEATHS[1] AND DEATH

YEARS.	Diseases of the Heart.	Rate.	Cancer.	Rate.	Cerebral Hemorrhage.	Rate.	Lobar Pneumonia.	Rate.	Nephritis.	Rate.	Tuberculosis (All forms).	Rate.	Pulmonary Tuberculosis.	Rate.
1934 . .	14,543	335.2	6,675	153.8	4,269	98.4	1,601	36.9	3,247	74.8	2,116	48.7	1,902	43.8
1935 . .	14,980	344.3	6,351	146.0	4,167	95.8	1,731	39.8	3,251	74.7	1,961	45.1	1,813	41.7
1936 . .	16,197	369.6	6,599	150.6	4,273	97.5	1,944	44.3	3,149	71.8	1,898	43.2	1,733	39.5
1937 . .	16,233	368.6	6,669	151.4	4,350	98.8	1,846	41.9	3,128	71.0	1,887	42.8	1,761	40.0
1938 . .	16,296	368.2	6,875	155.3	4,292	97.0	1,312	29.6	3,010	68.0	1,675	37.9	1,536	34.7
1939 . .	17,604	395.8	6,914	155.5	4,504	101.3	1,211	27.2	2,916	65.6	1,602	36.0	1,505	33.8
1940 . .	18,148	420.4	7,219	167.2	4,642	107.5	925	21.4	3,016	69.9	1,598	37.1	1,484	34.4
1941 . .	18,130	419.2	7,311	169.0	4,562	105.5	860	19.9	2,680	62.0	1,633	37.8	1,521	35.2
1942 . .	17,864	412.4	7,350	169.7	4,670	107.8	749	17.3	2,608	60.2	1,619	37.4	1,501	34.7
1943 . .	19,807	456.5	7,401	170.6	4,920	113.4	967	22.3	2,744	63.2	1,806	41.6	1,697	39.1
1944 . .	18,922	435.4	7,557	173.9	4,708	108.3	764	17.6	2,403	55.3	1,696	39.0	1,612	37.1
1945 . .	18,856	417.9	7,742	171.6	4,917	108.9	622	13.8	2,255	50.0	1,636	36.2	1,557	34.5
1946 . .	19,214	422.4	7,759	170.6	4,750	104.4	592	13.0	2,036	44.8	1,674	36.8	1,592	35.0
1947 . .	20,030	436.7	8,091	176.4	4,655	101.5	500	10.9	2,003	43.7	1,584	34.5	1,495	32.6
1948 . .	20,830	450.5	8,465	183.1	4,892	105.8	494	10.7	1,867	40.4	1,361	29.4	1,279	27.7
1949 . .	21,241	455.8	8,430	180.9	5,286	113.4	318	6.8	684	14.7	1,123	24.1	1,064	22.8
1950 . .	21,352	454.3	8,597	182.9	5,427	115.5	200	4.3	732	15.6	1,005	21.4	948	20.2
1951 . .	22,930	484.0	8,666	182.9	5,660	119.5	248	5.2	728	15.4	895	18.9	840	17.7
1952 . .	22,434	469.9	8,710	182.4	3,831	80.2	260	5.4	702	14.7	703	14.7	660	13.8
1953 . .	22,498	467.5	8,876	184.5	3,622	75.3	220	4.6	525	10.9	540	11.2	502	10.4
1954 . .	21,912	451.9	9,243	190.6	3,433	70.8	215	4.4	490	10.1	499	10.3	460	9.5
1955 . .	22,478	463.2	9,475	195.2	3,560	73.4	249	5.1	480	9.9	470	9.7	455	9.4
1956 . .	22,335	457.3	9,376	192.0	3,351	68.6	329	6.7	463	9.5	418	8.6	402	8.2
1957 . .	23,037	468.7	9,634	196.0	3,485	70.9	384	7.8	427	8.7	386	7.9	371	7.5
1958 . .	23,840	482.0	9,526	192.6	6,063	122.6	309	6.2	359	7.3	314	6.3	305	6.2

[1] Allocated since 1935.

FROM IMPORTANT CAUSES: 1934 TO 1958.

RATES PER 100,000 POPULATION.

Diabetes.	Rate.	Cerebrospinal (Meningococcic) Meningitis.	Rate.	Poliomyelitis.	Rate.	Cirrhosis of the Liver.	Rate.	Scarlet Fever.	Rate.	Whooping Cough.	Rate.	Diphtheria.	Rate.
1,327	30.6	28	.6	9	.2	368	8.5	76	1.7	125	2.9	50	1.2
1,303	29.9	55	1.3	61	1.4	355	8.1	57	1.3	67	1.5	26	.6
1,388	31.7	100	2.3	8	.2	392	8.9	44	1.0	52	1.2	27	.6
1,495	33.9	72	1.6	22	.5	436	9.9	38	.9	95	2.2	18	.4
1,436	32.4	18	.4	7	.2	436	9.9	24	.5	35	.8	19	.4
1,506	33.9	17	.4	4	.1	483	10.9	15	.3	45	1.0	15	.3
1,570	36.4	15	.3	2	-[2]	401	9.3	19	.4	22	.5	8	.2
1,544	35.7	25	.6	6	.1	511	11.8	13	.3	40	.9	12	.3
1,558	36.0	34	.8	3	.1	580	13.4	10	.2	27	.6	7	.1
1,647	37.9	119	2.7	18	.3	613	14.1	19	.4	38	.9	11	.2
1,562	35.9	81	1.9	17	.4	521	12.0	14	.3	15	.3	10	.2
1,591	33.0	20	.4	22	.5	584	13.0	7	.2	22	.5	10	.2
1,594	35.0	21	.5	19	.4	610	13.4	2	-[2]	16	.4	36	.8
1,643	35.8	12	.3	12	.3	651	14.2	4	.1	15	.3	12	.3
1,718	37.2	16	.4	5	.1	752	16.3	1	-[2]	11	.3	27	.6
1,110	23.8	9	.2	51	1.1	621	13.3	1	-[2]	7	.2	44	.9
1,042	22.2	14	.3	9	.2	672	14.3	-	-	11	.2	8	.2
1,060	22.4	12	.3	11	.2	735	15.5	-	-	3	.1	8	.2
1,041	21.8	20	.4	17	.4	747	15.6	1	-[2]	5	.1	-	-
1,055	21.9	15	.3	28	.6	767	15.9	-	-	-	-	1	-[2]
1,038	21.4	13	.3	18	.4	679	14.0	-	-	1	-[2]	1	-[2]
1,047	21.6	19	.4	175	3.6	727	15.0	-	-	-	-	1	-[2]
887	18.2	18	.4	6	.1	782	16.0	1	-[2]	2	-[2]	3	.1
814	16.6	15	.3	3	.1	801	16.3	-	-	1	-[2]	1	-[2]
894	18.1	15	.3	2	-[2]	711	14.4	1	-[2]	2	-[2]	-	-

[2] Less than one-tenth of 1 per 100,000.

Table 22

Counties and Municipalities.[2]	Total deaths under 4 weeks of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each County and Municipality: 1958. Total.	Males.	Females.
Infant Mortality Rate.	**22.1**			
The State	**1,915**	**2,536**	**1,470**	**1,066**
Barnstable County	32	48	25	23
Barnstable	3	5	3	2
Bourne	9	14	6	8
Brewster	–	–	–	–
Chatham	–	4	3	1
Dennis	1	1	–	1
Eastham	–	–	–	–
Falmouth	9	11	6	5
Harwich	2	2	2	–
Mashpee	–	2	–	2
Orleans	2	2	2	–
Provincetown	–	–	–	–
Sandwich	1	2	1	1
Truro	1	1	1	–
Wellfleet	–	–	–	–
Yarmouth	4	4	1	3
Berkshire County	47	67	45	22
Adams	3	4	2	2
Alford	–	–	–	–
Becket	–	–	–	–
Cheshire	1	1	–	1
Clarksburg	–	–	–	–
Dalton	2	3	3	–
Egremont	–	–	–	–
Florida	1	1	–	1
Great Barrington	2	3	2	1
Hancock	1	1	1	–
Hinsdale	1	1	1	–
Lanesborough	3	5	3	2
Lee	1	1	1	–
Lenox	1	2	1	1
Monterey	–	1	–	1
Mount Washington	–	–	–	–
New Ashford	–	–	–	–
New Marlborough	–	1	1	–
North Adams	8	10	8	2
Otis	–	–	–	–
Peru	–	–	–	–
Pittsfield	20	30	19	11
Richmond	–	–	–	–
Sandisfield	1	1	1	–
Savoy	–	–	–	–
Sheffield	–	–	–	–
Stockbridge	–	–	–	–
Tyringham	–	–	–	–
Washington	–	–	–	–
West Stockbridge	–	–	–	–
Williamstown	2	2	2	–
Windsor	–	–	–	–
Bristol County	128	169	89	80
Acushnet	2	2	–	2
Attleboro	5	7	4	3
Berkley	1	1	1	–
Dartmouth	2	2	–	2
Dighton	1	2	2	–
Easton	3	4	2	2
Fairhaven	5	7	5	2
Fall River	32	40	21	19
Freetown	–	–	–	–
Mansfield	5	8	6	2
New Bedford	29	42	22	20
North Attleborough	6	6	1	5
Norton	2	4	2	2
Raynham	1	3	1	2
Rehoboth	4	4	2	2
Seekonk	3	4	2	2
Somerset	8	10	7	3
Swansea	1	2	1	1
Taunton	18	21	10	11
Westport	–	–	–	–
Dukes County	–	1	1	–
Chilmark	–	–	–	–
Edgartown	–	–	–	–
Gay Head	–	–	–	–
Gosnold	–	–	–	–
Oak Bluffs	–	–	–	–
Tisbury	–	1	1	–
West Tisbury	–	–	–	–
Essex County	182	240	149	91
Amesbury	6	7	1	6
Andover	2	4	3	1
Beverly	8	10	6	4
Boxford	–	–	–	–
Danvers	7	9	5	4
Essex	1	2	1	1
Georgetown	–	1	1	–
Gloucester	13	16	11	5
Groveland	–	–	–	–
Hamilton	–	2	1	1
Haverhill	16	25	12	13
Ipswich	4	5	3	2
Lawrence	25	28	23	5
Lynn	33	42	28	14
Lynnfield	1	2	2	–
Manchester	1	1	1	–
Marblehead	4	6	4	2
Merrimac	2	3	3	–
Methuen	7	10	5	5
Middleton	2	2	2	–
Nahant	2	2	2	–
Newbury	1	1	–	1
Newburyport	6	8	3	5
North Andover	8	9	7	2
Peabody	8	11	8	3
Rockport	1	1	1	–
Rowley	–	–	–	–
Salem	13	19	9	10
Salisbury	–	2	2	–
Saugus	5	6	2	4
Swampscott	3	3	1	2
Topsfield	1	1	1	–
Wenham	2	1	1	1
West Newbury	–	–	–	–
Franklin County	24	31	18	13
Ashfield	–	–	–	–
Bernardston	1	1	–	1
Buckland	–	–	–	–
Charlemont	1	1	1	–
Colrain	–	–	–	–
Conway	–	–	–	–
Deerfield	–	–	–	–
Erving	–	–	–	–
Gill	–	–	–	–
Greenfield	9	15	8	7
Hawley	–	–	–	–
Heath	–	–	–	–
Leverett	–	–	–	–
Leyden	–	–	–	–
Monroe	–	–	–	–
Montague	5	5	3	2
New Salem	–	–	–	–
Northfield	–	–	–	–
Orange	3	3	2	1
Rowe	–	–	–	–
Shelburne	–	–	–	–
Shutesbury	1	1	–	1
Sunderland	2	2	1	1
Warwick	1	1	1	–
Wendell	–	1	1	–
Whately	1	1	1	–
Hampden County	179	233	144	89
Agawam	10	10	6	4
Blandford	–	–	–	–
Brimfield	1	1	–	1
Chester	1	1	–	1
Chicopee	21	26	14	12

[1] Exclusive of stillbirths.
[2] Counties and Cities are printed in small capitals.

Table 22

Counties and Municipalities.[2]	Total deaths under 4 weeks of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each County and Municipality: 1958.		
		Total.	Males.	Females.
East Longmeadow	4	6	1	5
Granville	–	–	–	–
Hampden	–	–	–	–
Holland	–	1	–	1
Holyoke	26	34	21	13
Longmeadow	2	2	1	1
Ludlow	9	10	5	5
Monson	1	1	1	–
Montgomery	–	–	–	–
Palmer	9	11	9	2
Russell	1	1	–	1
Southwick	2	4	4	–
Springfield	64	90	56	34
Tolland	–	–	–	–
Wales	–	–	–	–
West Springfield	12	13	10	3
Westfield	13	19	14	5
Wilbraham	3	3	2	1
Hampshire County	18	26	15	11
Amherst	5	7	3	4
Belchertown	1	2	1	1
Chesterfield	–	–	–	–
Cummington	–	–	–	–
Easthampton	1	3	2	1
Goshen	–	–	–	–
Granby	–	1	1	–
Hadley	–	–	–	–
Hatfield	2	2	2	–
Huntington	1	1	1	–
Middlefield	–	–	–	–
Northampton	6	7	3	4
Pelham	–	–	–	–
Plainfield	–	–	–	–
South Hadley	1	2	2	–
Southampton	–	–	–	–
Ware	1	1	–	1
Westhampton	–	–	–	–
Williamsburg	–	–	–	–
Worthington	–	–	–	–
Middlesex County	480	621	353	268
Acton	1	2	–	2
Arlington	19	24	18	6
Ashby	1	2	2	–
Ashland	2	2	2	–
Ayer	3	7	3	4
Bedford	3	6	–	6
Belmont	9	10	8	2
Billerica	10	12	9	3
Boxborough	1	1	–	1
Burlington	5	6	3	3
Cambridge	57	67	39	28
Carlisle	1	1	–	1
Chelmsford	6	9	6	3
Concord	2	4	2	2
Dracut	7	8	4	4
Dunstable	–	1	–	1
Everett	21	25	14	11
Framingham	19	23	11	12
Groton	3	4	2	2
Holliston	–	–	–	–
Hopkinton	2	2	1	1
Hudson	4	5	3	2
Lexington	15	18	11	7
Lincoln	2	2	1	1
Littleton	4	4	1	3
Lowell	31	53	30	23
Malden	16	26	16	10
Marlborough	7	9	6	3
Maynard	1	1	–	1
Medford	25	30	16	14
Melrose	8	9	5	4
Natick	13	22	9	13
Newton	17	20	15	5
North Reading	4	6	5	1
Pepperell	1	2	–	2
Reading	7	9	5	4
Sherborn	–	–	–	–
Shirley	6	8	3	5
Somerville	41	56	27	29
Stoneham	10	12	8	4
Stow	–	1	1	–
Sudbury	3	6	5	1
Tewksbury	8	8	7	1
Townsend	1	1	1	–
Tyngsborough	1	1	1	–
Wakefield	10	11	7	4
Waltham	20	22	9	13
Watertown	18	23	14	9
Wayland	7	7	2	5
Westford	1	1	1	–
Weston	1	2	2	–
Wilmington	5	6	3	3
Winchester	6	7	2	5
Woburn	15	17	13	4
Nantucket County	2	2	1	1
Nantucket	2	2	1	1
Norfolk County.	166	226	131	95
Avon	1	1	1	–
Bellingham	1	5	3	2
Braintree	7	8	5	3
Brookline	10	17	7	10
Canton	9	10	6	4
Cohasset	5	5	3	2
Dedham	11	13	8	5
Dover	–	–	–	–
Foxborough	7	8	7	1
Franklin	1	4	1	3
Holbrook	6	13	7	6
Medfield	1	1	–	1
Medway	2	2	1	1
Millis	1	1	1	–
Milton	4	4	2	2
Needham	6	9	4	5
Norfolk	–	1	1	–
Norwood	6	6	1	5
Plainville	1	4	2	2
Quincy	31	39	26	13
Randolph	8	9	5	4
Sharon	1	1	–	1
Stoughton	7	11	8	3
Walpole	8	8	3	5
Wellesley	5	7	6	1
Westwood	4	5	3	2
Weymouth	22	32	18	14
Wrentham	1	2	2	–
Plymouth County	87	126	75	51
Abington	2	6	1	5
Bridgewater	3	4	2	2
Brockton	20	30	21	9
Carver	–	–	–	–
Duxbury	1	1	–	1
East Bridgewater	3	3	1	2
Halifax	–	1	–	1
Hanover	1	1	–	1
Hanson	3	3	3	–
Hingham	5	8	2	6
Hull	3	3	3	–
Kingston	–	–	–	–
Lakeville	–	–	–	–
Marion	2	2	2	–
Marshfield	4	4	2	2
Mattapoisett	2	2	1	1
Middleborough	4	7	5	2
Norwell	4	5	4	1
Pembroke	1	3	2	1
Plymouth	1	2	1	1
Plympton	–	1	1	–
Rochester	3	4	3	1
Rockland	3	8	5	3
Scituate	7	7	1	6
Wareham	12	14	11	3
West Bridgewater	1	3	2	1

[1] Exclusive of stillbirths.
[2] Counties and Cities are printed in small capitals.

Table 22

Counties and Municipalities.[2]	Total deaths under 4 weeks of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each County and Municipality: 1958. Total.	Males.	Females.	Counties and Municipalities.[2]	Total deaths under 4 weeks of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each County and Municipality: 1958. Total.	Males.	Females.
Whitman	2	4	2	2	Milford	3	3	2	1
Suffolk County	346	459	260	199	Millbury	4	6	2	4
Boston	313	414	234	180	Millville	1	1	1	–
Chelsea	14	21	10	11	New Braintree	–	–	–	–
Revere	14	19	12	7	North Brookfield	2	3	3	–
Winthrop	5	5	4	1	Northborough	5	7	5	2
Worcester County	224	287	164	123	Northbridge	–	–	–	–
Ashburnham	–	–	–	–	Oakham	–	–	–	–
Athol	4	6	5	1	Oxford	1	2	2	–
Auburn	3	6	5	1	Paxton	3	3	1	2
Barre	1	1	1	–	Petersham	3	3	3	–
Berlin	1	1	1	–	Philipston	–	–	–	–
Blackstone	–	–	–	–	Princeton	–	–	–	–
Bolton	1	1	–	1	Royalston	–	–	–	–
Boylston	1	1	1	–	Rutland	1	1	1	–
Brookfield	2	2	1	1	Shrewsbury	3	3	2	1
Charlton	1	1	1	–	Southborough	2	2	–	2
Clinton	6	8	5	3	Southbridge	6	7	2	5
Douglas	2	2	2	–	Spencer	5	8	4	4
Dudley	2	3	1	2	Sterling	2	3	2	1
East Brookfield	–	–	–	–	Sturbridge	3	3	2	1
Fitchburg	22	25	13	12	Sutton	4	4	3	1
Gardner	4	4	1	3	Templeton	–	1	1	–
Grafton	2	4	3	1	Upton	4	4	2	2
Hardwick	–	–	–	–	Uxbridge	4	5	1	4
Harvard	1	1	1	–	Warren	1	2	–	2
Holden	2	3	2	1	Webster	3	3	–	3
Hopedale	–	–	–	–	West Boylston	2	2	2	–
Hubbardston	–	–	–	–	West Brookfield	1	1	–	1
Lancaster	1	1	–	1	Westborough	2	1	–	1
Leicester	6	8	3	5	Westminster	–	–	–	–
Leominster	11	15	7	8	Winchendon	1	1	–	1
Lunenburg	1	1	–	1	Worcester	83	111	67	44
Mendon	1	1	1	–					

[1] Exclusive of stillbirths.
[2] Counties and Cities are printed in small capitals.

Table 23

Counties.	Infant and Maternal Deaths[1] and Death Rates,[1] for the State and Counties: 1958. Total deaths[2] under 1 year of age.	Per 1,000 live births.[1]	All puerperal causes.	Per 10,000 live births.[1]
The State.	**2,536**	**22.1**	**24**	**2.1**
Barnstable	48	25.6	1	5.3
Berkshire	67	21.6	–	–
Bristol	169	21.6	–	–
Dukes	1	11.1	–	–
Essex	240	19.8	–	–
Franklin	31	25.8	–	–
Hampden	233	23.5	2	1.9
Hampshire	26	13.2	2	10.1
Middlesex	621	21.9	6	2.1
Nantucket	2	29.0	–	–
Norfolk	226	20.5	1	.9
Plymouth	126	22.3	2	3.5
Suffolk	459	25.2	7	3.8
Worcester	287	22.3	3	2.3

[1] Allocated. [2] Exclusive of stillbirths.

Table 24

Municipalities. (Grouped in order of population, 1955.)	Infant Deaths[1] per 1,000 Live Births in Municipalities having over 15,000 Inhabitants in 1955: 1951 to 1958.							
	1958.	1957.	1956.	1955.	1954.	1953.	1952.	1951.
The State.[2]	22	23	23	22	23	23	24	22
Over 100,000								
Boston	25	25	28	26	25	23	26	26
Worcester	27	23	22	27	27	24	26	25
Springfield	20	26	22	22	24	21	24	20
New Bedford	22	24	21	23	24	25	31	26
Fall River	20	27	30	24	28	25	28	26
50,000 to 100,000								
Lynn	19	17	24	20	20	23	23	16
Cambridge	28	26	22	25	23	25	24	19
Somerville	23	21	25	21	22	24	23	25
Lowell	24	29	21	26	25	26	25	29
Newton	13	19	21	20	14	14	23	26
Quincy	18	25	28	24	29	19	24	21
Lawrence	19	18	39	18	19	28	23	14
Medford	21	19	11	25	23	25	23	11
Brockton	18	21	22	22	30	15	27	17
Malden	20	28	20	19	26	18	25	19
Brookline (town)	21	13	27	19	33	18	28	19
Pittsfield	23	25	18	21	30	19	28	20
Holyoke	28	20	22	20	25	23	23	27
Waltham	16	19	20	18	24	19	25	16
25,000 to 50,000								
Chicopee	17	26	23	22	17	27	18	17
Arlington (town)	24	24	15	19	13	13	23	19
Haverhill	26	25	16	17	28	20	25	17
Everett	25	20	22	27	17	21	18	17
Fitchburg	23	28	21	23	15	24	16	9
Weymouth (town)	28	17	20	20	25	22	23	24
Taunton	25	19	15	26	28	34	32	25
Salem	23	24	18	19	26	24	17	17
Revere	24	20	29	23	27	14	14	14
Watertown (town)	23	18	22	23	22	25	35	23
Chelsea	32	24	24	33	19	21	14	16
Framingham (town)	19	25	26	32	29	27	24	15
Beverly	11	20	26	18	18	32	20	20
Melrose	16	18	9	25	13	16	21	25
Belmont (town)	17	17	22	26	19	8	21	19
Braintree (town)	13	26	27	32	26	26	19	30
Peabody	14	28	15	19	30	23	27	16
Methuen (town)	20	29	31	14	19	25	28	28
Northampton	14	27	36	13	24	29	40	15
Natick (town)	31	20	31	13	26	16	26	30
Gloucester	29	22	11	15	28	19	37	25
Woburn	18	25	20	20	25	16	18	29
15,000 to 25,000								
Attleboro	11	11	12	29	24	29	27	36
Leominster	20	18	24	10	25	16	12	21
Milton (town)	11	30	15	12	42	32	28	18
West Springfield (town)	23	32	23	12	17	36	13	25
Lexington (town)	33	20	8	30	24	29	12	12
Wakefield (town)	21	20	26	15	44	19	21	17
Westfield	32	16	22	33	29	31	38	23
Wellesley (town)	17	26	18	21	10	17	11	19
Needham (town)	17	14	17	15	17	18	23	16
North Adams	22	42	37	25	34	35	22	19
Dedham (town)	26	17	13	21	15	25	33	22
Norwood (town)	9	25	30	13	33	28	13	14
Gardner	11	19	13	28	26	17	27	16
Winthrop (town)	11	23	11	26	7	34	35	17
Saugus (town)	15	26	25	20	35	49	28	17
Danvers (town)	20	28	17	17	23	17	13	16
Winchester (town)	23	9	28	15	26	13	23	34
Greenfield (town)	41	22	31	20	18	23	16	17
Southbridge (town)	19	29	33	30	24	34	29	29
Marlborough	22	19	26	31	24	17	14	21
Reading (town)	23	23	27	18	–	–	–	–
Marblehead (town)	17	14	6	15	–	–	–	–
Stoneham (town)	29	20	13	17	–	–	–	–
Milford (town)	9	19	29	33	41	18	22	19

[1] Exclusive of stillbirths. [2] Allocated.

Table 25

BIRTH RATES,[1] DEATH RATES,[1] NATURAL INCREASE, INFANT MORTALITY RATES,[1] AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1955: 1958.

MUNICIPALITIES. (Grouped in order of population, 1955.)	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	SURVIVORS AT END OF FIRST YEAR OF LIFE.	
					Number.	Per 1,000 births.[2]
The State.	**23.2**	**11.1**	**12.1**	**22.1**	**112,027**	**978**
OVER 100,000						
Boston	22.5	12.8	9.7	25.4	15,866	975
Worcester	20.3	11.0	9.3	27.1	3,992	973
Springfield	26.7	11.0	15.7	20.1	4,379	980
New Bedford	18.5	12.7	5.8	21.6	1,906	978
Fall River	18.7	11.7	7.0	20.4	1,924	980
50,000 TO 100,000						
Lynn	21.9	12.6	9.3	19.4	2,122	981
Cambridge	23.9	12.5	11.4	29.3	2,298	972
Somerville	25.6	11.1	14.5	22.6	2,424	977
Lowell	23.6	13.3	10.3	23.9	2,163	976
Newton	17.5	10.3	7.2	13.0	1,520	987
Quincy	25.1	10.7	14.4	18.3	2,093	982
Lawrence	19.4	12.4	7.0	19.0	1,449	981
Medford	21.7	10.3	11.4	21.1	1,392	979
Brockton	26.3	15.1	11.2	18.2	1,614	982
Malden	21.8	11.6	10.2[3]	20.1	1,273	980
Brookline (town)	14.5	14.6	.1	20.5	810	979
Pittsfield	23.5	10.4	13.1	22.7	1,291	977
Holyoke	22.6	13.3	9.3	28.3	1,166	972
Waltham	26.6	10.5	16.1	16.2	1,332	984
25,000 TO 50,000						
Chicopee	31.4	8.6	22.8	16.9	1,515	983
Arlington (town)	21.3	10.6	10.7	23.6	995	976
Haverhill	21.5	13.4	8.1	25.6	953	974
Everett	22.1	10.9	11.2	25.1	973	975
Fitchburg	25.5	12.3	13.2	22.8	1,072	977
Weymouth (town)	24.3	8.4	15.9	27.8	1,120	972
Taunton	20.0	9.9	10.1	25.2	811	975
Salem	20.2	12.9	7.3	23.5	790	977
Revere	19.8	9.3	10.5	23.5	789	976
Watertown (town)	25.4	10.6	14.8	23.0	977	977
Chelsea	17.4	11.5	5.9	32.3	629	968
Framingham (town)	37.5	11.0	26.5	18.9	1,196	981
Beverly	27.1	9.5	17.6	11.4	864	989
Melrose	19.2	10.4	8.8	15.7	564	984
Belmont (town)	18.2	11.2	7.0	17.0	521	983
Braintree (town)	22.4	7.8	14.6	12.6	628	987
Peabody	27.1	10.9	16.2	14.5	749	986
Methuen (town)	18.7	9.3	9.4	19.7	497	980
Northampton	19.4	11.1	8.3	13.8	502	986
Natick (town)	25.3	7.7	17.6	31.2	684	969
Gloucester	20.9	13.6	7.3	29.2	532	971
Woburn	34.0	8.7	25.3	18.3	911	982
15,000 TO 25,000						
Attleboro	24.2	11.6	12.6	11.5	600	989
Leominster	29.5	10.1	19.4	20.3	725	980
Milton (town)	14.5	11.0	3.5	11.1	355	989
West Springfield (town)	23.9	8.8	15.1	22.8	558	977
Lexington (town)	23.2	7.9	15.3	32.9	529	967
Wakefield (town)	23.4	9.8	13.6	20.6	522	979
Westfield	26.8	11.6	15.2	31.5	584	968
Wellesley (town)	18.1	8.9	9.2	17.4	396	983
Needham (town)	22.1	9.3	12.8	17.0	521	983
North Adams	20.7	12.1	8.6	22.5	435	978
Dedham (town)	22.1	9.5	12.6	25.7	492	974
Norwood (town)	28.8	9.2	19.6	9.0	659	991
Gardner	18.7	11.0	7.7	10.5	376	989
Winthrop (town)	24.4	11.7	12.7	10.9	452	989
Saugus (town)	20.8	9.1	11.7	15.2	388	985
Danvers (town)	24.2	9.0	15.2	19.6	451	980
Winchester (town)	16.1	9.6	6.5	23.0	297	977
Greenfield (town)	20.1	11.0	9.1	40.7	354	959
Southbridge (town)	20.8	9.1	11.7	19.5	352	981
Marlborough	24.3	10.6	13.7	21.5	409	978
Reading (town)	22.6	8.6	14.0	23.3	378	977
Marblehead (town)	21.2	10.9	10.3	17.0	347	983
Stoneham (town)	25.0	10.7	14.3	29.1	401	971
Milford (town)	21.0	9.9	11.1	9.1	326	991

[1] Allocated. [2] Exclusive of stillbirths. [3] Decrease.

Table 26 — Infant Mortality in Massachusetts, Boston, and the Remainder of the State outside of Boston: 1944 to 1958.

Years.	Massachusetts.			Boston.			Remainder of State outside Boston.		
	Live births.[1]	Deaths[1] under 1 year. Number.	Deaths[1] under 1 year. Per 1,000 live births.	Live births.[1]	Deaths[1] under 1 year. Number.	Deaths[1] under 1 year. Per 1,000 live births.	Live births.[1]	Deaths[1] under 1 year. Number.	Deaths[1] under 1 year. Per 1,000 live births.
1944	78,140	2,582	33.0	14,264	525	36.8	63,876	2,057	32.2
1945	76,455	2,433	31.8	13,670	469	34.3	62,785	1,964	31.2
1946	96,903	2,996	30.9	16,902	588	34.8	80,001	2,408	30.1
1947	106,690	3,021	28.3	18,565	671	36.1	88,125	2,350	26.7
1948	98,933	2,614	26.4	17,076	586	34.3	81,857	2,028	24.8
1949	96,041	2,341	24.4	16,498	420	25.5	79,543	1,921	24.2
1950	95,619	2,277	23.8	16,479	419	25.4	79,140	1,858	23.5
1951	99,851	2,184	21.9	16,019	408	25.5	83,832	1,776	21.2
1952	103,936	2,472	23.8	16,823	437	26.0	87,113	2,035	23.4
1953	104,232	2,345	22.5	16,382	383	23.4	87,850	1,962	22.3
1954	107,086	2,490	23.3	16,388	409	25.0	90,698	2,081	22.9
1955	109,610	2,438	22.2	16,464	431	26.2	93,146	2,007	21.5
1956	111,407	2,503	22.5	16,078	444	27.6	95,329	2,059	21.6
1957	115,065	2,646	23.0	16,639	409	24.6	98,426	2,237	22.7
1958	114,563	2,536	22.1	16,280	414	25.4	98,283	2,122	21.6

[1] Allocated.

Table 27 — Survivors[1] at End of First Year of Life: 1933 to 1958.

Years.	Per 1,000 population.	Per 1,000 live births.[1]	Years.	Per 1,000 population.	Per 1,000 live births.[1]
1933	13.9	948	1946	20.6	969
1934	14.0	951	1947	22.6	972
1935	13.7	952	1948	20.8	974
1936	13.3	953	1949	20.1	976
1937	13.3	956	1950	19.9	976
1938	13.5	961	1951	20.6	978
1939	13.5	963	1952	21.3	976
1940	14.6	963	1953	21.2	978
1941	15.7	965	1954	21.5	977
1942	18.6	968	1955	22.1	978
1943	19.1	966	1956	22.3	978
1944	17.4	967	1957	23.0	977
1945	16.4	968	1958	22.6	978

[1] Allocated since 1935.

Table 28 — Infant Deaths[1] per 1,000 Live Births,[1] from Selected Causes: 1954 to 1958.

Detailed Int. List No.	Causes.	1958.	1957.	1956.	1955.	1954.
	All Causes	**22.1**	**23.0**	**22.5**	**22.2**	**23.3**
760–776	Certain diseases of early infancy	13.6	14.7	14.0	14.1	15.0
774, 776	Immaturity	5.3	6.6	6.2	5.7	6.1
762	Postnatal asphyxia and atelectasis	3.6	3.5	3.7	4.0	4.6
760, 761	Birth injuries	1.9	2.2	2.0	2.6	2.2
763	Pneumonia of newborn	.7	.9	.8	.6	.8
764	Diarrhea of newborn	–[2]	–[2]	–[2]	–[2]	–[2]
770	Hemolytic disease of newborn	.7	.7	.6	.5	.8
765–769, 771–773	Other diseases of early infancy	1.4	.8	.7	.7	.5
750–759	Congenital malformations	4.0	3.8	4.0	4.0	4.1
480–493	Influenza and pneumonia	1.8	1.7	1.6	1.3	1.3
470–475, 500–527	All other diseases of the respiratory system	.7	.9	1.1	.7	.5
800–962	Accidents	.5	.6	.4	.3	.6
543, 571, 572	Gastritis, duodenitis, enteritis and colitis	.1	.1	.1	.2	.2
	All other causes	1.4	1.2	1.3	1.6	1.6

[1] Allocated [2] Less than one-tenth of one per 1,000.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE: 1958.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 4.	Total less than 4 weeks.	4 weeks but less than 2 months.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State.[2]	T	2,536	1,044	252	209	219	1,724	103	46	42	1,915	134	115	198	101	73
		M	1,470	588	151	131	134	1,004	62	28	24	1,118	82	72	109	47	42
		F	1,066	456	101	78	85	720	41	18	18	797	52	43	89	54	31
001–138	Infective and parasitic diseases	M	15	–	1	–	–	1	1	–	–	2	1	1	5	4	2
		F	9	–	–	–	–	–	1	–	–	1	1	1	3	2	1
480–493	Influenza and pneumonia	M	116	–	–	–	–	–	–	–	–	–	28	29	41	11	7
		F	91	–	–	–	–	–	–	–	–	–	20	18	32	15	6
470–475, 500–527	Other diseases of respiratory system	M	50	–	–	–	1	1	3	1	–	5	14	10	11	4	6
		F	28	–	–	–	–	–	–	1	–	1	7	3	12	4	1
543, 571, 572	Gastritis, duodenitis, enteritis and colitis	M	10	–	–	–	–	–	–	–	–	–	1	2	1	3	3
		F	8	–	–	–	–	–	–	–	–	–	1	1	4	2	–
750–759	Congenital malformations	M	249	66	14	22	27	129	18	8	14	169	14	16	30	11	9
		F	213	81	10	19	18	128	8	7	5	148	12	11	20	17	5
760, 761	Birth injuries	M	125	71	17	21	10	119	4	1	–	124	1	–	–	–	–
		F	88	56	16	6	7	85	2	1	–	88	–	–	–	–	–
.0	Without immaturity	M	52	25	9	10	4	48	2	1	–	51	1	–	–	–	–
		F	30	18	6	3	2	29	–	1	–	30	–	–	–	–	–
.5	With immaturity	M	73	46	8	11	6	71	2	–	–	73	–	–	–	–	–
		F	58	38	10	3	5	56	2	–	–	58	–	–	–	–	–
762	Postnatal asphyxia and atelectasis	M	253	136	41	38	26	241	7	–	1	249	3	–	–	–	1
		F	158	86	27	24	12	149	4	2	1	156	1	–	1	–	–
.0	Without immaturity	M	85	42	15	12	10	79	3	–	1	83	2	–	–	–	–
		F	53	27	10	6	4	47	4	1	–	52	–	–	1	–	–
.5	With immaturity	M	168	94	26	26	16	162	4	–	–	166	1	–	–	–	1
		F	105	59	17	18	8	102	–	1	1	104	1	–	–	–	–
763	Pneumonia of newborn	M	52	8	4	9	14	35	9	6	2	52	–	–	–	–	–
		F	34	1	2	1	12	16	9	2	7	34	–	–	–	–	–
.0	Without immaturity	M	34	5	2	4	11	22	5	5	2	34	–	–	–	–	–
		F	23	1	–	–	8	9	6	2	6	23	–	–	–	–	–
.5	With immaturity	M	18	3	2	5	3	13	4	1	–	18	–	–	–	–	–
		F	11	–	2	1	4	7	3	–	1	11	–	–	–	–	–
764	Diarrhea of newborn	M	2	–	–	–	–	–	–	1	1	2	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
.0	Without immaturity	M	2	–	–	–	–	–	–	1	1	2	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
.5	With immaturity	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
770	Hemolytic disease of newborn	M	40	22	4	1	8	35	3	2	–	40	–	–	–	–	–
		F	35	25	3	–	3	31	4	–	–	35	–	–	–	–	–
.0	Without immaturity	M	32	18	4	1	6	29	1	2	–	32	–	–	–	–	–
		F	27	19	2	–	3	24	3	–	–	27	–	–	–	–	–
.5	With immaturity	M	8	4	–	–	2	6	2	–	–	8	–	–	–	–	–
		F	8	6	1	–	–	7	1	–	–	8	–	–	–	–	–
774	Immaturity with mention of any other subsidiary condition	M	22	12	2	3	1	18	1	1	–	20	2	–	–	–	–
		F	8	3	2	2	1	8	–	–	–	8	–	–	–	–	–
776	Immaturity, unqualified	M	318	225	44	17	27	313	3	2	–	318	–	–	–	–	–
		F	257	180	29	15	21	245	7	2	3	257	–	–	–	–	–
765–769, 771–773	Other diseases of early infancy	M	112	41	22	18	15	97	6	4	2	109	2	–	–	–	2
		F	51	17	12	9	9	47	1	1	–	49	–	1	1	–	–
.0–.4	Without immaturity	M	48	12	9	8	7	36	3	4	2	45	1	–	–	–	2
		F	20	4	5	2	6	17	1	–	–	18	–	1	1	–	–
.5–.9	With immaturity	M	64	29	13	10	8	61	3	–	–	64	1	–	–	–	–
		F	31	13	7	7	3	30	–	1	–	31	–	–	–	–	–
780–795	Unknown or ill-defined conditions	M	9	1	–	–	–	–	–	–	2	3	2	2	2	–	–
		F	8	3	–	2	1	6	2	–	–	8	–	–	–	–	–
800–962	Accidents	M	32	1	–	–	–	1	–	–	1	2	9	5	8	4	4
		F	22	–	–	–	–	–	–	–	–	–	4	2	6	6	4
Residual	All other causes	M	65	5	2	2	5	14	7	2	1	24	5	7	11	10	8
		F	55	4	–	–	1	5	3	2	1	11	6	6	10	8	14

[1] Exclusive of stillbirths.
[2] Allocated.

Table 30

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR BOSTON: 1958.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 4.	Total less than 4 weeks.	4 weeks but less than 2 months.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	Boston.[2]	T	414	152	37	43	46	278	19	7	9	313	22	23	35	15	6
		M	234	82	22	26	29	159	9	5	6	179	8	14	24	7	2
		F	180	70	15	17	17	119	10	2	3	134	14	9	11	8	4
001–138	Infective and parasitic diseases	M	4	–	–	–	–	–	1	–	–	1	–	–	1	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–493	Influenza and pneumonia	M	27	–	–	–	–	–	–	–	–	–	5	7	14	1	–
		F	22	–	–	–	–	–	–	–	–	–	7	7	5	2	1
470–475, 500–527	Other diseases of respiratory system	M	5	–	–	–	–	–	2	–	–	2	1	1	1	–	–
		F	4	–	–	–	–	–	–	1	–	1	–	–	1	1	1
543, 571, 572	Gastritis, duodenitis, enteritis and colitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	–	–	1	1	1	1	–
750–759	Congenital malformations	M	34	10	2	1	2	15	1	–	5	21	1	5	5	2	–
		F	28	8	2	5	1	16	1	–	1	18	3	–	3	3	1
760, 761	Birth injuries	M	23	10	6	2	5	23	–	–	–	23	–	–	–	–	–
		F	15	8	1	1	4	14	1	–	–	15	–	–	–	–	–
.0	Without immaturity	M	10	4	4	–	2	10	–	–	–	10	–	–	–	–	–
		F	4	3	–	–	1	4	–	–	–	4	–	–	–	–	–
.5	With immaturity	M	13	6	2	2	3	13	–	–	–	13	–	–	–	–	–
		F	11	5	1	1	3	10	1	–	–	11	–	–	–	–	–
762	Postnatal asphyxia and atelectasis	M	44	23	4	11	5	43	1	–	–	44	–	–	–	–	–
		F	35	18	5	5	3	31	3	–	–	34	1	–	–	–	–
.0	Without immaturity	M	13	5	2	4	2	13	–	–	–	13	–	–	–	–	–
		F	13	7	1	1	1	10	3	–	–	13	–	–	–	–	–
.5	With immaturity	M	31	18	2	7	3	30	1	–	–	31	–	–	–	–	–
		F	22	11	4	4	2	21	–	–	–	21	1	–	–	–	–
763	Pneumonia of newborn	M	14	1	–	3	6	10	1	2	1	14	–	–	–	–	–
		F	10	–	1	–	6	7	2	1	–	10	–	–	–	–	–
.0	Without immaturity	M	10	1	–	1	5	7	–	2	1	10	–	–	–	–	–
		F	5	–	–	–	3	3	1	1	–	5	–	–	–	–	–
.5	With immaturity	M	4	–	–	2	1	3	1	–	–	4	–	–	–	–	–
		F	5	–	1	–	3	4	1	–	–	5	–	–	–	–	–
764	Diarrhea of newborn	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
.0	Without immaturity	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
.5	With immaturity	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
770	Hemolytic disease of newborn	M	4	2	1	–	1	4	–	–	–	4	–	–	–	–	–
		F	6	6	–	–	–	6	–	–	–	6	–	–	–	–	–
.0–.2	Without immaturity	M	3	1	1	–	1	3	–	–	–	3	–	–	–	–	–
		F	4	4	–	–	–	4	–	–	–	4	–	–	–	–	–
.5–.7	With immaturity	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
774	Immaturity with mention of any other subsidiary condition	M	3	2	–	–	–	2	–	1	–	3	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
776	Immaturity, unqualified	M	38	27	5	2	4	38	–	–	–	38	–	–	–	–	–
		F	32	25	2	1	1	29	2	–	1	32	–	–	–	–	–
765–769, 771–773	Other diseases of early infancy	M	26	6	3	7	6	22	1	1	–	24	1	–	–	–	1
		F	14	4	4	4	2	14	–	–	–	14	–	–	–	–	–
.0–.4	Without immaturity	M	10	2	1	2	3	8	–	1	–	9	–	–	–	–	1
		F	6	2	2	–	2	6	–	–	–	6	–	–	–	–	–
.5–.9	With immaturity	M	16	4	2	5	3	14	1	–	–	15	1	–	–	–	–
		F	8	2	2	4	–	8	–	–	–	8	–	–	–	–	–
780–795	Unknown or ill-defined conditions	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	2	1	–	1	–	2	–	–	–	2	–	–	–	–	–
800–962	Accidents	M	2	1	–	–	–	1	–	–	–	1	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Residual	All other causes	M	9	–	1	–	–	1	2	1	–	4	–	1	2	1	1
		F	6	–	–	–	–	–	1	–	–	1	2	1	–	1	1

[1] Exclusive of stillbirths.

[2] Allocated.

Table 31 DEATHS[1] AND DEATH RATES PER 100,000 POPULATION FROM DISEASES CAUSED BY PREGNANCY AND CONFINEMENT: 1934 TO 1958.

YEARS.	DEATHS.			DEATH RATES					
				PER 100,000 POPULATION.			PER 100,000 FEMALE POPULATION.		
	Total. 640–689.	Puerperal septicemia. 680–682, 684.	All others. 640–678, 683, 685–689.	Total.	Puerperal septicemia.	All others.	Total.	Puerperal septicemia.	All others.
1934	317	93	224	7.3	2.1	5.2	14.0	4.1	9.9
1935	325	104	221	7.5	2.4	5.1	14.3	4.6	9.7
1936	270	80	190	6.1	1.8	4.3	11.7	3.5	8.2
1937	252	67	185	5.7	1.5	4.2	10.8	2.9	7.9
1938	232	61	171	5.2	1.4	3.8	9.9	2.6	7.3
1939	210	65	145	4.7	1.4	3.3	8.8	2.7	6.1
1940	181	72	109	4.2	1.7	2.5	8.2	3.3	4.9
1941	202	97	105	4.7	2.3	2.4	9.1	4.4	4.7
1942	178	67	111	4.1	1.5	2.6	8.0	3.0	5.0
1943	170	61	109	3.9	1.4	2.5	7.6	2.7	4.9
1944	140	48	92	3.2	1.1	2.1	6.3	2.2	4.1
1945	144	41	103	3.2	.9	2.3	6.4	1.8	4.6
1946	125	38	87	2.7	.8	1.9	5.3	1.6	3.7
1947	102	30	72	2.3	.7	1.6	4.6	1.4	3.2
1948	74	21	53	1.6	.5	1.1	3.1	.9	2.2
1949	60	17	43	1.3	.4	.9	2.5	.7	1.8
1950	53	6	47	1.1	.1	1.0	2.2	.3	1.9
1951	35	5	30	.7	.1	.6	1.4	.2	1.2
1952	56	10	46	1.2	.2	1.0	2.3	.4	1.9
1953	34	5	29	.7	.1	.6	1.3	.2	1.1
1954	36	6	30	.7	.1	.6	1.4	.2	1.2
1955	31	6	25	.6	.1	.5	1.2	.2	1.0
1956	22	5	17	.5	.1	.3	.9	.2	.7
1957	10	5	5	.2	.1	.1	.4	.2	.2
1958	24	3	21	.5	.1	.2	.9	.1	.8

[1] Allocated since 1935.

Table 32

DEATH RATES PER 10,000 CONFINEMENTS AND PER 10,000 BIRTHS[1] FROM DISEASES CAUSED BY PREGNANCY AND CONFINEMENT: 1934 TO 1958.

YEARS.	PER 10,000 CONFINEMENTS.[2]			PER 10,000 BIRTHS.[3]			PER 10,000 LIVE BIRTHS.[1]		
	Total.[1] 640–689.	Puerperal septicæmia. 680–682, 684.	All others. 640–678, 683, 685–689.	Total.[1]	Puerperal septicæmia.	All others.	Total.[1]	Puerperal septicæmia.	All others.
1934	49	14	35	48	14	34	50	15	35
1935	51	16	35	50	16	34	52	17	35
1936	45	13	32	43	13	30	44	13	31
1937	40	11	29	40	11	29	41	11	30
1938	37	10	27	36	9	27	37	10	27
1939	34	11	23	33	10	23	33	10	23
1940	27	11	16	27	11	16	28	11	17
1941	28	13	15	28	13	15	29	14	15
1942	21	8	13	21	8	13	21	8	13
1943	20	7	13	19	7	12	20	7	13
1944	18	6	12	18	6	12	18	6	12
1945	18	5	13	18	5	13	18	5	13
1946	13	4	9	13	4	9	13	4	9
1947	10	3	7	9	3	6	10	3	7
1948	7	2	5	7	2	5	7	2	5
1949	6	2	4	6	2	4	6	2	4
1950	5	1	4	5	1	4	6	1	5
1951	4	1	3	4	1	3	4	1	3
1952	5	1	4	5	1	4	5	1	4
1953	3	1	2	3	1	2	3	1	2
1954	3	1	2	3	1	2	3	1	2
1955	3	1	2	3	1	2	3	1	2
1956	2	–[4]	2	2	–[4]	2	2	–[4]	2
1957	–[4]	–[4]	–[4]	–[4]	–[4]	–[4]	–[4]	–[4]	–[4]
1958	2	–[4]	2	2	–[4]	2	2	–[4]	2

[1] Allocated since 1935.
[2] Inclusive of stillbirths and making proper deductions for plural births.
[3] Inclusive of stillbirths.
[4] Less than 1 per 10,000.

Table 33

Line No.	Cause of Death.	Deaths (inclusive of Stillbirths)				
		The State.		Coun-		
		Number.	Per Cent. Distribution.	Barnstable.	Berkshire.	Bristol.
1	**All Causes.**	**14,050**	**100.0**	**177**	**386**	**1,167**
2	Violence.	2,787	19.8	49	73	179
3	*Suicide and Self-inflicted Injury.*	429	30.0	12	11	21
4	Analgesic and soporific substances (970)	28	.2	1	–	2
5	Other solid and liquid substances (971)	21	.2	–	–	1
6	Gases in domestic use (972)	7	[1]	–	–	–
7	Other gases (973)	60	.4	3	4	6
8	Hanging and strangulation (974)	137	1.0	4	1	6
9	Submersion drowning (975)	32	.2	–	3	1
10	Firearms and explosives (976)	97	.7	4	1	4
11	Cutting and piercing instruments (977)	6	[1]	–	–	1
12	Jumping from high places (978)	33	.2	–	2	–
13	Other and unspecified means (979)	8	.1	–	–	–
14	*Homicide and Injury Purposely Inflicted by Other Persons.*	52	.4	1	2	2
15	Poisonings (980)	1	[1]	–	1	–
16	Firearms and explosives (981)	17	.1	–	1	–
17	Cutting and piercing instruments (982)	12	.1	–	–	1
18	Other means (983)	21	.2	1	–	1
19	Intervention of police (984)	1	[1]	–	–	–
20	Legal execution (985)	–	–	–	–	–
21	*Accident and Poisoning.*	2,306	16.4	36	60	156
22	Railroad accidents (800–802)	26	.2	1	1	1
23	Motor-vehicle traffic accidents (810–825)	637	4.5	13	18	58
24	Motor-vehicle nontraffic accidents (830–835)	8	.1	–	1	–
25	Other road-vehicle accidents (840–845)	6	[1]	–	–	1
26	Water-transport accidents (850–858)	24	.2	3	–	2
27	Aircraft accidents (860–866)	63	.5	4	3	–
28	Solid and liquid substances (870–888)	44	.3	–	–	3
29	Gases and vapors (890–895)	28	.2	–	–	3
30	Falls (900–904)	1,007	7.2	8	22	61
31	Burns and scalds (916, 917)	157	1.1	2	4	7
32	Drowning (929)	115	.8	5	3	11
33	Heat and cold (931, 932)	6	[1]	–	–	–
34	Others	185	1.3	–	8	9
35	Causes Not Due to Violence.	9,635	68.6	112	285	971
36	Natural causes	9,460	67.3	111	278	960
37	Alcoholism (322)	72	.6	1	2	3
38	Senility and ill-defined conditions (780–795)	103	.7	–	5	8
39	Cremations	1,578	11.2	16	26	15
40	Stillbirths.	50	.4	–	2	2
41	**Autopsies.**					
42	Number	1,566		16	28	88

[1] Less than one-tenth of one per cent.

Table 34

Line No.	Counties.	Deaths (inclusive of Stillbirths) investigated and Autopsies made by									
		10 years, 1949 to 1958.			1958.		1957.		1956.		1955.	
		Views.	Autopsies. Number.	Autopsies. Per cent.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	**The State.**	**126,401**	**9,571**	**7.6**	**14,050**	**1,566**	**13,746**	**740**	**13,235**	**636**	**12,899**	**922**
2	Barnstable	1,350	83	6.1	177	16	191	12	120	3	128	6
3	Berkshire	3,043	117	3.8	386	28	364	23	334	6	334	1
4	Bristol	10,797	350	3.2	1,167	88	1,199	44	1,131	18	1,098	18
5	Dukes	164	7	4.3	23	–	21	2	13	–	18	–
6	Essex	17,651	771	4.4	2,054	225	1,967	35	1,846	45	1,826	30
7	Franklin	1,342	54	4.0	161	13	157	3	160	1	138	7
8	Hampden	13,230	348	2.6	1,540	146	1,399	12	1,476	3	1,377	7
9	Hampshire	2,920	148	5.1	318	19	347	7	275	3	294	2
10	Middlesex	25,948	1,505	5.8	2,964	309	2,958	129	2,774	117	2,735	385
11	Nantucket	170	7	4.1	29	4	10	–	13	–	14	–
12	Norfolk	9,344	675	7.2	1,142	113	1,116	69	943	61	993	33
13	Plymouth	4,811	231	4.8	607	53	555	26	551	13	455	24
14	Suffolk	21,040	4,121	19.6	1,901	336	1,872	330	2,016	323	2,000	354
15	Worcester	14,591	1,154	7.9	1,581	216	1,590	48	1,583	43	1,489	55

INVESTIGATED BY MEDICAL EXAMINERS, BY CAUSE OF DEATH, IN EACH COUNTY: 1958.

TIES.

Line No.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	**23**	**2,054**	**161**	**1,540**	**318**	**2,964**	**29**	**1,142**	**607**	**1,901**	**1,581**
2	2	325	37	273	78	553	25	187	166	489	351
3	1	41	2	51	13	71	1	40	23	87	55
4	–	4	–	2	1	8	–	1	2	6	1
5	–	2	–	4	–	3	–	2	1	3	5
6	–	–	–	–	–	1	–	–	–	6	–
7	–	8	–	5	3	11	–	9	3	4	4
8	1	11	–	19	4	21	–	16	8	26	20
9	–	3	1	5	1	4	–	3	1	7	3
10	–	12	1	13	3	18	1	7	7	10	16
11	–	–	–	–	–	1	–	–	–	1	3
12	–	1	–	3	1	4	–	1	1	19	1
13	–	–	–	–	–	–	–	1	–	5	2
14	–	3	–	12	1	5	–	3	3	19	1
15	–	–	–	–	–	–	–	–	–	–	–
16	–	–	–	6	–	2	–	1	1	6	–
17	–	1	–	2	–	–	–	–	–	7	1
18	–	2	–	3	1	3	–	2	2	6	–
19	–	–	–	1	–	–	–	–	–	–	–
20	–	–	–	–	–	–	–	–	–	–	–
21	1	281	35	210	64	477	24	144	140	383	295
22	–	3	–	2	–	6	–	2	1	5	4
23	1	69	8	56	12	123	–	40	64	99	76
24	–	–	–	1	–	2	–	–	–	1	3
25	–	–	–	–	–	1	–	–	1	3	–
26	–	6	1	3	–	–	1	1	–	5	2
27	–	–	4	19	–	4	22	–	3	3	1
28	–	6	–	2	–	8	–	6	4	13	2
29	–	2	–	–	1	3	–	1	1	16	1
30	–	141	15	88	36	244	1	58	32	147	154
31	–	6	1	11	4	29	–	9	14	58	12
32	–	26	1	12	5	16	–	7	9	8	12
33	–	2	–	–	1	2	–	–	–	1	–
34	–	20	5	16	5	39	–	20	11	24	28
35	20	1,609	123	903	202	2,042	4	804	383	969	1,208
36	20	1,587	121	858	201	2,013	4	792	380	930	1,205
37	–	7	1	2	–	13	–	5	3	34	1
38	–	15	1	43	1	16	–	7	–	5	2
39	1	110	1	362	19	360	–	147	57	443	21
40	–	10	–	2	19	9	–	4	1	–	1
41											
42	–	225	13	146	19	309	4	113	53	336	216

MEDICAL EXAMINERS IN EACH COUNTY: 1949 TO 1958.

Line No.	1954.		1953.		1952.		1951.		1950.		1949.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	**12,561**	**721**	**12,434**	**934**	**12,109**	**1,087**	**12,156**	**935**	**11,615**	**1,069**	**11,596**	**1,021**
2	155	3	135	5	114	10	88	10	119	7	123	11
3	269	4	267	10	298	10	244	12	271	16	276	7
4	1,110	14	950	23	1,058	44	1,075	19	988	45	1,021	37
5	24	2	15	–	21	1	13	–	2	–	14	2
6	1,819	16	1,746	90	1,715	132	1,634	86	1,527	55	1,517	57
7	122	8	118	–	138	8	126	5	105	4	117	5
8	1,262	13	1,311	24	1,318	68	1,208	14	1,191	16	1,148	45
9	334	13	269	21	284	17	285	22	270	17	244	27
10	2,619	86	2,485	127	2,464	95	2,449	83	2,264	100	2,236	74
11	13	–	10	–	14	1	9	1	22	1	36	–
12	943	42	943	40	844	92	886	69	772	80	762	76
13	517	14	503	19	442	21	375	29	407	22	399	10
14	1,945	378	2,173	421	2,035	446	2,330	449	2,371	518	2,397	566
15	1,429	128	1,509	154	1,364	142	1,434	136	1,306	128	1,306	104

BIRTH STATISTICS

Introduction 142
Birth registration 142
Importance of birth records 142, 143
Adoptions 143
Records impounded 144
Treatment of infants' eyes 144
Allocation 144
Live births 144
Birth rate 144
Changes in birth rate 144
Stillbirths 144
Birth rates, highest 144, 145
Sex proportion at birth 145
Plural births 145
Natural increase 145
Statistical tables 146–155

INTRODUCTION.

Birth Registration. — Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the town of birth. Parents, within forty days are required to give notice to the registration official of children born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

Returns are made in the first instance to the local clerks of the city or town in which the birth occurred with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1842. During this time 7,445,384 births have been filed and indexed. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are beginning more and more to realize the importance of birth records, so complete registration should soon be an accomplished fact.

Importance of Birth Records. — Records of birth are becoming more important every day. Government and other agencies are demanding proof of citizenship through birth certificates. This has caused a tremendous increase in the issuance of certified copies of birth records. The applications for certified copies are being made in person and by mail from all parts of the country. As Massachusetts is one of the few states that have records previous to 1912 there is a great demand at all times. This great demand for birth records will continue as they are also required for Old Age Assistance, Social Security and for allotment purposes.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an

*Midwives are not recognized in Massachusetts. The courts have held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;
7. As evidence to determine the liability of parents for the debts of a minor;
8. As evidence in the administration of estates, the settlement of insurance and pensions;
9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;
10. As evidence in the enforcement of laws relating to education and to child labor;
11. As evidence to determine the relations of guardians and wards;
12. As proof of citizenship in order to obtain a passport;
13. As evidence in the claim for exemption from or the right to jury and military service.

Copies of records of births occurring during the preceding year are required by statute to be forwarded annually to the Division of Vital Statistics but many of the clerks co-operate with the Division by making periodic returns during the year.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns are accepted unless by affidavit made by the parents, supported by written evidence at the time of birth, or by affidavit of the attending physician at the time of birth, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance, except that in cases of delayed returns when no deponent is available the clerk may under the provisions of Chapter 542, Acts of 1945, accept a return without affidavit on written evidence satisfactory to him and if he rejects an affidavit for filing a delayed return, the person concerned can appeal to a Probate Judge in the county in which the birth occurred, and if the Probate Judge orders the birth to be recorded, the clerk is then required to make a record of the birth. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are required to exercise considerable care by requesting written evidence made soon after the time of birth before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimatized through the subsequent marriage of its parents; in these cases the record may be amended, so that the child will appear on the record as the legitimate offspring of its parents.

As a means of eliminating errors from physicians' returns of births, Chapter 434, Acts of 1941 requires that registrars send a supplemental report of the physician's return to the parents for their verification; and when the certificate is returned properly signed by a parent it is filed with the physician's certificate. This is a splendid system as it eliminates any claim later that an error has been made in the return of birth.

Adoptions. — Chapter 97, Acts of 1938 amended the statute relating to adoptions and provides that legally adopted children may have their birth records amended so as to appear as the natural children of the adoptive parents. Illegitimate children who have had their names legally changed may have their birth records amended to agree with the name decreed by court.

Certain Records Impounded. — Returns and records of illegitimate and abnormal sex births are impounded by statute from inspection. The law prohibits the issuance of copies of such records to the general public. These records can be inspected by or copies issued only to the child, the mother, attorney for the child, its legal guardian or to others by order of the court. Chapter 65, Acts of 1945 provided that in cases of illegitimate records which have been amended to appear as legitimate records through intermarriage of the parents or by adoption, no notation shall appear on certified copies that are issued that amendment has been made. This is a further protection to the illegitimate child.

Treatment of Infants' Eyes after Birth. — Chapter 46, Acts of 1943 requires attending physician to record on the birth certificate the use of a prophylactic remedy with which he has treated the eyes of a child whose birth he has personally attended.

Allocation. — Births are charged to the place of the event and also are allocated to the place of residence of the parents. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. These cities and towns in the past have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all births occurring outside the State as well as for those in the State. In the case of institutions, births have been allocated to the place of residence before entrance.

Live Births. — In the Commonwealth in 1958 there were 116,439 live births registered, a decrease of 177 or .2 per cent as compared with the number registered in 1957. The allocated births numbered 114,563 for 1958.

Birth Rate. — In proportion to the total population, the total births registered were equivalent to a rate of 23.5 per 1,000 population, and is a decrease of .2 per 1,000 over that of 1957. This rate is 1.0 per 1,000 above the average for the five years 1953 to 1957. The allocated births for 1958 had a birth rate of 23.2.

Changes in Birth Rate. — The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a marked decline, and a gradual decline since 1924. Starting with 1940 the trend has been upward with the exception of 1944 and 1945, culminating in the highest number of recorded births in the history of the State in 1957. Though the registered births in the period 1947 to 1956 are below this all-time high, they are still larger than the previous recorded high of 95,731 in 1917. During this period (with the exception of 1952 and 1956), the infant death rate has also declined, the infant mortality rate for 1951 being the lowest ever recorded, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is shown in the infant mortality tables.

Stillbirths. — Chapter 113, Acts of 1945, defines stillborn children for the purposes of Vital Statistics: "A stillborn child shall be deemed to be a foetus born after a period of gestation of not less than 20 weeks, in which foetus there is no attempt at respiration, no action of heart and no movement of voluntary muscle —." Previous to 1936 there was no statute defining a stillbirth, consequently many returns had been made which, under this definition, would not have been returned. The statute now clearly defines a stillbirth and precludes any misunderstanding as to what returns should be made.

Stillbirths allocated in 1958 numbered 1,678. The rate per 1,000 live births allocated was 14.0 in 1957, 14.6 in 1956, 15.4 in 1955 and 15.5 in 1954. The rate for 1958 was 14.6.

Birth Rates, Highest. — The municipalities having 15,000 inhabitants or more showing the highest registered birth rates in 1958 are: Winchester, 80.5; Norwood, 70.9; Framingham, 55.5; Stoneham, 53.9; Methuen, 52.8 and Attleboro, 51.2.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth. The allocated birth rates help to substantiate this statement. The communities showing the highest rates are: Framingham, 37.5; Woburn, 34.0; Chicopee, 31.4; Randolph, 31.2; Leominster, 29.5 and Norwood, 28.0. Springfield which showed the highest registered rate (40.8) of any place in the State of over 100,000 population also has the highest rate (26.7) through the allocation of births.

Sex Proportion at Birth. — It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. Allocated births numbered 59,058 males and 55,505 females in 1958, with 1,064 as a ratio of male to female births.

Plural Births. — In 1958 there were 1,271 cases of plural births (allocated); 1,264 cases of twins and 7 cases of triplets, or 11.0 pairs of twins per 1,000 live births (allocated), and less than one-tenth of one case of triplets.

Natural Increase. — The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1958 was 12.3 per 1,000 population for registered births and also averaged 11.7 for the five years 1953 to 1957. The rate of increase was 12.1 for allocated births in 1958.

The number of births is greatly in excess of the number of deaths, and this fact coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounted to 110.5 per cent in 1957; 110.6 per cent in 1956; 104.9 per cent in 1955 and 108.5 per cent in 1954. The excess of registered births over registered deaths in 1958 was 60,894 or 109.6 per cent, while the increase of allocated births over allocated deaths was 59,771 or 109.1 per cent.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31, 1919, Public Document No. 1.

Table 35

REGISTERED LIVE BIRTHS; ALLOCATED LIVE BIRTHS AND STILLBIRTHS, IN CITIES AND TOWNS, BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1958.

COUNTIES AND MUNICIPALITIES.[1]	REGISTERED TOTAL.	ALLOCATED.				STILLBIRTHS.		
		Total.	SEX.		Rate.	Total.	SEX.	
			Male.	Female.			Male.	Female.
The State.	**116,439**	**114,563**	**59,058**	**55,505**	**23.2**	**1,678**[2]	**919**	**756**
BARNSTABLE COUNTY	1,323	1,876	959	917	33.8	20	9	11
Barnstable	876	337	172	165	26.6	6	1	5
Bourne	442	383	196	187	77.4	3	2	1
Brewster	–	21	11	10	17.0	–	–	–
Chatham	–	53	26	27	15.7	1	1	–
Dennis	–	56	24	32	15.4	2	–	2
Eastham	–	16	4	12	13.4	1	–	1
Falmouth	2	520	258	262	52.3	6	4	2
Harwich	2	89	51	38	24.4	1	1	–
Mashpee	–	26	14	12	45.9	–	–	–
Orleans	–	44	22	22	18.5	–	–	–
Provincetown	1	71	45	26	20.8	–	–	–
Sandwich	–	66	38	28	40.2	–	–	–
Truro	–	22	9	13	24.0	–	–	–
Wellfleet	–	49	25	24	34.6	–	–	–
Yarmouth	–	123	64	59	27.4	–	–	–
BERKSHIRE COUNTY	3,291	3,104	1,598	1,506	22.1	50	28	22
Adams	208	245	113	132	18.7	2	1	1
Alford	2	5	–	5	18.6	–	–	–
Becket	–	14	7	7	17.9	–	–	–
Cheshire	–	48	23	25	21.2	1	–	1
Clarksburg	–	39	22	17	24.3	1	1	–
Dalton	–	153	76	77	25.9	4	2	2
Egremont	–	11	5	6	12.2	–	–	–
Florida	–	10	2	8	17.8	1	1	–
Great Barrington	268	111	51	60	15.8	2	1	1
Hancock	–	10	5	5	21.3	–	–	–
Hinsdale	–	45	26	19	31.0	2	–	2
Lanesborough	–	94	49	45	31.9	–	–	–
Lee	1	128	67	61	24.2	1	1	–
Lenox	–	87	44	43	24.2	1	1	–
Monterey	–	3	1	2	6.3	1	–	1
Mount Washington	–	–	–	–	–	–	–	–
New Ashford	–	4	3	1	23.7	–	–	–
New Marlborough	–	19	12	7	17.7	–	–	–
NORTH ADAMS	694	445	242	203	20.7	8	5	3
Otis	–	17	7	10	31.5	1	–	1
Peru	–	4	3	1	21.7	–	–	–
PITTSFIELD	2,117	1,321	689	632	23.5	21	12	9
Richmond	–	16	9	7	18.1	–	–	–
Sandisfield	–	8	5	3	12.9	–	–	–
Savoy	–	6	4	2	18.8	–	–	–
Sheffield	1	38	25	13	18.0	–	–	–
Stockbridge	–	33	15	18	14.4	1	1	–
Tyringham	–	5	1	4	21.6	–	–	–
Washington	–	4	2	2	13.0	–	–	–
West Stockbridge	–	33	10	23	27.4	–	–	–
Williamstown	–	140	77	63	23.7	3	2	1
Windsor	–	8	3	5	21.2	–	–	–
BRISTOL COUNTY	8,084	7,821	4,097	3,724	19.9	120	80	40
Acushnet	294	118	51	67	23.6	3	2	1
ATTLEBORO	1,285	607	312	295	24.2	5	4	1
Berkley	–	29	14	15	20.8	1	1	–
Dartmouth	2	230	105	125	17.1	2	1	1
Dighton	1	87	47	40	25.7	2	2	–
Easton	–	201	111	90	26.7	4	2	2
Fairhaven	2	237	126	111	17.6	3	1	2
FALL RIVER	2,999	1,964	995	969	18.7	36	25	11
Freetown	1	82	39	43	30.8	–	–	–
Mansfield	–	169	82	87	21.6	2	2	–
NEW BEDFORD	2,448	1,948	1,036	912	18.5	30	21	9
North Attleborough	5	330	195	135	24.9	4	2	2
Norton	1	116	65	51	21.9	–	–	–
Raynham	–	91	53	38	26.2	–	–	–
Rehoboth	–	58	21	37	13.4	2	1	1
Seekonk	–	132	78	54	17.5	8	5	3
Somerset	–	271	143	128	24.5	2	2	–
Swansea	1	177	86	91	18.4	2	1	1
TAUNTON	1,043	832	459	373	20.0	12	7	5
Westport	2	142	79	63	21.5	2	1	1
DUKES COUNTY	92	90	42	48	14.3	1	–	1
Chilmark	–	3	–	3	11.0	–	–	–
Edgartown	–	20	14	6	13.1	–	–	–
Gay Head	–	1	1	–	7.0	–	–	–
Gosnold	–	1	–	1	8.3	–	–	–

[1] Cities and counties are printed in small capitals.
[2] Three unknown sex.

Table 35

REGISTERED LIVE BIRTHS; ALLOCATED LIVE BIRTHS AND STILLBIRTHS, IN CITIES AND TOWNS, BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1958.

COUNTIES AND MUNICIPALITIES.[1]	REGISTERED TOTAL.	ALLOCATED.				STILLBIRTHS.		
		Total.	SEX.		Rate.	Total.	SEX.	
			Male.	Female.			Male.	Female.
Oak Bluffs	92	22	9	13	13.9	–	–	–
Tisbury	–	39	17	22	17.1	1	–	1
West Tisbury	–	4	1	3	11.1	–	–	–
ESSEX COUNTY	12,012	12,111	6,313	5,798	21.9	197	101	96
Amesbury	367	262	127	135	23.2	2	2	–
Andover	1	319	173	146	21.0	4	3	1
BEVERLY	1,242	874	484	390	27.1	20	10	10
Boxford	–	36	12	24	28.7	1	1	–
Danvers	366	460	241	219	24.2	6	2	4
Essex	–	48	24	24	22.7	–	–	–
Georgetown	–	88	48	40	29.8	–	–	–
GLOUCESTER	577	548	293	255	20.9	9	3	6
Groveland	2	63	28	35	23.1	4	2	2
Hamilton	–	119	72	47	26.0	–	–	–
HAVERHILL	1,096	978	492	486	21.5	19	10	9
Ipswich	237	193	103	90	23.7	2	–	2
LAWRENCE	1,515	1,477	771	706	19.4	27	17	10
LYNN	2,310	2,164	1,124	1,040	21.9	39	21	18
Lynnfield	–	133	73	60	21.3	3	1	2
Manchester	1	91	34	57	25.7	–	–	–
Marblehead	154	353	186	167	21.2	7	5	2
Merrimac	3	89	54	35	29.3	–	–	–
Methuen	1,431	507	271	236	18.7	6	2	4
Middleton	1	87	49	38	24.7	2	2	–
Nahant	–	95	55	40	27.8	–	–	–
Newbury	–	56	32	24	23.6	–	–	–
NEWBURYPORT	450	311	161	150	21.2	4	3	1
North Andover	–	209	102	107	21.7	3	–	3
PEABODY	183	760	396	364	27.1	9	8	1
Rockport	–	76	48	28	16.0	1	–	1
Rowley	–	58	25	33	27.8	1	–	1
SALEM	1,549	809	417	392	20.2	12	3	9
Salisbury	–	83	39	44	29.2	–	–	–
Saugus	526	394	195	199	20.8	9	3	6
Swampscott	–	211	103	108	15.6	5	2	3
Topsfield	–	62	35	27	25.1	1	–	1
Wenham	1	62	36	26	25.3	1	1	–
West Newbury	–	36	10	26	22.1	–	–	–
FRANKLIN COUNTY	1,008	1,200	613	587	21.1	17	11	6
Ashfield	–	29	18	11	25.8	2	–	2
Bernardston	–	37	18	19	27.3	1	1	–
Buckland	–	38	25	13	22.4	–	–	–
Charlemont	–	23	10	13	26.8	–	–	–
Colrain	1	30	19	11	19.9	–	–	–
Conway	–	22	13	9	24.6	2	1	1
Deerfield	1	58	28	30	18.6	1	1	–
Erving	–	22	12	10	15.6	–	–	–
Gill	–	26	17	9	22.6	–	–	–
Greenfield	764	369	179	190	20.1	3	3	–
Hawley	–	6	6	–	20.2	–	–	–
Heath	1	11	5	6	32.8	–	–	–
Leverett	–	27	10	17	31.1	–	–	–
Leyden	–	11	5	6	31.4	–	–	–
Monroe	–	3	2	1	17.0	–	–	–
Montague	239	176	89	87	20.2	1	1	–
New Salem	–	4	1	3	8.7	–	–	–
Northfield	1	53	24	29	22.2	–	–	–
Orange	1	139	71	68	22.1	3	2	1
Rowe	–	3	1	2	14.3	–	–	–
Shelburne	–	42	18	24	24.0	2	1	1
Shutesbury	–	9	3	6	36.0	–	–	–
Sunderland	–	28	15	13	19.6	2	1	1
Warwick	–	11	7	4	22.1	–	–	–
Wendell	–	9	5	4	26.5	–	–	–
Whately	–	14	12	2	13.6	–	–	–
HAMPDEN COUNTY	11,254	10,338	5,407	4,931	25.9	157	88	69
Agawam	5	340	170	170	23.5	6	4	2
Blandford	–	17	7	10	22.5	–	–	–
Brimfield	–	36	23	13	24.1	1	–	1
Chester	–	16	11	5	12.0	1	1	–
CHICOPEE	507	1,541	815	726	31.4	22	14	8
East Longmeadow	1	211	110	101	23.1	2	2	–
Granville	1	23	12	11	27.3	–	–	–
Hampden	1	71	35	36	36.3	1	1	–
Holland	–	16	9	7	25.7	–	–	–
HOLYOKE	2,387	1,200	601	599	22.6	19	13	6

[1] Cities and counties are printed in small capitals.

Table 35

REGISTERED LIVE BIRTHS; ALLOCATED LIVE BIRTHS AND STILLBIRTHS, IN CITIES AND TOWNS, BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1958.

COUNTIES AND MUNICIPALITIES.[1]	REGISTERED TOTAL.	ALLOCATED.				STILLBIRTHS.		
		Total.	SEX.		Rate.	Total.	SEX.	
			Male.	Female.			Male.	Female.
Longmeadow	–	158	73	85	17.0	2	–	2
Ludlow	443	338	175	163	20.8	8	5	3
Monson	–	118	62	56	17.3	1	–	1
Montgomery	–	11	4	7	37.2	–	–	–
Palmer	380	262	131	131	24.6	10	9	1
Russell	–	41	19	22	28.6	–	–	–
Southwick	2	140	77	63	27.0	2	2	–
SPRINGFIELD	6,835	4,469	2,356	2,113	26.7	71	33	38
Tolland	–	1	–	1	9.9	–	–	–
Wales	–	12	5	7	17.4	2	2	–
West Springfield	1	571	314	257	23.9	6	2	4
WESTFIELD	691	603	321	282	26.8	2	–	2
Wilbraham	–	143	77	66	22.7	1	–	1
HAMPSHIRE COUNTY	1,735	1,977	1,007	970	22.1	21	8	13
Amherst	–	250	130	120	30.5	1	–	1
Belchertown	1	71	38	33	13.8	–	–	–
Chesterfield	–	19	9	10	36.4	–	–	–
Cummington	–	12	8	4	20.4	–	–	–
Easthampton	–	255	119	136	20.9	1	1	–
Goshen	–	9	4	5	25.9	–	–	–
Granby	–	94	51	43	28.3	3	1	2
Hadley	1	72	34	38	24.0	–	–	–
Hatfield	–	39	22	17	17.2	–	–	–
Huntington	–	33	22	11	23.1	1	–	1
Middlefield	–	7	4	3	19.8	–	–	–
NORTHAMPTON	1,280	509	247	262	19.4	10	4	6
Pelham	–	17	8	9	24.7	–	–	–
Plainfield	–	6	2	4	22.6	–	–	–
South Hadley	2	322	170	152	27.2	4	2	2
Southampton	–	44	21	23	22.1	–	–	–
Ware	451	151	81	70	19.7	–	–	–
Westhampton	–	7	3	4	12.4	–	–	–
Williamsburg	–	51	28	23	21.9	1	–	1
Worthington	–	9	6	3	16.7	–	–	–
MIDDLESEX COUNTY	25,354	28,307	14,483	13,824	24.9	392[2]	225	166
Acton	5	183	98	85	36.5	–	–	–
Arlington	861	1,019	516	503	21.3	12	8	4
Ashby	–	41	21	20	24.1	–	–	–
Ashland	1	240	123	117	37.1	3	–	3
Ayer	306	263	129	134	75.6	5	2	3
Bedford	1	327	167	160	33.6	3	2	1
Belmont	1	530	266	264	18.2	4	2	2
Billerica	–	490	264	226	32.0	9	5	4
Boxborough	–	17	6	11	26.5	–	–	–
Burlington	1	405	202	203	70.2	5	3	2
CAMBRIDGE	2,946	2,365	1,228	1,137	23.9	47	28	19
Carlisle	–	34	22	12	28.1	–	–	–
Chelmsford	–	331	164	167	26.7	4	4	–
Concord	1,044	265	127	138	23.0	5	2	3
Dracut	1	325	178	147	27.7	5[2]	3	1
Dunstable	–	16	9	7	21.3	–	–	–
EVERETT	823	998	539	459	22.1	18	8	10
Framingham	1,805	1,219	638	581	37.5	15	8	7
Groton	215	101	51	50	27.6	1	1	–
Holliston	–	163	94	69	34.8	1	–	1
Hopkinton	1	112	58	54	24.1	3	2	1
Hudson	123	215	103	112	23.6	1	–	1
Lexington	2	547	289	258	23.2	9	5	4
Lincoln	–	83	39	44	26.9	1	–	1
Littleton	1	153	69	84	46.5	2	2	–
LOWELL	3,733	2,216	1,095	1,121	23.6	39	22	17
MALDEN	1,376	1,299	660	639	21.8	21	14	7
MARLBOROUGH	653	418	212	206	24.3	6	5	1
Maynard	–	159	76	83	21.7	1	–	1
MEDFORD	1,293	1,422	714	708	21.7	20	11	9
MELROSE	1,211	573	290	283	19.2	7	5	2
Natick	799	706	374	332	25.3	10	7	3
NEWTON	1,584	1,540	786	754	17.5	19	9	10
North Reading	1	233	114	119	35.7	3	1	2
Pepperell	–	120	70	50	34.9	1	1	–
Reading	3	387	188	199	22.6	6	3	3
Sherborn	–	21	10	11	14.1	–	–	–
Shirley	500	99	48	51	35.0	–	–	–
SOMERVILLE	1,605	2,480	1,257	1,223	25.6	38	23	15
Stoneham	890	413	212	201	25.0	2	1	1
Stow	–	60	34	26	25.7	3	1	2

[1] Cities and counties are printed in small capitals.
[2] Unknown sex.

Table 35 REGISTERED LIVE BIRTHS; ALLOCATED LIVE BIRTHS AND STILLBIRTHS, IN CITIES AND TOWNS, BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1958.

COUNTIES AND MUNICIPALITIES.[1]	REGISTERED TOTAL.	ALLOCATED.				STILLBIRTHS.		
		Total.	SEX.		Rate.	Total.	SEX.	
			Male.	Female.			Male.	Female.
Sudbury	2	188	101	87	47.8	2	1	1
Tewksbury	1	408	208	200	34.7	5	1	4
State Infirmary	114	–	–	–	–	–	–	–
Townsend	1	97	50	47	27.5	1	1	–
Tyngsborough	–	71	41	30	23.0	2	1	1
Wakefield	1	533	280	253	23.4	5	3	2
WALTHAM	1,215	1,354	716	638	26.6	17	12	5
Watertown	3	1,000	488	512	25.4	10	7	3
Wayland	–	248	135	113	30.4	3	2	1
Westford	–	134	72	62	26.2	2	1	1
Weston	1	117	62	55	17.8	1	–	1
Wilmington	–	337	157	180	33.5	2	–	2
Winchester	1,516	304	150	154	16.1	2	1	1
WOBURN	715	928	483	445	34.0	11	7	4
NANTUCKET COUNTY	71	69	37	32	18.4	2	1	1
NORFOLK COUNTY	7,838	11,015	5,697	5,318	23.2	149	72	77
Avon	–	96	39	57	30.5	3	–	3
Bellingham	–	174	86	88	28.9	1	–	1
Braintree	1	636	331	305	22.4	6	3	3
Brookline	574	827	425	402	14.5	5	–	5
Canton	–	317	174	143	27.9	5	2	3
Cohasset	1	122	56	66	23.5	1	1	–
Dedham	1	505	262	243	22.1	7	3	4
Dover	1	43	24	19	17.3	–	–	–
Foxborough	–	251	120	131	27.2	3	2	1
Franklin	1	211	115	96	24.3	4	2	2
Holbrook	–	326	162	164	44.5	11	8	3
Medfield	–	93	39	54	16.5	3	1	2
Medway	1	116	73	43	26.7	3	2	1
Millis	–	126	60	66	38.9	2	1	1
Milton	634	359	171	188	14.5	–	–	–
Needham	582	530	278	252	22.1	5	1	4
Norfolk	3	70	35	35	25.0	–	–	–
Norwood	1,636	665	344	321	28.8	7	3	4
Plainville	–	104	59	45	37.6	1	1	–
QUINCY	2,177	2,132	1,124	1,008	25.1	33	19	14
Randolph	–	473	250	223	31.2	7	1	6
Sharon	1	219	112	107	23.8	1	1	–
Stoughton	2	418	207	211	27.9	13	9	4
Walpole	1	338	171	167	27.5	5	2	3
Wellesley	2	403	225	178	18.1	4	1	3
Westwood	1	233	141	92	24.0	1	–	1
Weymouth	2,219	1,152	574	578	24.3	16	9	7
Wrentham	–	76	40	36	12.2	2	–	2
PLYMOUTH COUNTY	4,855	5,640	2,838	2,802	24.9	69[2]	41	27
Abington	2	322	162	160	30.8	4	2	2
Bridgewater	–	187	91	96	20.6	1	–	1
BROCKTON	3,153	1,644	858	786	26.3	22	12	10
Carver	–	18	8	10	10.5	–	–	–
Duxbury	–	98	53	45	20.4	2	1	1
East Bridgewater	–	124	63	61	21.4	1	–	1
Halifax	–	33	13	20	20.8	1	–	1
Hanover	–	116	56	60	25.0	1	1	–
Hanson	1	93	50	43	23.3	–	–	–
Hingham	–	345	167	178	23.5	2	1	1
Hull	–	172	96	76	24.8	4	2	2
Kingston	1	90	45	45	20.6	1	1	–
Lakeville	–	72	37	35	28.4	–	–	–
Marion	–	67	37	30	22.3	–	–	–
Marshfield	7	151	80	71	26.3	1	–	1
Mattapoisett	–	55	23	32	19.3	–	–	–
Middleborough	329	218	112	106	18.9	3[2]	2	–
Norwell	2	136	64	72	28.0	–	–	–
Pembroke	–	103	54	49	23.3	1	1	–
Plymouth	472	274	136	138	19.5	6	2	4
Plympton	–	16	9	7	20.4	–	–	–
Rochester	–	36	18	18	24.2	–	–	–
Rockland	–	325	160	165	29.0	8	7	1
Scituate	4	255	110	145	27.1	3	2	1
Wareham	883	328	155	173	36.1	4	4	–
West Bridgewater	–	104	46	58	21.7	1	1	–
Whitman	1	258	135	123	26.4	3	2	1
SUFFOLK COUNTY	27,142	18,195	9,297	8,898	22.2	299[2]	156	142
BOSTON	24,683	16,280	8,313	7,967	22.5	271[2]	145	125
CHELSEA	1,313	650	333	317	17.7	6	3	3
REVERE	316	808	422	386	19.8	12	3	9

[1] Cities and counties are printed in small capitals.
[2] Unknown sex.

Table 35

REGISTERED LIVE BIRTHS; ALLOCATED LIVE BIRTHS AND STILLBIRTHS, IN CITIES AND TOWNS, BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: **1958.**

COUNTIES AND MUNICIPALITIES.[1]	REGISTERED TOTAL.	ALLOCATED.				STILLBIRTHS.		
		Total.	SEX.		Rate.	Total.	SEX.	
			Male.	Female.			Male.	Female.
Winthrop	830	457	229	228	24.4	10	5	5
WORCESTER COUNTY	12,380	12,820	6,670	6,150	21.8	184	99	85
Ashburnham	–	57	26	31	22.0	–	–	–
Athol	372	261	134	127	21.0	8	2	6
Auburn	–	293	147	146	21.1	3	1	2
Barre	–	71	37	34	19.4	–	–	–
Berlin	–	28	18	10	17.7	2	2	–
Blackstone	1	115	61	54	22.8	–	–	–
Bolton	–	33	19	14	28.3	–	–	–
Boylston	–	48	28	20	24.6	1	1	–
Brookfield	–	39	24	15	20.9	–	–	–
Charlton	–	60	30	30	16.6	–	–	–
Clinton	353	314	166	148	24.3	6	3	3
Douglas	–	51	27	24	19.0	1	1	–
Dudley	–	124	55	69	21.6	1	–	1
East Brookfield	–	25	15	10	17.2	–	–	–
FITCHBURG	1,396	1,097	541	556	25.5	11	8	3
GARDNER	605	380	208	172	18.7	4	2	2
Grafton	–	195	115	80	18.7	3	3	–
Hardwick	–	35	17	18	15.4	–	–	–
Harvard	1	55	36	19	34.4	2	2	–
Holden	314	228	135	93	23.6	2	1	1
Hopedale	–	92	50	42	23.6	1	1	–
Hubbardston	–	28	17	11	23.8	–	–	–
Lancaster	1	82	41	41	20.9	2	2	–
Leicester	–	192	83	109	24.6	2	2	–
LEOMINSTER	785	740	391	349	29.5	7	5	2
Lunenburg	–	136	60	76	23.3	–	–	–
Mendon	–	49	28	21	24.2	1	1	–
Milford	567	329	186	143	21.0	3	1	2
Millbury	–	238	141	97	51.2	2	2	–
Millville	–	34	15	19	21.5	1	–	1
New Braintree	–	8	3	5	17.0	–	–	–
North Brookfield	1	90	52	38	26.0	3	2	1
Northborough	–	197	105	92	34.7	3	1	2
Northbridge	328	233	127	106	21.8	5	3	2
Oakham	–	7	6	1	12.8	–	–	–
Oxford	–	248	118	130	29.0	2	–	2
Paxton	–	38	16	22	21.6	2	1	1
Petersham	–	18	7	11	18.3	–	–	–
Phillipston	–	18	11	7	22.5	–	–	–
Princeton	–	25	13	12	19.8	–	–	–
Royalston	–	22	10	12	25.9	–	–	–
Rutland	1	46	22	24	18.9	–	–	–
Shrewsbury	1	360	178	182	25.5	1	–	1
Southborough	–	79	35	44	23.7	1	–	1
Southbridge	537	359	192	167	20.8	9	2	7
Spencer	2	156	82	74	19.9	4	3	1
Sterling	–	54	33	21	18.2	1	1	–
Sturbridge	–	68	41	27	18.6	3	3	–
Sutton	–	82	38	44	23.0	–	–	–
Templeton	1	123	61	62	21.8	2	2	–
Upton	–	70	28	42	23.0	1	1	–
Uxbridge	–	165	88	77	21.1	3	2	1
Warren	–	66	31	35	18.5	1	1	–
Webster	429	254	131	123	17.8	5	4	1
West Boylston	–	92	46	46	19.2	–	–	–
West Brookfield	–	40	22	18	19.5	–	–	–
Westborough	1	155	68	87	18.4	–	–	–
Westminster	–	70	38	32	18.4	1	1	–
Winchendon	174	145	79	66	21.4	5	2	3
WORCESTER	6,511	4,103	2,138	1,965	20.3	69	30	39

[1] Cities and counties are printed in small capitals.

Table 36 COUNTIES AND MUNICIPALITIES HAVING OVER 50,000 INHABITANTS IN 1955. (Grouped in order of population.)

ALLOCATED LIVE BIRTHS, BY MONTH OF BIRTH, IN COUNTIES AND IN MUNICIPALITIES HAVING OVER 50,000 INHABITANTS: 1958.

	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**114,563**	**9,192**	**8,905**	**9,586**	**9,649**	**9,649**	**9,667**	**9,714**	**9,468**	**9,895**	**10,017**	**9,229**	**9,592**
Average daily number of births	314	296	318	309	321	311	322	313	305	330	323	308	309
COUNTIES													
Middlesex	28,307	2,241	2,223	2,419	2,411	2,304	2,367	2,410	2,318	2,471	2,482	2,267	2,394
Suffolk	18,195	1,466	1,423	1,465	1,487	1,499	1,513	1,662	1,541	1,565	1,577	1,500	1,497
Worcester	12,820	1,039	1,019	1,069	1,048	1,094	1,082	1,058	1,119	1,082	1,141	1,003	1,066
Essex	12,111	986	923	1,080	1,034	1,043	1,075	980	946	1,105	1,022	929	988
Norfolk	11,015	844	833	901	964	895	972	984	902	895	996	918	911
Hampden	10,338	883	827	848	857	944	844	808	868	874	866	862	857
Bristol	7,821	580	654	663	646	690	669	660	605	676	689	618	671
Plymouth	5,640	492	380	486	469	468	459	461	477	500	477	457	514
Berkshire	3,104	238	235	245	278	271	249	249	257	271	294	257	260
Hampshire	1,977	156	158	184	162	175	162	162	151	176	177	141	173
Franklin	1,200	97	102	80	111	91	100	106	103	97	122	106	85
Barnstable	1,876	157	116	139	173	158	165	160	161	166	166	156	159
Dukes	90	9	4	–	5	10	7	7	11	13	5	9	10
Nantucket	69	4	8	7	4	7	3	7	9	4	3	6	7
MUNICIPALITIES OVER 100,000													
Boston	16,280	1,342	1,286	1,295	1,354	1,315	1,325	1,490	1,370	1,405	1,400	1,366	1,332
Worcester	4,103	342	325	324	349	342	358	356	391	335	341	292	348
New Bedford	1,948	147	159	157	153	158	171	159	156	176	171	156	185
Fall River	1,964	136	179	175	175	189	167	169	139	158	186	152	139
MUNICIPALITIES 50,000 TO 100,000													
Lynn	2,164	185	175	206	185	166	195	160	175	195	184	158	180
Cambridge	2,365	177	166	198	210	220	194	211	190	202	218	174	205
Somerville	2,480	200	191	217	207	215	198	214	219	198	231	192	198
Lowell	2,216	188	187	181	192	194	162	212	170	201	185	169	175
Newton	1,540	156	133	138	126	123	130	124	96	132	133	117	132
Quincy	2,132	167	153	178	170	178	186	212	172	177	187	171	181
Lawrence	1,477	134	110	115	124	135	128	128	130	123	117	111	122
Medford	1,422	92	119	115	125	109	117	103	124	145	130	126	117
Brockton	1,644	142	125	144	145	144	128	141	130	158	131	133	123
Malden	1,299	92	101	108	107	108	114	111	118	103	127	99	111
Brookline	827	69	68	74	80	54	59	80	63	60	82	61	77
Pittsfield	1,321	89	97	100	116	109	127	105	110	114	119	113	122
Holyoke	1,200	117	109	100	96	111	99	88	89	92	110	93	96
Waltham	1,354	116	101	92	121	99	108	114	135	128	120	103	117

Table 37

CASES OF PLURAL BIRTHS[1] IN COUNTIES AND MUNICIPALITIES HAVING OVER 15,000 INHABITANTS: 1958.

COUNTIES AND MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1955. (Grouped in order of population.)	Twins.	Triplets.	MUNICIPALITIES.	Twins.	Triplets.
The State.	**1,264**	**7**	Weymouth	6	–
COUNTIES.			Taunton	9	–
Barnstable	17	–	Salem	8	1
Berkshire	31	–	Revere	6	–
Bristol	92	–	Watertown	8	–
Dukes	1	–	Chelsea	1	–
Essex	133	1	Framingham	16	–
Franklin	16	1	Beverly	9	–
Hampden	128	–	Melrose	7	–
Hampshire	26	–	Belmont	4	–
Middlesex	326	1	Braintree	8	–
Nantucket	–	–	Peabody	5	–
Norfolk	112	2	Methuen	3	–
Plymouth	58	–	Northampton	7	–
Suffolk	197	2	Natick	9	–
Worcester	127	–	Gloucester	3	–
			Woburn	4	–
MUNICIPALITIES OVER 100,000.					
Boston	188	2	15,000 TO 25,000		
Worcester	46	–	Attleboro	8	–
Springfield	66	–	Leominster	9	–
New Bedford	24	–	Milton	3	–
Fall River	21	–	West Springfield	7	–
			Lexington	7	–
50,000 TO 100,000.			Wakefield	7	–
Lynn	30	–	Westfield	–	–
Cambridge	35	–	Wellesley	5	–
Somerville	32	–	Needham	7	–
Lowell	24	–	North Adams	3	–
Newton	21	1	Dedham	6	–
Quincy	27	1	Norwood	7	–
Lawrence	19	–	Gardner	3	–
Medford	15	–	Winthrop	2	–
Brockton	17	–	Saugus	5	–
Malden	12	–	Danvers	3	–
Brookline	2	–	Winchester	–	–
Pittsfield	13	–	Greenfield	3	–
Holyoke	10	–	Southbridge	5	–
Waltham	17	–	Marlborough	8	–
			Reading	4	–
25,000 TO 50,000.			Marblehead	3	–
Chicopee	16	–	Stoneham	5	–
Arlington	14	1	Milford	1	–
Haverhill	13	–			
Everett	10	–			
Fitchburg	17	–			

[1] Allocated

Table 38 — Allocated Live Births and Allocated Stillbirths by Age of Mother, Birth Weight, Color, Plurality and Place of Delivery: 1958.

	Total.	Color.		Sex.		Single Births.	Plural Births.
		White.	Nonwhite.	Males.	Females.		
Allocated Live Births.							
The State.	**114,563**	**110,716**	**3,847**	**59,058**	**55,505**	**112,126**	**2,437**
Age of Mother.							
Under 15 years	51	41	10	31	20	48	3
15 to 19 years	8,307	7,735	572	4,287	4,020	8,178	129
20 to 24 years	33,105	31,853	1,252	17,090	16,015	32,542	563
25 to 29 years	34,377	33,379	998	17,721	16,656	33,665	712
30 to 34 years	23,550	22,905	645	12,145	11,405	22,959	591
35 to 39 years	12,024	11,719	305	6,160	5,864	11,660	364
40 to 44 years	2,949	2,887	62	1,522	1,427	2,874	75
45 years and over	141	139	2	79	62	141	–
Not stated	59	58	1	23	36	59	–
Birth Weight in Grams.							
1,000 grams or less	599	557	42	302	297	522	77
1,001 to 1,500 grams	591	556	35	309	282	488	103
1,501 to 2,000 grams	1,339	1,242	97	665	674	1,041	298
2,001 to 2,500 grams	4,821	4,566	255	2,215	2,606	4,132	689
2,501 to 3,000 grams	18,905	17,978	927	8,330	10,575	18,315	590
3,001 to 3,500 grams	40,256	38,824	1,432	19,725	20,531	39,897	359
3,501 to 4,000 grams	27,831	27,183	648	15,851	11,980	27,751	80
4,001 to 4,500 grams	7,474	7,341	133	4,807	2,667	7,468	6
4,501 to 5,000 grams	1,272	1,249	23	871	401	1,272	–
5,001 grams or more	220	213	7	135	85	220	–
Not stated	11,255	11,007	248	5,848	5,407	11,020	235
Allocated Stillbirths.							
The State.	**1,678**	**1,593**	**85**	**919**	**756**	**1,566**	**112**
Age of Mother.							
Under 15 years	2	2	–	1	1	1	1
15 to 19 years	110	98	12	52	57	104	6
20 to 24 years	359	340	19	195	163	335	24
25 to 29 years	436	420	16	273	163	401	35
30 to 34 years	378	359	19	186	191	355	23
35 to 39 years	272	258	14	138	134	254	18
40 to 44 years	101	97	4	61	40	98	3
45 years and over	10	10	–	6	4	10	–
Not stated	10	9	1	7	3	8	2
Birth Weight in Grams.							
1,000 grams or less	266	250	16	151	115	232	34
1,001 to 1,500 grams	137	129	8	78	59	120	17
1,501 to 2,000 grams	119	116	3	65	53	106	13
2,001 to 2,500 grams	160	152	8	85	74	152	8
2,501 to 3,000 grams	154	149	5	79	75	148	6
3,001 to 3,500 grams	169	162	7	90	79	167	2
3,501 to 4,000 grams	88	82	6	53	35	88	–
4,001 to 4,500 grams	37	36	1	23	14	37	–
4,501 to 5,000 grams	23	21	2	13	10	23	–
5,001 grams or more	8	8	–	6	2	8	–
Not stated	517	488	29	276	240	485	32
Allocated Live Births by Place of Delivery.							
The State.	**114,563**	**110,716**	**3,847**	**59,058**	**55,505**	**112,126**	**2,437**
Home	321	286	35	157	164	308	13
Hospital	114,210	110,405	3,805	58,885	55,325	111,786	2,424
Other	32	25	7	16	16	32	–
Not stated	–	–	–	–	–	–	–
Allocated Stillbirths by Place of Delivery.							
The State.	**1,678**	**1,593**	**85**	**919**	**756**	**1,566**	**112**
Home	29	27	2	20	9	26	3
Hospital	1,647	1,564	83	899	745	1,538	109
Other	2	2	–	–	2	2	–
Not stated	–	–	–	–	–	–	–

Table 39

LIVE BIRTHS[1] AND BIRTH RATES[1] FOR THE STATE AND CITIES HAVING OVER 100,000 INHABITANTS IN 1955: 1934 TO 1958.

YEARS.	The State.	Boston.	Worcester.	Springfield.	New Bedford.	Fall River.
	LIVE BIRTHS					
1934	63,767	15,825	3,237	2,431	1,775	2,072
1935	62,416	12,371	2,811	2,086	1,501	1,790
1936	61,184	12,117	2,688	2,044	1,545	1,669
1937	61,272	12,101	2,862	1,971	1,472	1,690
1938	62,382	11,943	2,822	1,989	1,467	1,709
1939	62,575	11,965	2,784	1,930	1,400	1,699
1940	65,369	12,429	2,920	2,040	1,490	1,806
1941	70,228	12,701	3,105	2,497	1,620	1,889
1942	83,371	15,063	3,824	2,950	2,047	2,354
1943	85,743	15,352	3,831	3,079	1,983	2,487
1944	78,140	14,264	3,354	2,763	1,773	2,234
1945	76,455	14,670	3,209	2,870	1,808	2,100
1946	96,903	16,902	4,200	3,535	2,311	2,539
1947	106,690	18,565	4,582	3,979	2,435	2,774
1948	98,933	17,076	4,036	3,640	2,210	2,398
1949	96,041	16,498	4,040	3,585	2,055	2,261
1950	95,619	16,479	3,995	3,421	2,035	2,071
1951	99,851	16,019	4,080	3,732	2,082	1,998
1952	103,936	16,823	4,165	3,837	2,060	2,070
1953	104,232	16,382	4,103	3,850	1,955	2,028
1954	107,086	16,388	4,238	3,959	2,065	2,088
1955	109,610	16,464	4,191	4,094	2,033	2,129
1956	111,407	16,078	4,080	4,129	2,069	2,099
1957	115,065	16,639	4,154	4,524	2,058	2,010
1958	114,563	16,280	4,103	4,469	1,948	1,964
	BIRTH RATES PER 1,000 POPULATION: CENSUS YEARS 1930 TO 1955.					
1930	17.3	23.1	18.6	20.7	17.7	19.1
1935	14.3	15.1	14.8	13.9	13.6	15.2
1940	15.1	16.1	15.1	13.6	13.5	15.6
1945	16.9	17.8	16.1	17.8	16.4	18.3
1950	20.3	20.5	19.6	21.0	18.6	18.5
1955	22.6	22.7	20.7	24.6	19.3	20.2

[1]Allocated since 1935.

Table 40

YEARS.	NATURAL INCREASE. Population.	Birth rate per 1,000 population.	Excess of births over deaths.[1]	Excess of births over deaths per 1,000 population.	SEX. Total number.[2]	Males.	Females.	Unknown.	Males to 1,000 females.
1934	4,339,221	14.7	13,007	3.0	63,767	32,815	30,952	–	1,060
1935	4,350,910	14.3	12,782	2.9	62,416	32,117	30,299	–	1,060
1936	4,382,896	14.0	9,749	2.3	61,184	31,290	29,894	–	1,047
1937	4,404,220	13.9	9,533	2.2	61,272	31,623	29,649	–	1,067
1938	4,425,544	14.1	13,097	3.0	62,382	31,852	30,530	–	1,043
1939	4,446,868	14.1	12,283	2.8	62,575	32,048	30,527	–	1,050
1940	4,316,721	15.1	14,671	3.4	65,369	33,634	31,735	–	1,060
1941	4,325,106	16.2	19,772	4.5	70,228	35,861	34,367	–	1,043
1942	4,331,814	19.2	32,848	7.5	83,371	42,931	40,440	–	1,062
1943	4,338,530	19.8	31,332	7.2	85,743	44,291	41,452	–	1,068
1944	4,345,238	18.0	26,686	6.1	78,140	40,197	37,943	–	1,059
1945	4,511,866	16.9	25,692	5.7	76,455	39,484	36,970	1	1,068
1946	4,549,036	21.3	45,614	10.0	96,903	49,878	47,023	2	1,061
1947	4,586,206	23.3	55,107	12.1	106,690	55,074	51,615	1	1,067
1948	4,623,376	21.4	46,618	10.1	98,933	50,812	48,121	–	1,056
1949	4,660,546	20.6	45,599	9.8	96,041	49,296	46,745	–	1,053
1950	4,699,859	20.3	45,260	9.6	95,619	49,416	46,203	–	1,070
1951	4,737,238	21.1	46,911	9.9	99,851	51,217	48,634	–	1,053
1952	4,774,616	21.8	51,956	10.9	103,936	53,395	50,541	–	1,056
1953	4,811,995	21.7	52,336	10.9	104,232	53,716	50,516	–	1,063
1954	4,849,374	22.1	55,833	11.5	107,086	55,002	52,084	–	1,056
1955	4,853,132	22.6	56,224	11.6	109,610	56,077	53,533	–	1,048
1956	4,884,107	22.8	58,650	12.0	111,407	57,316	54,091	–	1,060
1957	4,915,081	23.4	60,407	12.3	115,065	59,322	55,743	–	1,064
1958	4,946,055	23.2	59,771	12.1	114,563	59,058	55,505	–	1,064

[1] Exclusive of stillbirths.
[2] Allocated since 1935.

Table 41

Years.	Plural Births:[1] 1934 to 1958.		Stillbirths: 1934 to 1958.					
					Sex.			
	Twins.[2]	Triplets.[2]	Total number.[2]	Per 1,000 live births.[2]	Males.	Females.	Unknown.	Rate per 1,000 total births.
1934 . . .	635	7	1,997	31	1,108	889	–	30
1935 . . .	612	5	1,886	30	1,000	885	1	29
1936 . . .	634	8	1,816	30	980	835	1	29
1937 . . .	622	2	1,744	28	987	757	–	28
1938 . . .	621	6	1,730	28	922	808	–	27
1939 . . .	651	6	1,765	28	949	816	–	27
1940 . . .	625	11	1,774	27	958	816	–	26
1941 . . .	721	9	1,768	25	933	835	–	25
1942 . . .	856	9	2,066	25	1,094	972	–	24
1943 . . .	800	9	2,016	24	1,080	936	–	23
1944 . . .	774	11	1,821	23	996	825	–	23
1945 . . .	758	8	1,748	23	917	831	–	22
1946 . . .	1,060	6	2,135	22	1,151	984	–	22
1947 . . .	1,030	8	2,123	20	1,137	986	–	20
1948 . . .	1,048	10	1,922	19	1,045	877	–	19
1949 . . .	974	6	1,780	19	976	804	–	18
1950 . . .	1,050	12	1,815	19	990	825	–	19
1951 . . .	1,052	3	1,775	18	985	790	–	18
1952 . . .	1,109	19	1,792	17	969	823	–	17
1953 . . .	1,081	30	1,839	18	979	860	–	17
1954 . . .	1,175	54	1,659	15	895	764	–	15
1955 . . .	1,263	39	1,693	15	899	794	–	15
1956 . . .	1,219	39	1,625	15	888	737	–	14
1957 . . .	1,263	30	1,606	14	882	724	–	14
1958 . . .	1,264	21	1,678	15	919	756	3	14

[1] There was one case of quadruplets in 1951 and 1952.
[2] Allocated since 1935.

MARRIAGE STATISTICS

	PAGE
Introduction	156
Marriage registration	156
Source of data	156
Number of marriages	156
Solemnization	156, 157
Accuracy	157
Purpose, marriage requirements	157
Statistical tables	158–168

INTRODUCTION.

Marriage Registration. — The public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth, but many City and Town Clerks co-operate by making periodic returns throughout the year. From 1841 to 1958, inclusive, there have been 5,842,209 marriages reported, recorded and tabulated in this department.

Source of Data. — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. Chapter 561, Acts of 1943 provides that in cases of persons, one or both of whom is in the armed forces, such notice may be given by either party, provided one is a resident. If a marriage is performed in a town other than the town issuing the license, a copy of the license is required to be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention has been filed, unless a court waives the requirement, the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses are required to be returned by the clergyman or magistrate to the office or offices issuing the same.

Number of Marriages. — There has been a decrease in the number of marriages solemnized in 1958, 33,349, which was 1,479 less than 1957. Marriages in previous years numbered 36,132 in 1956, 35,585 in 1955 and 35,313 in 1954.

Solemnization. — A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a nonresident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination including ordained deacons in the Methodist Church; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to

solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usages of their societies; and it may be solemnized among the Baha'is, by the Chairman of an incorporated local spiritual assembly of the Baha'is according to the usage of their society; and a specified marriage may be performed by a nonresident clergyman commissioned by the Governor in accordance with the provisions of General Laws, Chap. 207, Sec. 39; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

Section 33 of Chapter 207 of General Laws (Ter. Ed.) as amended provides for filing evidence of marriage of residents of Massachusetts who have been married in another State or without the United States, with the city or town clerk of their place of domicile at the time of the marriage.

Section 28A of Chapter 207 of the General Laws (Ter. Ed.) as amended provides for premarital blood examination. Certificates of medical examinations must be presented by both parties to the intended marriage before the marriage certificate is issued.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, copies have been prepared of the marriage laws and are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

Table 42

MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1958.

COUNTIES AND MUNICIPALITIES[1]	TOTAL COUPLES	Groom and bride residents	Groom a resident	Bride a resident	Groom and bride non-residents
The State.	**33,349**	**12,749**	**2,330**	**11,217**	**7,153**
BARNSTABLE COUNTY	485	127	32	136	190
Barnstable	150	31	7	39	73
Bourne	39	7	3	16	13
Brewster	6	1	1	1	3
Chatham	16	3	3	8	2
Dennis	13	3	4	2	4
Eastham	4	2	1	1	–
Falmouth	123	36	7	25	55
Harwich	44	15	2	13	14
Mashpee	2	1	–	1	–
Orleans	19	5	1	5	8
Provincetown	34	13	2	14	5
Sandwich	9	1	–	4	4
Truro	2	1	–	–	1
Wellfleet	7	1	1	3	2
Yarmouth	17	7	–	4	6
BERKSHIRE COUNTY	843	373	66	254	150
Adams	81	42	2	31	6
Alford	–	–	–	–	–
Becket	5	–	–	4	1
Cheshire	11	3	–	5	3
Clarksburg	4	2	–	–	2
Dalton	43	11	1	23	8
Egremont	5	2	1	1	1
Florida	2	1	–	–	1
Great Barrington	41	16	1	11	13
Hancock	–	–	–	–	–
Hinsdale	6	1	1	2	2
Lanesborough	9	–	5	2	2
Lee	27	11	3	9	4
Lenox	29	10	5	6	8
Monterey	–	–	–	–	–
Mount Washington	1	–	–	–	1
New Ashford	–	–	–	–	–
New Marlborough	3	–	1	1	1
NORTH ADAMS	140	65	11	49	15
Otis	1	–	–	–	1
Peru	1	–	–	–	1
PITTSFIELD	331	194	21	88	28
Richmond	13	1	2	2	8
Sandisfield	10	–	–	–	10
Savoy	–	–	–	–	–
Sheffield	20	2	2	6	10
Stockbridge	6	–	–	–	6
Tyringham	–	–	–	–	–
Washington	–	–	–	–	–
West Stockbridge	5	–	–	5	–
Williamstown	48	12	10	9	17
Windsor	1	–	–	–	1
BRISTOL COUNTY	3,080	1,192	145	790	953
Achushnet	31	10	–	14	7
ATTLEBORO	171	60	5	71	35
Berkley	7	1	–	4	2
Dartmouth	98	1	–	6	91
Dighton	29	1	–	–	28
Easton	31	1	1	1	28
Fairhaven	114	24	5	44	41
FALL RIVER	715	444	22	197	52
Freetown	24	4	4	3	13
Mansfield	40	18	2	16	4
NEW BEDFORD	674	404	38	186	46
North Attleborough	64	30	5	17	12
Norton	86	13	11	23	39
Raynham	5	–	1	4	–
Rehoboth	45	1	4	6	34
Seekonk	403	3	5	16	379
Somerset	64	10	8	37	9
Swansea	78	19	2	31	26
TAUNTON	293	130	27	99	37
Westport	108	18	5	15	70
DUKES COUNTY	41	10	5	14	12
Chilmark	–	–	–	–	–
Edgartown	15	2	4	2	7
Gay Head	–	–	–	–	–
Gosnold	–	–	–	–	–

[1] Counties and cities are printed in small capitals.

Table 42

MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1958.

COUNTIES AND MUNICIPALITIES[1]	TOTAL COUPLES	Groom and bride residents	Groom a resident	Bride a resident	Groom and bride non-residents
Oak Bluffs	9	3	–	3	3
Tisbury	13	5	–	7	1
West Tisbury	4	–	1	2	1
ESSEX COUNTY	3,384	1,323	260	1,194	607
Amesbury	145	27	9	25	84
Andover	64	13	7	36	8
BEVERLY	179	60	16	73	30
Boxford	5	–	–	4	1
Danvers	77	23	8	35	11
Essex	15	5	–	6	4
Georgetown	15	4	2	6	3
GLOUCESTER	174	113	8	42	11
Groveland	16	3	1	9	3
Hamilton	27	6	2	9	10
HAVERHILL	295	164	18	86	27
Ipswich	51	12	1	27	11
LAWRENCE	521	226	48	166	81
LYNN	644	333	45	168	98
Lynnfield	51	4	4	18	25
Manchester	16	8	1	4	3
Marblehead	83	24	4	36	19
Merrimac	26	6	1	9	10
Methuen	96	23	5	52	16
Middleton	13	4	1	6	2
Nahant	17	8	2	6	1
Newbury	7	5	–	–	2
NEWBURYPORT	105	30	13	52	10
North Andover	52	13	6	26	7
PEABODY	144	41	15	72	16
Rockport	29	5	2	14	8
Rowley	10	–	1	7	2
SALEM	278	113	19	101	45
Salisbury	19	3	2	7	7
Saugus	95	31	11	45	8
Swampscott	87	12	7	33	35
Topsfield	11	2	1	7	1
Wenham	10	–	–	5	5
West Newbury	7	2	–	2	3
FRANKLIN COUNTY	364	71	41	123	129
Ashfield	7	2	3	2	–
Bernardston	6	1	1	2	2
Buckland	12	–	3	5	4
Charlemont	10	3	1	–	6
Colrain	3	1	2	–	–
Conway	6	–	2	2	2
Deerfield	24	3	5	9	7
Erving	17	1	2	5	9
Gill	3	–	–	2	1
Greenfield	139	45	9	49	36
Hawley	–	–	–	–	–
Heath	2	–	–	2	–
Leverett	3	–	1	2	–
Leyden	1	–	–	1	–
Monroe	–	–	–	–	–
Montague	46	3	3	6	34
New Salem	5	1	–	3	1
Northfield	15	1	2	6	6
Orange	46	10	5	21	10
Rowe	1	–	–	–	1
Shelburne	9	–	–	4	5
Shutesbury	–	–	–	–	–
Sunderland	7	–	1	2	4
Warwick	1	–	–	–	1
Wendell	1	–	1	–	–
Whately	–	–	–	–	–
HAMPDEN COUNTY	2,630	1,084	158	919	469
Agawam	87	16	6	41	24
Blandford	5	–	1	–	4
Brimfield	10	3	–	4	3
Chester	6	–	2	3	1
CHICOPEE	401	115	13	151	122
East Longmeadow	44	7	5	22	10
Granville	3	–	2	1	–
Hampden	14	5	3	4	2
Holland	2	–	–	–	2

[1] Counties and cities are printed in small capitals.

Table 42

MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1958.

COUNTIES AND MUNICIPALITIES[1]	TOTAL COUPLES	Groom and bride residents	Groom a resident	Bride a resident	Groom and bride non-residents
HOLYOKE	313	135	13	131	34
Longmeadow	50	8	2	28	12
Ludlow	94	17	3	42	32
Monson	31	11	7	10	3
Montgomery	–	–	–	–	–
Palmer	56	18	5	27	6
Russell	6	1	1	3	1
Southwick	21	11	1	6	3
SPRINGFIELD	1,158	610	73	357	118
Tolland	–	–	–	–	–
Wales	9	2	–	2	5
West Springfield	107	33	8	24	42
WESTFIELD	198	87	11	58	42
Wilbraham	15	5	2	5	3
HAMPSHIRE COUNTY	595	155	43	198	199
Amherst	49	13	3	18	15
Belchertown	19	3	1	8	7
Chesterfield	6	2	2	2	–
Cummington	4	–	1	3	–
Easthampton	159	34	4	33	88
Goshen	3	3	–	–	–
Granby	11	3	2	6	–
Hadley	14	4	–	6	4
Hatfield	13	5	1	4	3
Huntington	13	3	1	1	8
Middlefield	6	–	–	–	6
NORTHAMPTON	138	41	14	42	41
Pelham	7	–	3	3	1
Plainfield	–	–	–	–	–
South Hadley	70	15	7	38	10
Southampton	9	2	–	4	3
Ware	46	20	2	20	4
Westhampton	7	3	–	3	8
Williamsburg	18	4	2	4	8
Worthington	3	–	–	3	–
MIDDLESEX COUNTY	7,551	2,271	513	2,996	1,771
Acton	10	1	2	3	4
Arlington	223	76	14	110	23
Ashby	37	6	–	2	29
Ashland	25	7	5	8	5
Ayer	128	8	2	13	105
Bedford	42	7	1	9	25
Belmont	232	26	15	94	97
Billerica	79	37	2	30	10
Boxborough	3	1	–	–	2
Burlington	24	3	3	17	1
CAMBRIDGE	752	240	47	249	216
Carlisle	5	–	1	3	1
Chelmsford	59	7	6	28	18
Concord	56	8	4	30	14
Dracut	47	10	4	17	16
Dunstable	3	–	1	2	–
EVERETT	369	115	18	138	98
Framingham	183	68	14	85	16
Groton	24	4	2	14	4
Holliston	29	11	1	14	3
Hopkinton	27	4	5	15	3
Hudson	58	19	6	19	14
Lexington	113	20	9	57	27
Lincoln	18	1	2	8	7
Littleton	22	2	1	14	5
LOWELL	761	409	46	234	72
MALDEN	429	115	36	154	124
MARLBOROUGH	101	44	3	44	10
Maynard	36	11	5	19	1
MEDFORD	453	113	35	205	100
MELROSE	144	45	13	70	16
Natick	117	28	14	63	12
NEWTON	656	151	34	254	217
North Reading	30	3	3	15	9
Pepperell	34	9	5	9	11
Reading	103	18	7	46	32
Sherborn	13	1	1	8	3
Shirley	14	3	2	8	1
SOMERVILLE	640	224	51	257	108

[1] Counties and cities are printed in small capitals.

Table 42

MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1958.

COUNTIES AND MUNICIPALITIES[1]	TOTAL COUPLES	Groom and bride residents	Groom a resident	Bride a resident	Groom and bride non-residents
Stoneham	99	34	5	48	12
Stow	4	2	–	1	1
Sudbury	64	5	5	15	39
Tewksbury	62	17	6	16	23
Townsend	36	4	4	8	20
Tyngsborough	14	1	2	4	7
Wakefield	155	38	10	67	40
WALTHAM	347	143	19	139	46
Watertown	229	46	16	116	51
Wayland	29	9	3	11	6
Westford	29	11	5	11	2
Weston	54	3	1	23	27
Wilmington	44	17	6	18	3
Winchester	133	26	4	79	24
WOBURN	153	60	7	75	11
NANTUCKET COUNTY	17	7	1	5	4
Nantucket	17	7	1	5	4
NORFOLK COUNTY	2,924	743	286	1,149	746
Avon	25	6	1	8	10
Bellingham	79	8	3	19	49
Braintree	102	26	8	51	17
Brookline	599	83	44	181	291
Canton	82	20	7	40	15
Cohasset	37	10	1	15	11
Dedham	135	28	11	80	16
Dover	7	–	–	5	2
Foxborough	50	15	6	25	4
Franklin	40	20	1	12	7
Holbrook	26	4	4	16	2
Medfield	19	8	4	5	2
Medway	24	4	3	12	5
Millis	14	3	1	9	1
Milton	188	30	10	91	57
Needham	95	16	5	56	18
Norfolk	10	3	–	2	5
Norwood	105	33	11	53	8
Plainville	17	3	3	5	6
QUINCY	529	223	101	145	60
Randolph	86	33	8	37	8
Sharon	53	13	4	16	20
Stoughton	83	32	8	38	5
Walpole	79	21	4	44	10
Wellesley	139	26	14	64	35
Westwood	51	2	4	20	25
Weymouth	212	67	17	88	40
Wrentham	38	6	3	12	17
PLYMOUTH COUNTY	1,393	477	117	467	332
Abington	50	14	2	20	14
Bridgewater	46	12	2	22	10
BROCKTON	382	208	20	121	33
Carver	8	–	1	4	3
Duxbury	23	4	8	3	8
East Bridgewater	28	10	1	11	6
Halifax	14	1	1	–	12
Hanover	32	2	1	9	20
Hanson	32	5	8	8	11
Hingham	44	8	3	26	7
Hull	39	14	5	12	8
Kingston	28	5	–	9	14
Lakeville	2	–	–	–	2
Marion	9	3	1	3	2
Marshfield	31	8	3	12	8
Mattapoisett	10	–	–	6	4
Middleborough	105	43	12	30	20
Norwell	13	3	2	6	2
Pembroke	12	3	2	4	3
Plymouth	128	54	15	36	23
Plympton	4	1	1	2	–
Rochester	–	–	–	–	–
Rockland	121	25	7	34	55
Scituate	55	9	7	18	21
Wareham	100	26	9	34	31
West Bridgewater	23	5	2	10	6
Whitman	54	14	4	27	9
SUFFOLK COUNTY	6,540	3,379	359	1,795	1,007

[1] Counties and cities are printed in small capitals.

Table 42

MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1958.

COUNTIES AND MUNICIPALITIES[1]	TOTAL COUPLES	Groom and bride residents	Groom a resident	Bride a resident	Groom and bride non-residents
BOSTON	5,904	3,159	321	1,583	841
CHELSEA	166	60	6	60	40
REVERE	352	113	26	102	111
Winthrop	118	47	6	50	15
WORCESTER COUNTY	3,602	1,537	304	1,177	584
Ashburnham	14	2	2	9	1
Athol	82	33	9	25	15
Auburn	167	30	9	34	94
Barre	22	4	4	8	6
Berlin	33	3	1	1	28
Blackstone	28	8	3	13	4
Bolton	6	2	1	3	–
Boylston	13	4	–	5	4
Brookfield	12	6	1	3	2
Charlton	26	6	1	12	7
Clinton	93	39	8	32	14
Douglas	19	–	1	4	14
Dudley	35	3	4	7	21
East Brookfield	8	2	–	1	5
FITCHBURG	229	122	8	85	14
GARDNER	120	59	10	39	12
Grafton	49	8	6	27	8
Hardwick	17	4	–	2	11
Harvard	8	1	–	4	3
Holden	34	8	4	14	8
Hopedale	18	4	1	10	3
Hubbardston	4	1	–	3	–
Lancaster	14	4	2	6	2
Leicester	39	10	3	18	8
LEOMINSTER	176	78	6	76	16
Lunenburg	30	4	3	9	14
Mendon	10	3	1	5	1
Milford	95	32	15	38	10
Millbury	71	25	2	35	9
Millville	13	2	3	5	3
New Braintree	3	–	1	2	–
New Brookfield	20	6	1	11	2
Northborough	28	3	3	17	5
Northbridge	77	27	7	30	13
Oakham	2	–	–	2	–
Oxford	29	12	2	14	1
Paxton	4	–	–	3	1
Petersham	4	1	–	2	1
Phillipston	–	–	–	–	–
Princeton	4	2	–	–	2
Royalston	3	–	1	1	1
Rutland	11	1	1	7	2
Shrewsbury	66	25	2	33	6
Southborough	13	3	–	7	3
Southbridge	100	54	6	33	7
Spencer	54	21	6	22	5
Sterling	11	2	1	7	1
Sturbridge	20	4	3	4	9
Sutton	25	7	3	8	7
Templeton	30	6	2	18	4
Upton	17	6	–	6	5
Uxbridge	53	17	5	18	13
Warren	24	11	1	12	–
Webster	123	38	15	49	21
West Boylston	23	4	3	8	8
West Brookfield	17	3	1	12	1
Westborough	23	10	2	9	2
Westminster	13	4	1	7	1
Winchendon	71	26	5	24	16
WORCESTER	1,249	737	124	278	110

[1] Counties and cities are printed in small capitals.

Table 43 — Marriages, by Sex, Age, and Marital Condition: 1958.

Age at Marriage.	Both sexes.	Males.				Females.			
		Total.	Single.	Widowed.	Divorced.	Total.	Single.	Widowed.	Divorced.
The State.	**66,898**	**33,449**	**29,371**	**1,474**	**2,604**	**33,449**	**29,260**	**1,375**	**2,814**
13 years and Over									
Under 15 years .	33	–	–	–	–	33	33	–	–
15 to 19 years .	12,331	2,678	2,677	–	1	9,653	9,627	2	24
20 to 29 years .	41,180	23,130	22,537	46	547	18,050	17,021	85	944
30 to 39 years .	7,297	4,281	3,175	190	916	3,016	1,818	211	987
40 to 49 years .	3,057	1,568	698	275	595	1,489	514	374	601
50 to 59 years .	1,648	901	197	285	419	747	179	384	184
60 to 69 years .	1,014	640	80	465	95	374	58	254	62
70 to 74 years .	226	162	5	136	21	64	7	47	10
75 years and over	112	89	2	77	10	23	3	18	2

Table 44 — Marriages, by Months in Counties and in Municipalities having over 50,000 Inhabitants: 1958.

Counties and Municipalities Having over 50,000 Inhabitants in 1955. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**33,449**	**1,647**	**2,125**	**1,076**	**2,811**	**3,192**	**4,964**	**2,480**	**3,608**	**3,575**	**3,277**	**2,975**	**1,719**
Average daily number of marriages .	92	53	76	35	94	103	165	80	120	119	106	99	55
Counties													
Middlesex . .	7,551	339	478	230	649	702	1,217	550	771	872	762	607	374
Suffolk . . .	6,540	366	454	233	561	639	886	486	672	636	647	596	364
Worcester . .	3,602	186	209	89	320	369	536	270	403	397	341	320	162
Essex . . .	3,384	161	250	85	278	292	522	269	374	358	338	298	159
Norfolk . .	2,924	105	182	120	227	273	475	169	330	301	281	272	189
Bristol . . .	3,080	156	182	109	279	316	416	267	293	347	277	297	141
Hampden . .	2,630	128	182	65	210	253	377	204	308	266	271	245	121
Plymouth . .	1,393	99	67	47	113	108	206	90	167	147	139	123	87
Berkshire . .	843	36	41	27	70	86	127	65	108	79	95	71	38
Hampshire . .	595	24	31	24	36	77	86	53	61	55	52	68	28
Franklin . .	364	21	15	17	35	32	52	20	52	41	23	32	24
Barnstable . .	485	23	27	29	31	43	54	32	63	67	45	44	27
Dukes . . .	41	2	7	1	2	1	7	4	3	5	3	1	5
Nantucket . .	17	1	–	–	–	1	3	1	3	4	3	1	–
Municipalities over 100,000													
Boston . . .	5,904	323	414	216	504	583	799	441	607	573	567	548	329
Worcester . .	1,249	61	89	36	122	139	179	92	132	126	107	101	65
Springfield . .	1,158	46	81	29	115	108	163	86	124	123	115	114	54
New Bedford .	674	36	45	17	61	68	98	63	56	82	70	52	26
Fall River . .	715	27	34	16	73	78	113	51	79	93	53	70	28
Municipalities 50,000 to 100,000													
Lynn . . .	644	48	51	22	51	62	84	54	51	73	49	67	32
Cambridge . .	752	42	45	21	65	77	129	41	75	91	72	54	40
Somerville . .	640	43	50	22	66	63	87	48	45	61	72	47	36
Lowell . . .	761	35	41	18	71	73	119	70	81	68	71	92	22
Newton . . .	656	20	41	29	47	51	133	43	63	86	60	47	36
Quincy . . .	529	23	42	18	50	52	75	22	54	56	48	54	35
Lawrence . .	521	20	35	6	54	43	89	37	56	53	69	42	17
Medford . .	453	19	31	8	41	45	71	36	41	63	51	34	13
Brockton . .	382	39	4	11	31	33	61	20	38	33	51	40	21
Malden . .	429	16	23	14	46	43	59	34	39	51	46	31	27
Brookline . .	599	20	25	29	47	53	121	25	72	48	48	58	53
Pittsfield . .	331	14	20	14	31	37	46	29	42	24	34	26	14
Holyoke . .	313	16	21	5	26	31	55	18	32	31	37	29	12
Waltham . .	347	9	19	8	30	39	62	23	40	34	35	31	17

Line No.	Table 45 Counties and Sex.	Marriages in Each County, All ages.	Under 15 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.								
1	**Grooms**	**33,449**	–	**6**	**49**	**263**	**792**	**1,568**	**14,961**
2	**Brides**	**33,449**	**33**	**171**	**788**	**1,499**	**3,391**	**3,804**	**13,930**
	Barnstable:								
3	Grooms	485	–	–	1	6	17	28	216
4	Brides	485	1	6	18	28	58	57	176
	Berkshire:								
5	Grooms	843	–	–	–	9	26	44	418
6	Brides	843	3	4	16	44	99	114	356
	Bristol:								
7	Grooms	3,080	–	2	2	33	94	190	1,420
8	Brides	3,080	4	18	82	160	411	396	1,112
	Dukes:								
9	Grooms	41	–	–	–	1	1	3	18
10	Brides	41	–	–	–	4	6	1	16
	Essex:								
11	Grooms	3,384	–	–	6	29	88	188	1,489
12	Brides	3,384	7	20	102	190	364	384	1,303
	Franklin:								
13	Grooms	364	–	–	1	13	12	21	174
14	Brides	364	1	4	16	23	52	40	139
	Hampden:								
15	Grooms	2,630	–	–	3	14	54	136	1,250
16	Brides	2,630	1	17	82	160	293	341	1,024
	Hampshire:								
17	Grooms	595	–	–	2	5	29	37	250
18	Brides	595	–	8	17	46	62	66	225
	Middlesex:								
19	Grooms	7,551	–	–	14	43	135	311	3,479
20	Brides	7,551	4	23	136	258	660	859	3,463
	Nantucket:								
21	Grooms	17	–	–	–	–	–	–	7
22	Brides	17	–	–	–	–	2	4	5
	Norfolk:								
23	Grooms	2,924	–	–	1	16	45	110	1,265
24	Brides	2,924	–	8	36	104	226	325	1,369
	Plymouth:								
25	Grooms	1,393	–	–	3	19	50	91	627
26	Brides	1,393	3	10	45	88	184	154	511
	Suffolk:								
27	Grooms	6,540	–	3	10	35	140	230	2,681
28	Brides	6,540	6	33	140	217	543	647	2,755
	Worcester:								
29	Grooms	3,602	–	1	6	40	101	179	1,667
30	Brides	3,602	3	20	98	177	431	416	1,476

Line No.	BY SEX AND AGE: 1958.										
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 years and over.
1	**8,169**	**2,840**	**1,441**	**897**	**671**	**500**	**401**	**356**	**284**	**162**	**89**
2	**4,120**	**1,880**	**1,136**	**868**	**621**	**461**	**286**	**227**	**147**	**64**	**23**
3	92	40	25	14	7	5	5	10	6	8	5
4	39	29	19	18	7	10	8	3	6	1	1
5	181	60	27	17	14	13	5	8	14	5	2
6	68	44	33	17	10	14	3	9	5	2	2
7	631	233	144	89	83	42	33	36	24	16	8
8	310	190	124	97	56	45	28	28	9	8	2
9	5	1	3	2	4	1	1	–	1	–	–
10	4	2	3	2	1	–	1	1	–	–	–
11	814	282	135	94	72	41	50	40	27	21	8
12	425	207	106	84	50	55	27	31	21	3	5
13	71	20	12	14	5	2	7	5	2	3	2
14	37	11	14	7	7	4	–	4	2	3	–
15	595	226	105	61	43	39	25	28	20	24	7
16	278	138	79	72	40	37	25	22	15	5	1
17	119	52	31	14	13	14	12	4	5	6	2
18	59	24	22	23	17	11	2	6	4	2	1
19	2,001	639	288	154	122	113	88	70	48	31	15
20	994	385	225	165	147	82	72	43	15	17	3
21	6	2	2	–	–	–	–	–	–	–	–
22	3	3	–	–	–	–	–	–	–	–	–
23	815	254	116	76	60	46	43	39	26	8	4
24	403	144	79	58	58	40	31	23	16	3	1
25	284	94	57	44	26	28	17	18	18	8	9
26	153	51	51	39	38	27	12	11	9	4	3
27	1,731	675	342	218	145	102	75	55	57	21	20
28	963	464	248	206	127	84	43	25	25	12	2
29	824	262	154	100	77	54	40	43	36	11	7
30	384	188	133	80	63	52	34	21	20	4	2

Table 46 — MARRIAGES, BY SEX AND AGE: 1958.

AGE OF GROOMS.	AGE OF BRIDES.														
	All ages.	Under 15.	15 to 19.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 and over
All Ages.	**33,449**	**33**	**9,653**	**13,930**	**4,120**	**1,880**	**1,136**	**868**	**621**	**461**	**286**	**227**	**147**	**64**	**23**
Under 15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15 to 19	2,678	25	2,313	326	10	3	1	–	–	–	–	–	–	–	–
20 to 24	14,961	4	6,187	8,068	584	85	28	3	2	–	–	–	–	–	–
25 to 29	8,169	4	994	4,527	2,071	435	99	30	8	1	–	–	–	–	–
30 to 34	2,840	–	107	781	1,005	646	208	78	13	1	–	1	–	–	–
35 to 39	1,441	–	34	167	308	412	314	152	43	8	2	1	–	–	–
40 to 44	897	–	14	41	87	186	234	221	80	27	6	–	1	–	–
45 to 49	671	–	3	12	30	71	147	182	150	62	13	1	–	–	–
50 to 54	500	–	1	2	12	29	63	108	144	97	27	13	3	1	–
55 to 59	401	–	–	5	9	8	21	52	89	116	74	23	3	1	–
60 to 64	356	–	–	–	3	1	10	23	68	77	60	76	31	6	1
65 to 69	284	–	–	1	1	2	8	14	15	47	67	67	48	13	1
70 to 74	162	–	–	–	–	2	3	4	6	21	24	33	38	27	4
75 and over	89	–	–	–	–	–	–	1	3	4	13	12	23	16	17

Table 47 — FIRST MARRIAGES, BY SEX AND AGE: 1958.

AGE OF GROOMS (BACHELORS).	AGE OF BRIDES (MAIDS).														
	All ages.	Under 15.	15 to 19.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 and over
All Ages.	**27,571**	**33**	**9,453**	**13,099**	**3,224**	**1,007**	**416**	**193**	**81**	**35**	**13**	**11**	**4**	**2**	–
Under 15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15 to 19	2,660	25	2,309	318	6	2	–	–	–	–	–	–	–	–	–
20 to 24	14,497	4	6,116	7,828	486	48	15	–	–	–	–	–	–	–	–
25 to 29	7,247	4	926	4,216	1,766	267	57	7	3	1	–	–	–	–	–
30 to 34	1,918	–	76	610	737	380	89	24	2	–	–	–	–	–	–
35 to 39	661	–	16	97	172	207	126	36	5	2	–	–	–	–	–
40 to 44	280	–	8	22	39	67	77	54	8	3	2	–	–	–	–
45 to 49	164	–	2	4	12	31	35	44	27	7	2	–	–	–	–
50 to 54	58	–	–	–	2	3	11	18	19	4	1	–	–	–	–
55 to 59	47	–	–	4	3	2	1	5	11	13	6	1	1	–	–
60 to 64	25	–	–	–	–	–	3	3	4	5	1	8	1	–	–
65 to 69	11	–	–	–	1	–	2	2	1	–	1	2	1	1	–
70 to 74	3	–	–	–	–	–	–	–	1	–	–	–	1	1	–
75 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 48 — FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1958.

AGE OF GROOMS (BACHELORS).	AGE OF BRIDES (WIDOWS).[1]														
	All ages.	Under 15.	15 to 19.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 and over
All Ages.	**1,800**	–	**21**	**335**	**427**	**360**	**229**	**204**	**106**	**63**	**24**	**14**	**9**	**6**	**2**
Under 15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15 to 19	17	–	3	8	4	1	1	–	–	–	–	–	–	–	–
20 to 24	309	–	13	162	87	31	12	3	1	–	–	–	–	–	–
25 to 29	484	–	5	115	200	114	30	19	1	–	–	–	–	–	–
30 to 34	351	–	–	33	97	118	64	32	6	1	–	–	–	–	–
35 to 39	245	–	–	11	30	64	68	54	15	1	2	–	–	–	–
40 to 44	151	–	–	2	7	24	31	52	23	10	2	–	–	–	–
45 to 49	103	–	–	4	2	5	20	26	29	14	2	1	–	–	–
50 to 54	56	–	–	–	–	3	2	12	20	11	4	2	1	1	–
55 to 59	36	–	–	–	–	–	1	6	3	17	6	3	–	–	–
60 to 64	29	–	–	–	–	–	–	–	8	5	6	4	4	1	1
65 to 69	15	–	–	–	–	–	–	–	–	3	2	4	3	3	–
70 to 74	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–
75 and over	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1

[1] Includes divorced.

Table 49 — Remarriages of Grooms and First Marriages of Brides, by Age: 1958.

Age of Grooms (Widowers).[1]	Age of brides (maids). All ages.	Under 15.	15 to 19.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 and over
All Ages.	**1,689**	–	**174**	**418**	**280**	**215**	**180**	**132**	**108**	**87**	**44**	**28**	**15**	**5**	**3**
Under 15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15 to 19	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	134	–	57	67	8	1	1	–	–	–	–	–	–	–	–
25 to 29	314	–	61	168	52	24	7	1	1	–	–	–	–	–	–
30 to 34	340	–	30	113	108	65	20	4	–	–	–	–	–	–	–
35 to 39	234	–	18	52	62	53	33	13	3	–	–	–	–	–	–
40 to 44	152	–	5	11	24	41	38	23	7	3	–	–	–	–	–
45 to 49	128	–	1	3	11	14	39	27	18	15	–	–	–	–	–
50 to 54	127	–	1	2	8	10	27	33	25	19	2	–	–	–	–
55 to 59	97	–	–	1	5	3	6	20	28	19	8	7	–	–	–
60 to 64	78	–	–	–	2	1	4	10	17	16	12	12	3	1	–
65 to 69	50	–	–	1	–	2	3	1	7	7	17	6	6	–	–
70 to 74	21	–	–	–	–	1	2	–	2	6	3	2	3	2	–
75 and over	13	–	–	–	–	–	–	–	–	2	2	1	3	2	3

[1] Includes divorced.

Table 50 — Remarriages of Both Parties, by Age: 1958.

Age of Grooms (Widowers).[1]	Age of brides (widows).[1] All ages.	Under 15.	15 to 19.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 and over
All Ages.	**2,389**	–	**5**	**78**	**189**	**298**	**311**	**339**	**326**	**276**	**205**	**174**	**119**	**51**	**18**
Under 15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15 to 19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	21	–	1	11	3	5	–	–	1	–	–	–	–	–	–
25 to 29	124	–	2	28	53	30	5	3	3	–	–	–	–	–	–
30 to 34	231	–	1	25	63	83	35	18	5	–	–	1	–	–	–
35 to 39	301	–	–	7	44	88	87	49	20	5	–	1	–	–	–
40 to 44	314	–	1	6	17	54	88	92	42	11	2	–	1	–	–
45 to 49	276	–	–	1	5	21	53	85	76	26	9	–	–	–	–
50 to 54	259	–	–	–	2	13	23	45	80	63	20	11	2	–	–
55 to 59	221	–	–	–	1	3	13	21	47	67	54	12	2	1	–
60 to 64	224	–	–	–	1	–	3	10	39	51	41	52	23	4	–
65 to 69	208	–	–	–	–	–	3	11	7	37	47	55	38	9	1
70 to 74	136	–	–	–	–	1	1	4	3	14	21	31	34	23	4
75 and over	74	–	–	–	–	–	–	1	3	2	11	11	19	14	13

[1] Includes divorced.

Table 51 — First Marriages and Remarriages: 1958.

Grooms.	Brides. Total number of marriages.	First marriage.	Second marriage.	Third marriage.	Fourth marriage.	Fifth marriage.
Total Number	**33,449**	**29,260**	**3,742**	**412**	**33**	**2**
First marriage	29,371	27,571	1,649	142	9	–
Second marriage	3,684	1,586	1,864	215	18	1
Third marriage	364	91	216	51	5	1
Fourth marriage	30	12	13	4	1	–
Fifth marriage	–	–	–	–	–	–

Table 52

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1955: 1934 TO 1958.

YEARS.	The State.	RATES — PERSONS MARRIED PER 1,000 POPULATION.		CITIES HAVING OVER 100,000 INHABITANTS IN 1955.				
		Annual.	Five-year averages.	Boston.	Worcester.	Springfield.	New Bedford.	Fall River.
1934	30,241	13.9		6,288	1,318	991	912	1,085
1935	30,019	13.8	12.5	6,114	1,317	986	814	944
1936	31,985	13.7		6,415	1,447	997	984	1,060
1937	33,652	15.3		6,682	1,547	1,169	980	1,112
1938	31,904	14.4		6,299	1,390	1,161	842	1,017
1939	38,784	17.4		7,359	1,740	1,340	1,151	1,292
1940	44.836	20.8	16.3	8,429	2,020	1,682	1,291	1,219
1941	52,992	24.5		10,025	2,475	1,885	1,493	1,651
1942	48,098	22.2		9,976	2,194	1,757	1,365	1,307
1943	37,232	17.2		8,508	1,591	1,323	1,044	1,092
1944	34,681	16.0		7,849	1,417	1,279	958	1,031
1945	38,197	17.0	19.4	8,266	1,726	1,414	1,056	1,184
1946	56,498	24.8		10,985	2,609	2,169	1,732	1,805
1947	49,803	21.7		9,742	2,406	1,936	1,585	1,502
1948	45,940	19.9		9,202	2,127	1,729	1,322	1,331
1949	39,639	17.0		8,072	1,758	1,450	1,050	1,161
1950	41,711	17.8	20.2	8,158	1,776	1,503	1,138	1,075
1951	40,415	17.1		7,828	1,793	1,437	1,115	988
1952	37,699	15.8		7,262	1,660	1,320	941	929
1953	36,752	15.3		6,893	1,626	1,147	924	895
1954	35,313	14.6		6,723	1,530	1,222	849	805
1955	35,585	14.7	15.5	6,533	1,482	1,204	911	795
1956	36,132	14.8		6,230	1,539	1,236	851	791
1957	34,828	14.2		6,187	1,380	1,258	775	721
1958	33,349	13.5		5,904	1,249	1,158	674	715
		MARRIAGE RATES — PERSONS MARRIED PER 1,000 POPULATION, CENSUS YEARS: 1930 TO 1955.						
1930	12.9			16.0	11.5	13.1	12.4	14.4
1935	13.8			15.0	13.8	13.2	14.8	16.1
1940	20.8			21.9	20.9	24.9	23.4	25.8
1945	17.0			21.6	17.4	17.7	19.1	20.6
1950	17.8			20.3	17.4	18.5	20.8	19.2
1955	14.7			18.0	14.6	14.5	17.3	15.1

DIVORCE STATISTICS

	PAGE
Introduction	169
Causes for divorce	169
Source of data	169
Applications for divorce	169
Contested cases	169
Number of divorces	169
Divorce rates	169, 170
Party to which granted	170
Divorces classified by causes	170
Annulled cases	170
Duration of marriages	170
Statistical tables	171–175

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of Chapter 208, Sections 1 and 2 of the General Laws (Ter. Ed.) as amended, are as follows:—

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

Since 1952 the names and addresses of divorced persons have been returned to the Secretary of the Commonwealth by the courts.

The Probate Court and the Superior Court have concurrent jurisdiction to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1934 to 1958, the highest proportion of applications being granted in 1940 (90.7 per cent), and the lowest proportion in 1952 (84.1 per cent). During this entire period 86.7 per cent of all applications were granted, .7 per cent were refused, and 12.6 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1934 to 1958, only 33.2 per cent were contested. In 1958, of the 6,197 applications for divorce, only 2,365 or 38.2 per cent, were contested, and of the 5,458 divorces granted, 1,948 or 35.4 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (37.0 per cent) than for those granted to the husband (31.2 per cent).

Number of Divorces.— Divorces granted in 1958 numbered 5,458, an increase of 49, or .9 per cent more than the number granted in 1957 and 328 less than the average number granted for the five-year period 1953 to 1957.

Divorce Rates. — The number of divorces granted per 100,000 population was 110.4 as compared with 110.0 in 1957, 117.7 in 1956, 115.4 in 1955 and 120.2 in 1954.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 57, for the census years 1930 to 1955. In this table the number of divorces shown for the census years 1930 to 1955 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole.

Party to Which Granted. — Over three-fourths (76.6 per cent) of the total number of divorces in the period 1934 to 1958 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife, and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

The proportion of divorces granted to the wife fluctuated between 72.3 per cent in 1946, and 78.7 in 1955, as compared with 76.6 per cent for the entire period from 1934 to 1958.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have decreased 28.2 per cent in the twenty-five year period 1934 to 1958 while the number of divorces granted for adultery has decreased 9.5 per cent.

The most common ground on which divorce was granted by the courts was cruel and abusive treatment, which accounted for 67.2 per cent of all the divorces granted in the period 1934 to 1958, for 45.6 per cent of all those granted to the husband in this period, and for 73.8 per cent of those granted to the wife.

The number and percent of divorces granted for all causes, to the husband and to the wife, for the twenty-five year period 1934 to 1958, are shown in Table 58.

Annulled Cases. — Among the less important classes of cases appears the term "Annulments." In 3,327 cases, or 2.3 per cent of the total number of divorces granted during the period 1934 to 1958, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — Of the libellants to whom divorces were granted in 1958, 24.7 per cent were married less than 4 years, 49.1 per cent less than 8 years and 87.7 per cent less than 20 years.

Table 53 LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, BY STATUTORY CAUSES AND SEX OF LIBELLANT; ALSO ANNULMENTS: 1958.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
The State.	**6,197**	**924**	**4,975**	**105**	**93**	**62**	**2**	**36**	**151**
Husband	1,604	427	1,069	89	19	–	–	–	57
Wife	4,593	497	3,906	16	74	62	2	36	94
Granted	5,458	882	4,297	95	87	60	2	35	129
Husband	1,269	401	771	79	18	–	–	–	44
Wife	4,189	481	3,526	16	69	60	2	35	85
Refused	63	5	56	2	–	–	–	–	2
Husband	35	3	30	2	–	–	–	–	2
Wife	28	2	26	–	–	–	–	–	–
Dismissed	676	37	622	8	6	2	–	1	20
Husband	300	23	268	8	1	–	–	–	11
Wife	376	14	354	–	5	2	–	1	9
Contested	2,365	187	2,095	34	27	11	2	9	38
Husband	621	94	485	31	11	–	–	–	19
Wife	1,744	93	1,610	3	16	11	2	9	19
Not Contested	3,832	737	2,880	71	66	51	–	27	113
Husband	983	333	584	58	8	–	–	–	38
Wife	2,849	404	2,296	13	58	51	–	27	75

Number of Libels pending January 1, 1958	9,218
Number of Libels filed during the year 1958	8,270
Number of Divorces granted during the year 1958	5,458
Number of Divorces refused during the year 1958	63
Number of Libels contested during the year 1958	2,365
Number of Libels uncontested during the year 1958	3,832
Number of cases finally determined in 1958	7,940
Number of petitions for annulment in 1958	154

Table 54 DIVORCES GRANTED: 1934 TO 1958.

YEARS.	Total number.	GRANTED TO HUSBAND.		GRANTED TO WIFE.	
		Number.	Per cent.	Number.	Per cent.
1934 to 1958	**145,710**	**34,159**	**23.4**	**111,551**	**76.6**
1934	3,645	858	23.5	2,787	76.5
1935	4,081	955	23.4	3,126	76.6
1936	4,311	1,037	24.1	3,274	75.9
1937	4,687	1,145	24.4	3,542	75.6
1938	4,599	1,058	23.0	3,541	77.0
1939	4,425	983	22.2	3,442	77.8
1940	4,502	989	22.0	3,513	78.0
1941	4,760	1,031	21.7	3,729	78.3
1942	5,414	1,232	22.8	4,182	77.2
1943	5,144	1,288	25.0	3,856	75.0
1944	6,312	1,605	25.4	4,707	74.6
1945	6,833	1,764	25.8	5,069	74.2
1946	10,071	2,791	27.7	7,280	72.3
1947	9,840	2,508	25.5	7,332	74.5
1948	7,470	1,692	22.7	5,778	77.3
1949	6,687	1,480	22.1	5,207	77.9
1950	6,365	1,376	21.6	4,989	78.4
1951	6,288	1,428	22.7	4,860	77.3
1952	5,891	1,312	22.3	4,579	77.7
1953	6,341	1,449	22.9	4,892	77.1
1954	5,827	1,287	22.1	4,540	77.9
1955	5,601	1,194	21.3	4,407	78.7
1956	5,749	1,248	21.7	4,501	78.3
1957	5,409	1,180	21.8	4,229	78.2
1958	5,458	1,269	23.3	4,189	76.7

Table 55

Period of Years.	Divorces Granted: 1930 to 1954.		
	Total number.	Increase over preceding period.	
		Number.	Per cent.
1930 to 1934	17,769	281	1.6
1935 to 1939	22,103	4,334	24.4
1940 to 1944	26,132	4,029	18.2
1945 to 1949	40,901	14,769	56.5
1950 to 1954	30,712	10,189[1]	24.9[1]

[1] Decrease.

Table 56

Census Years.	Comparison of Increase in Divorce with Increase in Population: 1930 to 1955.							
	Divorces.			Population.			Population to one divorce.	Divorces per 100,000 population.
	Total number.	Increase over preceding census year.		Total.	Increase over preceding census year.			
		Number.	Per cent.		Number.	Per cent.		
1930	3,746	351	10.3	4,249,614	105,409	2.5	1,134	88.1
1935	4,081	335	8.9	4,350,910	101,296	2.4	1,066	93.8
1940	4,502	421	10.3	4,316,721	65,811[1]	1.5[1]	959	104.3
1945	6,833	2,331	51.8	4,493,281	176,560	4.1	658	152.1
1950	6,365	468[1]	6.8[1]	4,690,514	197,233	4.4	737	135.7
1955	5,601	764[1]	12.0[1]	4,837,645	147,131	3.1	864	115.7

[1] Decrease.

Table 57

Census Years.	Divorce Rates based on Total Population and on Married Population: Census Years, 1930 to 1955.					
	Population.		Divorce: annual average.[1]		Married population to one divorce.	Divorces per 100,000 married population.
	Total.	Married.[2]	Number.	Per 100,000 population.		
1930	4,249,614	1,740,235	3,630	85	479	209
1935	4,350,910	–	3,987	92	–	–
1940	4,316,721	1,867,437	4,741	110	394	254
1945	4,511,866	–	7,640	169	–	–
1950	4,690,514	2,227,463	6,540	139	341	294
1955	4,837,645	–	5,785	120	–	–

[1] For the five-year period of which the census year is the median year.
[2] Married population for 1935, 1945 and 1955 not available.

Table 58

Statutory Causes.	Divorces Granted for Specified Causes for 25 Years: 1934 to 1958.								
	Total.			granted to husband.			granted to wife.		
	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.
All Causes.	**145,710[1]**	**100.0**	**100.0**	**34,159**	**23.4**	**100.0**	**111,551**	**76.6**	**100.0**
Cruel and abusive treatment	97,891	100.0	67.2	15,564	15.9	45.6	82,327	84.1	73.8
Desertion	36,370	100.0	24.9	14,754	40.6	43.2	21,616	59.4	19.4
Intoxication	4,079	100.0	2.8	863	21.2	2.5	3,216	78.8	2.9
Adultery	3,971	100.0	2.7	2,922	73.6	8.5	1,049	26.4	.9
Nonsupport	2,575	100.0	1.8	–	–	–	2,575	100.0	2.3
Imprisonment	709	100.0	.5	19	2.7	.1	690	97.3	.6
Impotency	115	100.0	.1	37	32.2	.1	78	67.8	.1

[1] 3,327 Annulments not included.

Table 59

STATUTORY CAUSES OF DIVORCE: 1934 TO 1958.

YEARS DIVORCES WERE GRANTED.	All causes.	Cruel and abusive treatment.	Desertion.	Adultery.	Intoxication.	Non-support.	Imprisonment.	Impotency.	Annulment.
1934	3,645	1,952	1,367	105	93	105	22	1	58
1935	4,081	2,149	1,527	133	122	126	19	5	70
1936	4,311	2,321	1,575	153	134	101	23	4	79
1937	4,687	2,345	1,884	134	163	132	22	7	121
1938	4,599	2,474	1,706	123	165	109	18	4	81
1939	4,425	2,460	1,549	139	145	107	20	5	105
1940	4,502	2,531	1,488	137	179	133	29	5	93
1941	4,760	2,733	1,575	136	176	114	23	3	135
1942	5,414	3,068	1,839	141	214	116	30	6	97
1943	5,144	3,042	1,652	126	191	100	26	7	109
1944	6,312	3,835	1,925	183	224	114	26	5	118
1945	6,833	4,395	1,779	277	246	91	36	9	170
1946	10,071	6,765	2,200	556	335	174	33	8	276
1947	9,840	6,897	2,073	389	264	163	44	10	244
1948	7,470	5,421	1,463	191	223	126	41	5	183
1949	6,687	4,918	1,325	129	188	99	25	3	168
1950	6,365	4,684	1,299	115	137	91	37	2	150
1951	6,288	4,685	1,270	100	128	73	29	3	125
1952	5,891	4,391	1,169	101	134	70	27	2	112
1953	6,341	4,891	1,116	94	131	77	24	8	153
1954	5,827	4,517	963	108	108	98	30	3	133
1955	5,601	4,397	916	100	103	61	21	3	98
1956	5,749	4,460	955	116	96	75	44	3	116
1957	5,409	4,263	873	90	93	60	28	2	125
1958	5,458	4,297	882	95	87	60	35	2	129

Table 60

APPLICATIONS FOR DIVORCE: 1934 TO 1958.

YEARS OF APPLICATION.	Total.	GRANTED.		REFUSED.		DISMISSED.		CONTESTED.		NOT CONTESTED.	
		Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
	168,004	**145,710**	**86.7**	**1,201**	**.7**	**21,094**	**12.6**	**55,761**	**33.2**	**112,243**	**66.8**
1934	4,238	3,645	86.0	1	–[1]	592	14.0	1,237	29.2	3,001	70.8
1935	4,727	4,081	86.3	3	.1	643	13.6	1,317	27.9	3,410	72.1
1936	4,895	4,311	88.1	43	.9	541	11.0	1,441	29.4	3,454	70.6
1937	5,216	4,687	89.9	7	.1	522	10.0	1,480	28.4	3,736	71.6
1938	5,214	4,599	88.2	6	.1	609	11.7	1,411	27.1	3,803	72.9
1939	4,919	4,425	89.9	4	.1	490	10.0	1,334	27.1	3,585	72.9
1940	4,966	4,502	90.7	2	–[1]	462	9.3	1,345	27.1	3,621	72.9
1941	5,322	4,760	89.4	29	.6	533	10.0	1,536	28.9	3,786	71.1
1942	6,092	5,414	88.9	34	.5	644	10.6	1,893	31.1	4,199	68.9
1943	5,856	5,144	87.8	44	.8	668	11.4	1,927	32.9	3,929	67.1
1944	7,171	6,312	88.0	64	.9	795	11.1	2,469	34.4	4,702	65.6
1945	7,967	6,833	85.8	57	.7	1,077	13.5	2,791	35.0	5,176	65.0
1946	11,699	10,071	86.1	120	1.0	1,508	12.9	4,173	35.7	7,526	64.3
1947	11,459	9,840	85.9	59	.5	1,560	13.6	3,879	33.9	7,580	66.1
1948	8,691	7,470	85.9	24	.3	1,197	13.8	3,157	36.3	5,534	63.7
1949	7,840	6,687	85.3	27	.3	1,126	14.4	2,873	36.6	4,967	63.4
1950	7,357	6,365	86.5	80	1.1	912	12.4	2,652	36.0	4,705	64.0
1951	7,278	6,288	86.4	73	1.0	917	12.6	2,415	33.2	4,863	66.8
1952	7,003	5,891	84.1	68	1.0	1,044	14.9	2,398	34.2	4,605	65.8
1953	7,484	6,341	84.7	29	.4	1,114	14.9	2,557	34.2	4,927	65.8
1954	6,876	5,827	84.7	134	2.0	915	13.3	2,430	35.3	4,446	64.7
1955	6,568	5,601	85.3	107	1.6	860	13.1	2,260	34.4	4,308	65.6
1956	6,703	5,749	85.8	112	1.7	842	12.5	2,211	33.0	4,492	67.0
1957	6,266	5,409	86.3	12	.2	845	13.5	2,210	35.3	4,056	64.7
1958	6,197	5,458	88.1	63	1.0	676	10.9	2,365	38.2	3,832	61.8

[1] Less than one-tenth of one per cent.

Table 61 — Divorces Granted Classified by Statutory Cause and Party to which Granted: 1958.

Statutory Cause and Party to which Granted.	Total Number.	Cases Contested.		Cases Not Contested.	
		Number.	Per cent.	Number.	Per cent.
All Causes.	**5,458**	**1,948**	**35.7**	**3,510**	**64.3**
Husband	1,269	396	31.2	873	68.8
Wife	4,189	1,552	37.0	2,637	63.0
Desertion	882	161	18.3	721	81.7
Husband	401	75	18.7	326	81.3
Wife	481	86	17.9	395	82.1
Cruel and abusive treatment	4,297	1,711	39.8	2,586	60.2
Husband	771	285	37.0	486	63.0
Wife	3,526	1,426	40.4	2,100	59.6
Adultery	95	28	29.5	67	70.5
Husband	79	25	31.6	54	68.4
Wife	16	3	18.8	13	81.2
Intoxication	87	26	29.9	61	70.1
Husband	18	11	61.1	7	38.9
Wife	69	15	21.7	54	78.3
Nonsupport	60	11	18.3	49	81.7
Husband	–	–	–	–	–
Wife	60	11	18.3	49	81.7
Impotency	2	2	100.0	–	–
Husband	–	–	–	–	–
Wife	2	2	100 0	–	–
Imprisonment	35	9	25.7	26	74.3
Husband	–	–	–	–	–
Wife	35	9	25.7	26	74.3
Annulments	129	25	19.4	104	80.6
Husband	44	10	22.7	34	77.3
Wife	85	15	17.6	70	82.4

Table 62 — Libels for Divorces Granted and Not Granted, Contested and Not Contested, classified by Party to which Granted: 1958.

Party to which Granted.	TOTAL.		GRANTED.		REFUSED.		DISMISSED.	
	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.
Total.	**2,365**	**3,832**	**1,948**	**3,510**	**48**	**15**	**369**	**307**
Husband	621	983	396	873	23	12	202	98
Wife	1,744	2,849	1,552	2,637	25	3	167	209

Table 63 — Divorces and Annulments Granted, by Party to Which Granted and by Duration of Marriage: 1958.

DIVORCES.

Duration of Marriage, in Years.	Total.	Husband.	Wife.	Duration of Marriage, in Years.	Total.	Husband.	Wife.
The State	**5,458**	**1,269**	**4,189**	13 years	145	40	105
Under 1 year	217	32	185	14 years	131	27	104
1 year	355	63	292	15 years	142	35	107
2 years	369	82	287	16 years	127	30	97
3 years	406	95	311	17 years	109	24	85
4 years	362	82	280	18 years	115	31	84
5 years	353	80	273	19 years	91	23	68
6 years	328	77	251	20 to 24 years	339	86	253
7 years	288	60	228	25 to 29 years	174	50	124
8 years	283	71	212	30 to 34 years	84	28	56
9 years	297	65	232	35 to 39 years	46	19	27
10 years	273	61	212	40 years and over	25	8	17
11 years	252	59	193	Unknown	2	–	2
12 years	145	41	104				

ANNULMENTS.

Duration of Marriage, in Years.	Total.	Husband.	Wife.	Duration of Marriage, in Years.	Total.	Husband.	Wife.
The State	**129**	**44**	**85**	13 years	–	–	–
Under 1 year	41	12	29	14 years	–	–	–
1 year	24	9	15	15 years	–	–	–
2 years	17	4	13	16 years	–	–	–
3 years	13	6	7	17 years	–	–	–
4 years	8	–	8	18 years	–	–	–
5 years	5	2	3	19 years	–	–	–
6 years	7	4	3	20 to 24 years	1	1	–
7 years	1	–	1	25 to 29 years	–	–	–
8 years	1	–	1	30 to 34 years	1	–	1
9 years	5	2	3	35 to 39 years	–	–	–
10 years	1	1	–	40 years and over	–	–	–
11 years	1	1	–	Unknown	1	1	–
12 years	2	1	1				

Table 64

DIVORCES GRANTED, BY COUNTY IN WHICH GRANTED, FOR THE YEARS 1954 TO 1958.

COUNTIES.	1958.		1957.		1956.		1955.		1954.	
	Divorces.	Annulments.	Divorces.	Annulments.	Divorces.	Annulments.	Divorces.	Annulments.	Divorces.	Annulments.
Total.	**5,458**	**129**	**5,409**	**125**	**5,749**	**116**	**5,601**	**98**	**5,827**	**133**
Barnstable . .	97	–	108	–	99	1	98	2	110	2
Berkshire . .	154	2	168	2	170	4	168	–	192	3
Bristol . . .	458	12	429	10	512	3	475	4	466	11
Dukes . . .	22	–	15	–	7	–	9	–	9	–
Essex . . .	519	5	536	5	602	8	584	11	581	9
Franklin . . .	79	1	71	–	57	–	68	2	87	1
Hampden . .	558	17	593	16	557	22	544	21	625	23
Hampshire . .	63	1	67	3	76	–	63	–	86	–
Middlesex . .	1,142	31	1,046	32	1,114	21	1,142	26	1,171	25
Nantucket . .	4	–	9	–	9	–	6	–	9	–
Norfolk . . .	357	12	343	9	349	5	379	3	334	6
Plymouth . .	293	9	263	3	300	10	273	3	304	8
Suffolk . . .	1,098	25	1,077	32	1,249	29	1,049	17	1,147	29
Worcester . .	614	14	684	13	648	13	743	9	706	16

POPULATION STATISTICS

PAGE
Introduction 176
Estimated population 176
Statistical tables 177, 178

Introduction. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1955 in this report are based on the State census taken as of January 1, 1955.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,837,645 at the State census of 1955 (January 1), and of 4,690,514 at the Federal census of 1950 (April 1). The increase during the intercensal period (4 years, 9 months) was 147,131, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{4{,}837{,}645 - 4{,}690{,}514}{57} = 2{,}581.2$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for July 1, 1958 is estimated by adding to the population as it existed at the preceding census (January 1, 1955), 2,581.2 for each month intervening between the date of enumeration and the date for which the estimate is desired (July 1, 1958). There being 42 months between these dates, the calculation would be

$$4{,}837{,}645 + (42 \times 2{,}581.2) = 4{,}946{,}055.$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1955 is shown on next page.

Table 65

CENSUS POPULATION OF MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1955: 1930 TO 1955.

MUNICIPALITIES.	January 1, 1955.	April 1, 1950.	January 1, 1945.	April 1, 1940.	January 1, 1935.	April 1, 1930.
The State.	**4,837,645**	**4,690,514**	**4,493,281**	**4,316,721**	**4,350,910**	**4,249,614**
CITIES OVER 100,000						
Boston	724,702	801,444	766,386	770,816	817,713	781,188
Worcester	202,612	203,486	198,741	193,694	190,471	195,311
Springfield	166,052	162,399	159,896	149,554	149,642	149,900
New Bedford	105,488	109,189	110,308	110,341	110,022	112,597
Fall River	105,195	111,963	115,062	115,428	117,414	115,274
50,000 TO 100,000						
Lynn	99,020	99,738	105,153	98,123	100,909	102,320
Cambridge	98,958	120,740	111,124	110,879	118,075	113,643
Somerville	97,032	102,351	105,883	102,177	100,773	103,908
Lowell	93,876	97,249	101,229	101,389	100,114	100,234
Newton	86,535	81,994	77,257	69,873	66,144	65,276
Quincy	84,495	83,835	82,084	75,810	76,909	71,983
Lawrence	76,094	80,536	85,603	84,323	86,785	85,068
Medford	65,393	66,113	67,071	63,083	61,444	59,714
Brockton	62,628	62,860	65,202	62,343	62,407	63,797
Malden	59,497	59,804	59,567	58,010	57,277	58,036
Brookline (town)	56,876	57,589	56,940	49,786	50,319	47,490
Pittsfield	55,290	53,348	53,560	49,684	47,516	49,677
Holyoke	53,213	54,661	53,775	53,750	56,139	56,537
Waltham	50,115	47,187	43,577	40,020	40,557	39,247
25,000 TO 50,000						
Chicopee	49,071	49,211	44,626	41,664	41,952	43,930
Arlington (town)	47,148	44,353	43,515	40,013	38,539	36,094
Haverhill	45,436	47,280	46,162	46,752	49,516	48,710
Everett	45,077	45,982	48,553	46,784	47,228	48,424
Fitchburg	42,925	42,691	43,770	41,824	41,700	40,692
Weymouth (town)	42,747	32,690	27,957	23,868	21,748	20,882
Taunton	41,281	40,109	38,612	37,395	37,431	37,355
Salem	40,117	41,880	42,833	41,213	43,472	43,353
Revere	39,565	36,763	35,687	34,405	35,319	35,680
Watertown (town)	38,898	37,329	37,482	35,427	35,827	34,913
Chelsea	36,826	38,912	39,940	41,259	42,673	45,816
Framingham (town)	31,589	28,086	25,502	23,214	22,651	22,210
Beverly	31,432	28,884	26,814	25,537	25,871	25,086
Melrose	29,239	26,988	27,971	25,333	24,256	23,170
Belmont (town)	28,790	27,381	28,866	26,867	24,831	21,748
Braintree (town)	26,698	23,161	20,279	16,378	17,122	15,712
Peabody	26,682	22,645	22,303	21,711	22,082	21,345
Methuen (town)	26,437	24,477	23,160	21,880	21,073	21,069
Northampton	26,271	29,063	24,977	24,794	24,525	24,381
Natick (town)	26,213	19,838	15,789	13,851	14,394	13,589
Gloucester	25,966	25,167	24,862	24,046	24,164	24,204
Woburn	25,856	20,492	19,886	19,751	19,695	19,434
15,000 TO 25,000						
Attleboro	24,870	23,809	22,375	22,071	21,835	21,769
Leominster	24,787	24,075	23,549	22,226	21,894	21,810
Milton (town)	24,043	22,395	21,718	18,708	18,147	16,434
West Springfield (town)	22,871	20,438	19,453	17,135	17,118	16,684
Lexington (town)	22,256	17,335	14,452	13,187	10,813	9,467
Wakefield (town)	22,115	19,633	18,677	16,223	16,494	16,318
Westfield	22,046	20,962	19,956	18,793	18,788	19,775
Wellesley (town)	21,759	20,549	17,581	15,127	13,376	11,439
Needham (town)	21,560	16,313	14,507	12,445	11,828	10,845
North Adams	21,493	21,567	22,230	22,213	22,085	21,621
Dedham (town)	21,450	18,487	16,659	15,508	15,371	15,136
Norwood (town)	21,052	16,636	16,508	15,383	15,574	15,049
Gardner	20,108	19,581	20,245	20,206	20,397	19,399
Winthrop (town)	18,704	19,496	18,696	16,768	17,001	16,852
Saugus (town)	18,489	17,162	16,662	14,825	15,076	14,700
Danvers (town)	18,185	15,720	14,614	14,179	13,884	12,957
Winchester (town)	18,126	15,509	15,300	15,081	13,371	12,719
Greenfield (town)	18,059	17,349	17,020	15,672	15,903	15,500
Southbridge (town)	17,271	17,519	17,561	16,825	15,786	14,264
Marlborough	16,892	15,756	15,680	15,154	15,781	15,587
Reading (town)	16,440	14,081	12,474	10,866	10,703	9,767
Marblehead (town)	15,908	13,831	12,692	10,856	10,173	8,668
Stoneham (town)	15,817	13,287	12,158	10,765	10,841	10,060
Milford (town)	15,622	15,442	15,801	15,388	15,008	14,741

Table 66

Age and Year.	Estimated Population by Age and Sex: July 1, 1958.		
	Total Number.	Males.	Females.
1958.			
All Ages.	**4,946,055**	**2,387,448**	**2,558,607**
Under 1 year	95,162	48,799	46,363
1 year	96,151	48,797	47,354
2 years	102,828	52,247	50,581
3 years	98,229	49,979	48,250
4 years	93,530	47,802	45,728
5 to 9 years	443,266	225,652	217,614
10 to 14 years	363,683	185,344	178,339
15 to 19 years	286,871	143,424	143,447
20 to 24 years	305,271	149,967	155,304
25 to 29 years	351,665	170,547	181,118
30 to 34 years	373,427	180,249	193,178
35 to 39 years	363,931	172,798	191,133
40 to 44 years	347,559	165,751	181,808
45 to 49 years	315,360	148,724	166,636
50 to 54 years	298,198	138,883	159,315
55 to 59 years	269,065	125,002	144,063
60 to 64 years	236,768	110,426	126,342
65 to 69 years	199,128	89,229	109,899
70 years and over	305,963	133,828	172,135
Unknown	–	–	–

BOSTON PUBLIC LIBRARY
3 9999 06351 664 3